



Leit Chair, Single




Product No.	Dimensions	Fabric \$					Leather \$				
PLEC1	26w	COM	1998	F6	2293	F12	2581	COL	2298	L6	3648
	24d	F1	2166	F7	2328	F13	2651	L1	2883	L7	3873
	29h	F2	2186	F8	2368	F14	2728	L2	2973	L8	4143
	18sh	F3	2208	F9	2413	F15	2816	L3	3108	L9	4503
		F4	2233	F10	2463	F16	2916	L4	3243	L10	4908
	2.5 yds, 45 sf	F5	2261	F11	2518	F17	3026	L5	3423	L11	5358

Leit Chair, Double




PLEC2	52w	COM	2779	F6	3251	F12	3711	COL	3196	L6	5356
	24d	F1	3047	F7	3307	F13	3823	L1	4132	L7	5716
	29h	F2	3079	F8	3371	F14	3947	L2	4276	L8	6148
	18sh	F3	3115	F9	3443	F15	4087	L3	4492	L9	6724
		F4	3155	F10	3523	F16	4247	L4	4708	L10	7372
	4 yds, 72 sf	F5	3199	F11	3611	F17	4423	L5	4996	L11	8092

Leit Chair, Triple




PLEC3	78w	COM	3406	F6	4114	F12	4804	COL	3917	L6	7157
	24d	F1	3808	F7	4198	F13	4972	L1	5321	L7	7697
	29h	F2	3856	F8	4294	F14	5158	L2	5537	L8	8345
	18sh	F3	3910	F9	4402	F15	5368	L3	5861	L9	9209
		F4	3970	F10	4522	F16	5608	L4	6185	L10	10181
	6 yds, 108 sf	F5	4036	F11	4654	F17	5872	L5	6617	L11	11261

Leit Chair, Quad




PLEC4	104w	COM	4771	F6	5715	F12	6635	COL	5487	L6	9807
	24d	F1	5307	F7	5827	F13	6859	L1	7359	L7	10527
	29h	F2	5371	F8	5955	F14	7107	L2	7647	L8	11391
	18sh	F3	5443	F9	6099	F15	7387	L3	8079	L9	12543
		F4	5523	F10	6259	F16	7707	L4	8511	L10	13839
	8 yds, 144 sf	F5	5611	F11	6435	F17	8059	L5	9087	L11	15279

Corner/Back Option




PLECB	2.5w	COM	856	F6	974	F12	1089	COL	984	L6	1524
	21d	F1	923	F7	988	F13	1117	L1	1218	L7	1614
	6.5h	F2	931	F8	1004	F14	1148	L2	1254	L8	1722
		F3	940	F9	1022	F15	1183	L3	1308	L9	1866
		F4	950	F10	1042	F16	1223	L4	1362	L10	2028
	1 yd, 18 sf	F5	961	F11	1064	F17	1267	L5	1434	L11	2208

Arms



PLEA	2.5w	COM	389	F6	507	F12	622	COL	447	L6	987
	21d	F1	456	F7	521	F13	650	L1	681	L7	1077
	6.5h	F2	464	F8	537	F14	681	L2	717	L8	1185
		F3	473	F9	555	F15	716	L3	771	L9	1329
		F4	483	F10	575	F16	756	L4	825	L10	1491
	1 yd, 18 sf	F5	494	F11	597	F17	800	L5	897	L11	1671

Arms must be placed by a leg (specify location by number) and may receive Pivot Tops and Power-Data Ports.



+ Options for Arms:

For a Pivot Top in Wood1 (15w 9.5d 2.9h), specify Option PTW, add \$206.

For a Pivot Top in FenixNTM®, specify Option PTF and color (matte black or matte white); add \$276.

For a hardwired Power-USB Port, specify Option PUP and color (black or white); add \$338.

Inquire with Customer Service about units with a 20 amp plug.

All metal frame parts this page are resin-coated steel; specify color choice:

MRB Resin Black, MRSa Resin Satin Aluminum, MRTG Resin Thunder Gray or MRW Resin White.

Shipping address for COM/COL materials and memo samples:

TUOHY Furniture Corporation, Upholstery Receiving Dept, 13715 S Western Ave, Gardena, CA 90247



Leit Bench, Single



Product No.	Dimensions	Fabric \$						Leather \$			
PLEB11	26w	COM	904	F6	1081	F12	1254	COL	1040	L6	1850
	18d	F1	1005	F7	1102	F13	1296	L1	1391	L7	1985
	18h	F2	1017	F8	1126	F14	1342	L2	1445	L8	2147
	18sh	F3	1030	F9	1153	F15	1395	L3	1526	L9	2363
	1.5 yds, 27 sf	F4	1045	F10	1183	F16	1455	L4	1607	L10	2606
		F5	1062	F11	1216	F17	1521	L5	1715	L11	2876

PLEB12	26w	COM	962	F6	1257	F12	1545	COL	1106	L6	2456
	24d	F1	1130	F7	1292	F13	1615	L1	1691	L7	2681
	18h	F2	1150	F8	1332	F14	1692	L2	1781	L8	2951
	18sh	F3	1172	F9	1377	F15	1780	L3	1916	L9	3311
		F4	1197	F10	1427	F16	1880	L4	2051	L10	3716
2.5 yds, 45 sf	F5	1225	F11	1482	F17	1990	L5	2231	L11	4166	

Leit Bench, Extended



PLEBX1	39w	COM	1139	F6	1493	F12	1838	COL	1310	L6	2930
	18d	F1	1340	F7	1535	F13	1922	L1	2012	L7	3200
	18h	F2	1364	F8	1583	F14	2015	L2	2120	L8	3524
	18sh	F3	1391	F9	1637	F15	2120	L3	2282	L9	3956
		F4	1421	F10	1697	F16	2240	L4	2444	L10	4442
3 yds, 54 sf	F5	1454	F11	1763	F17	2372	L5	2660	L11	4982	

PLEBX2	39w	COM	1197	F6	1551	F12	1896	COL	1377	L6	2997
	24d	F1	1398	F7	1593	F13	1980	L1	2079	L7	3267
	18h	F2	1422	F8	1641	F14	2073	L2	2187	L8	3591
	18sh	F3	1449	F9	1695	F15	2178	L3	2349	L9	4023
		F4	1479	F10	1755	F16	2298	L4	2511	L10	4509
3 yds, 54 sf	F5	1512	F11	1821	F17	2430	L5	2727	L11	5049	

Leit Bench, Double



PLEB21	52w	COM	1802	F6	2097	F12	2385	COL	2072	L6	3422
	18d	F1	1970	F7	2132	F13	2455	L1	2657	L7	3647
	18h	F2	1990	F8	2172	F14	2532	L2	2747	L8	3917
	18sh	F3	2012	F9	2217	F15	2620	L3	2882	L9	4277
		F4	2037	F10	2267	F16	2720	L4	3017	L10	4682
2.5 yds, 45 sf	F5	2065	F11	2322	F17	2830	L5	3197	L11	5132	

PLEB22	52w	COM	1861	F6	2156	F12	2444	COL	2140	L6	3490
	24d	F1	2029	F7	2191	F13	2514	L1	2725	L7	3715
	18h	F2	2049	F8	2231	F14	2591	L2	2815	L8	3985
	18sh	F3	2071	F9	2276	F15	2679	L3	2950	L9	4345
		F4	2096	F10	2326	F16	2779	L4	3085	L10	4750
2.5 yds, 45 sf	F5	2124	F11	2381	F17	2889	L5	3265	L11	5200	

Leit Bench, Triple



PLEB31	78w	COM	2291	F6	2704	F12	3107	COL	2635	L6	4525
	18d	F1	2526	F7	2753	F13	3205	L1	3454	L7	4840
	18h	F2	2554	F8	2809	F14	3313	L2	3580	L8	5218
	18sh	F3	2585	F9	2872	F15	3436	L3	3769	L9	5722
		F4	2620	F10	2942	F16	3576	L4	3958	L10	6289
3.5 yds, 63 sf	F5	2659	F11	3019	F17	3730	L5	4210	L11	6919	

PLEB32	78w	COM	2350	F6	2763	F12	3166	COL	2703	L6	4593
	24d	F1	2585	F7	2812	F13	3264	L1	3522	L7	4908
	18h	F2	2613	F8	2868	F14	3372	L2	3648	L8	5286
	18sh	F3	2644	F9	2931	F15	3495	L3	3837	L9	5790
		F4	2679	F10	3001	F16	3635	L4	4026	L10	6357
3.5 yds, 63 sf	F5	2718	F11	3078	F17	3789	L5	4278	L11	6987	

! Notes

All metal frame parts this page are resin-coated steel; specify color choice:
 MRB Resin Black, MRSA Resin Satin Aluminum, MRTG Resin Thunder Gray or MRW Resin White.

Shipping address for COM/COL materials and memo samples:
 TUOHY Furniture Corporation, Upholstery Receiving Dept, 13715 S Western Ave, Gardena, CA 90247



IMPORTANT! Additional yardage may be required for fabrics less than 54 inches wide and/or having more than a nominal vertical repeat or pattern.
 Use the Additional Yardage (+YDG) requirements listed in the TUOHY Upholstery Partnership Guides for each upholstery offering to re-calculate the yardage or square footage needed for a given pattern. See also Table 2 on page D2.

Category	Pattern	Grade
Faux-Leather	Proxy	F6
Leather	Lena	L1
Leather	Sierra	L1

Leit Tables



Description	Prod. Prefix	Top Material Suffix / List \$				
		Wood1	Wood2	AcrylicSS	Quartz	Fenix NTM®
Connecting Tables	...	W1	W2	C	Q	F
Inline	PLETC...	235	245	635	1023	550
End Table (2 legs)	PLETE...	688	697	1088	1475	1004
Corner Table (1 leg)	PLETL...	461	471	861	1250	777

Dimensions (tables above): 26w 24d 13.8h

Freestanding	Prod. Prefix	...W1	...W2	...C	...Q	...F
Table 26w 18d 13.8h	PLET111...	621	628	921	1211	857
Table 26w 18d 29h	PLET112...	954	962	1255	1546	1192
Table 26w 24d 13.8h	PLET121...	666	675	1066	1453	982
Table 26w 24d 29h	PLET122...	1043	1052	1443	1830	1359
Table 52w 18d 13.8h	PLET211...	728	742	1328	1910	1201
Table 52w 18d 29h	PLET212...	1083	1097	1683	2265	1557
Table 52w 24d 13.8h	PLET221...	795	815	1596	2371	1427
Table 52w 24d 29h	PLET222...	1193	1213	1994	2769	1825
Table 78w 18d 13.8h	PLET311...	1147	1168	2046	2919	1857
Table 78w 18d 29h	PLET312...	1713	1742	2913	4076	2660
Table 78w 24d 13.8h	PLET321...	1129	1158	2329	3492	2077
Table 78w 24d 29h	PLET322...	1811	1841	3012	4175	2759
Table 104w 24d 29h	PLET422...	1962	2001	3563	5114	3226

! Notes:

Specify the product number by appending the desired Top Material Code to the Prod.No. Prefix.

Example: Inline Connecting Table with Wood1 top is PLETCW1; price is \$235.

Acrylic Solid Surface is Avonite® Polaris.

Quartz is all standard colors from Cambria®; Cambria Matte™ and Luxury Series Designs require quotation.

FenixNTM® available in matte black or matte white.

Other top materials are available on a COM/project basis.

All metal frame parts this page are resin-coated steel; specify color choice:

MRB Resin Black, MRSA Resin Satin Aluminum, MRTG Resin Thunder Gray or MRW Resin White.

Leit Tops



Surround Panels Required	Prod. Prefix	...W1	...W2	...C	...Q	...F
Top 30.5w 24d 0.75th	PLETT305...	479	490	956	1418	855
Top 56.5w 24d 0.75th	PLETT565...	663	685	1540	2390	1356

! Notes:

Specify the product number by appending the desired Top Material Code to the Prod.No. Prefix.

Example: Top 30.5w 24d 0.75th with Wood1 top is PLETT305W1; price is \$479.

Acrylic Solid Surface is Avonite® Polaris.


Quartz is all standard colors from Cambria®; Cambria Matte™ and Luxury Series Designs require quotation.

FenixNTM® available in matte black or matte white.

Other top materials are available on a COM/project basis.

Leit Surround Panels

May be applied to seating units or used with tops (listed above) as desking stations. See the individual listings on the following pages, grouped and presented by height.



Shipping address for COM/COL materials and memo samples:
TUOHY Furniture Corporation, Upholstery Receiving Dept, 13715 S Western Ave, Gardena, CA 90247

Please provide tagging information as needed for your project.




Leit Surround Panels





May be applied to seating units or used with tops as desking stations.
 See the individual listings on the following pages, grouped and presented by height.
 Metal legs and stand-offs are resin-coated steel; specify color choice:
 MRB Resin Black, MRSA Resin Satin Aluminum, MRTG Resin Thunder Gray or MRW Resin White.

Panels for seating and connecting tables



Panels for work surface tops



Ordering Information

Product numbers are formed by joining the string of data in the grayed area.
 Example: PLEP25A24 requires 1.5 yards and has a COM price of \$778.

25.5h	w	d	yds	COM	F1	F2	F3	F4	F5	F6	F7	F8	F9	F10	F11	F12	F13	F14	F15	F16	Gr17
PLEP25 A 24		1	1.5	778	879	891	904	919	936	955	976	1000	1027	1057	1090	1128	1170	1216	1269	1329	1395
PLEP25 A 26		1	1.5	796	897	909	922	937	954	973	994	1018	1045	1075	1108	1146	1188	1234	1287	1347	1413
PLEP25 A 28.25		1	1.5	835	936	948	961	976	993	1012	1033	1057	1084	1114	1147	1185	1227	1273	1326	1386	1452
PLEP25 A 28.75		1	1.5	835	936	948	961	976	993	1012	1033	1057	1084	1114	1147	1185	1227	1273	1326	1386	1452
PLEP25 A 30.5		1	1.5	856	957	969	982	997	1014	1033	1054	1078	1105	1135	1168	1206	1248	1294	1347	1407	1473
PLEP25 A 31.5		1	1.5	876	977	989	1002	1017	1034	1053	1074	1098	1125	1155	1188	1226	1268	1314	1367	1427	1493
PLEP25 A 49		1	2	818	952	968	986	1006	1028	1054	1082	1114	1150	1190	1234	1284	1340	1402	1472	1552	1640
PLEP25 A 52		1	2	837	971	987	1005	1025	1047	1073	1101	1133	1169	1209	1253	1303	1359	1421	1491	1571	1659
PLEP25 A 53		1	2	837	971	987	1005	1025	1047	1073	1101	1133	1169	1209	1253	1303	1359	1421	1491	1571	1659
PLEP25 A 57.5	≡	1	2	857	991	1007	1025	1045	1067	1093	1121	1153	1189	1229	1273	1323	1379	1441	1511	1591	1679
PLEP25 M 29.25	L	18	2.5	1128	1296	1316	1338	1363	1391	1423	1458	1498	1543	1593	1648	1711	1781	1858	1946	2046	2156
PLEP25 M 29.25	R	18	2.5	1128	1296	1316	1338	1363	1391	1423	1458	1498	1543	1593	1648	1711	1781	1858	1946	2046	2156
PLEP25 N 29.25	L	18	2.5	1128	1296	1316	1338	1363	1391	1423	1458	1498	1543	1593	1648	1711	1781	1858	1946	2046	2156
PLEP25 N 29.25	R	18	2.5	1128	1296	1316	1338	1363	1391	1423	1458	1498	1543	1593	1648	1711	1781	1858	1946	2046	2156
PLEP25 P 27	L	25	3	1070	1271	1295	1322	1352	1385	1424	1466	1514	1568	1628	1694	1769	1853	1946	2051	2171	2303
PLEP25 P 27	R	25	3	1070	1271	1295	1322	1352	1385	1424	1466	1514	1568	1628	1694	1769	1853	1946	2051	2171	2303
PLEP25 Q 32.5		18	3.5	1225	1460	1488	1519	1554	1593	1638	1687	1743	1806	1876	1953	2041	2139	2247	2370	2510	2664

≡ Denotes that patterns require railroading.

Shipping address for COM/COL materials and memo samples:
 TUOHY Furniture Corporation, Upholstery Receiving Dept, 13715 S Western Ave, Gardena, CA 90247



IMPORTANT! Additional yardage may be required for fabrics less than 54 inches wide and/or having more than a nominal vertical repeat or pattern.
 Use the Additional Yardage (+YDG) requirements listed in the TUOHY Upholstery Partnership Guides for each upholstery offering to re-calculate the yardage or square footage needed for a given pattern. See also Table 2 on page D2.

Category	Pattern	Grade
Faux-Leather	Proxy	F6
Leather	Lena	L1
Leather	Sierra	L1

Shipping address for COM/COL materials and memo samples:
 TUOHY Furniture Corporation, Upholstery Receiving Dept, 13715 S Western Ave, Gardena, CA 90247
 Please provide tagging information as needed for your project.



Leit Surround Panels (cont.)

45.5h	w	d	yds	COM	F1	F2	F3	F4	F5	F6	F7	F8	F9	F10	F11	F12	F13	F14	F15	F16	Gr17
PLEP45 A 24		1	2.5	972	1140	1160	1182	1207	1235	1267	1302	1342	1387	1437	1492	1555	1625	1702	1790	1890	2000
PLEP45 A 26		1	2.5	991	1159	1179	1201	1226	1254	1286	1321	1361	1406	1456	1511	1574	1644	1721	1809	1909	2019
PLEP45 A 28.25		1	2.5	1030	1198	1218	1240	1265	1293	1325	1360	1400	1445	1495	1550	1613	1683	1760	1848	1948	2058
PLEP45 A 28.75		1	2.5	1030	1198	1218	1240	1265	1293	1325	1360	1400	1445	1495	1550	1613	1683	1760	1848	1948	2058
PLEP45 A 30.5		1	2.5	1050	1218	1238	1260	1285	1313	1345	1380	1420	1465	1515	1570	1633	1703	1780	1868	1968	2078
PLEP45 A 31.5		1	2.5	1070	1238	1258	1280	1305	1333	1365	1400	1440	1485	1535	1590	1653	1723	1800	1888	1988	2098
PLEP45 A 49		1	3.5	1109	1344	1372	1403	1438	1477	1522	1571	1627	1690	1760	1837	1925	2023	2131	2254	2394	2548
PLEP45 A 52		1	3.5	1128	1363	1391	1422	1457	1496	1541	1590	1646	1709	1779	1856	1944	2042	2150	2273	2413	2567
PLEP45 A 53		1	3.5	1128	1363	1391	1422	1457	1496	1541	1590	1646	1709	1779	1856	1944	2042	2150	2273	2413	2567
PLEP45 A 57.5	≡	1	3.5	1148	1383	1411	1442	1477	1516	1561	1610	1666	1729	1799	1876	1964	2062	2170	2293	2433	2587
PLEP45 B 49		3.25	3.5	1109	1344	1372	1403	1438	1477	1522	1571	1627	1690	1760	1837	1925	2023	2131	2254	2394	2548
PLEP45 C 49		5.5	3.5	1109	1344	1372	1403	1438	1477	1522	1571	1627	1690	1760	1837	1925	2023	2131	2254	2394	2548
PLEP45 D 24		5.5	2.5	972	1140	1160	1182	1207	1235	1267	1302	1342	1387	1437	1492	1555	1625	1702	1790	1890	2000
PLEP45 E 26		1	2.5	991	1159	1179	1201	1226	1254	1286	1321	1361	1406	1456	1511	1574	1644	1721	1809	1909	2019
PLEP45 F 17		5.5	2.5	933	1101	1121	1143	1168	1196	1228	1263	1303	1348	1398	1453	1516	1586	1663	1751	1851	1961
PLEP45 G 35		3.25	2.5	1089	1257	1277	1299	1324	1352	1384	1419	1459	1504	1554	1609	1672	1742	1819	1907	2007	2117
PLEP45 H 35		5.5	2.5	1089	1257	1277	1299	1324	1352	1384	1419	1459	1504	1554	1609	1672	1742	1819	1907	2007	2117
PLEP45 I 26		1	2.5	991	1159	1179	1201	1226	1254	1286	1321	1361	1406	1456	1511	1574	1644	1721	1809	1909	2019
PLEP45 J 35		1	2.5	1089	1257	1277	1299	1324	1352	1384	1419	1459	1504	1554	1609	1672	1742	1819	1907	2007	2117
PLEP45 K 18		1	2.5	914	1082	1102	1124	1149	1177	1209	1244	1284	1329	1379	1434	1497	1567	1644	1732	1832	1942
PLEP45 M 29.25	L	18	4	1322	1590	1622	1658	1698	1742	1794	1850	1914	1986	2066	2154	2254	2366	2490	2630	2790	2966
PLEP45 M 29.25	R	18	4	1322	1590	1622	1658	1698	1742	1794	1850	1914	1986	2066	2154	2254	2366	2490	2630	2790	2966
PLEP45 N 29.25	L	18	4	1322	1590	1622	1658	1698	1742	1794	1850	1914	1986	2066	2154	2254	2366	2490	2630	2790	2966
PLEP45 N 29.25	R	18	4	1322	1590	1622	1658	1698	1742	1794	1850	1914	1986	2066	2154	2254	2366	2490	2630	2790	2966
PLEP45 O 29.25	L	25	4.5	1361	1663	1699	1739	1784	1834	1892	1955	2027	2108	2198	2297	2410	2536	2675	2833	3013	3211
PLEP45 O 29.25	R	25	4.5	1361	1663	1699	1739	1784	1834	1892	1955	2027	2108	2198	2297	2410	2536	2675	2833	3013	3211
PLEP45 P 27	L	25	4.5	1264	1566	1602	1642	1687	1737	1795	1858	1930	2011	2101	2200	2313	2439	2578	2736	2916	3114
PLEP45 P 27	R	25	4.5	1264	1566	1602	1642	1687	1737	1795	1858	1930	2011	2101	2200	2313	2439	2578	2736	2916	3114
PLEP45 Q 32.5		18	5.5	1420	1789	1833	1882	1937	1998	2069	2146	2234	2333	2443	2564	2702	2856	3026	3219	3439	3681
PLEP45 S 29.25	L	18	4	1511	1779	1811	1847	1887	1931	1983	2039	2103	2175	2255	2343	2443	2555	2679	2819	2979	3155
PLEP45 S 29.25	R	18	4	1511	1779	1811	1847	1887	1931	1983	2039	2103	2175	2255	2343	2443	2555	2679	2819	2979	3155
PLEP45 T 29.25	L	25	4	1473	1741	1773	1809	1849	1893	1945	2001	2065	2137	2217	2305	2405	2517	2641	2781	2941	3117
PLEP45 T 29.25	R	25	4	1473	1741	1773	1809	1849	1893	1945	2001	2065	2137	2217	2305	2405	2517	2641	2781	2941	3117
PLEP45 U 32.5		18	5.5	1608	1977	2021	2070	2125	2186	2257	2334	2422	2521	2631	2752	2890	3044	3214	3407	3627	3869

55.5h	w	d	yds	COM	F1	F2	F3	F4	F5	F6	F7	F8	F9	F10	F11	F12	F13	F14	F15	F16	Gr17
PLEP55 A 24		1	3.5	1167	1402	1430	1461	1496	1535	1580	1629	1685	1748	1818	1895	1983	2081	2189	2312	2452	2606
PLEP55 A 26		1	3.5	1187	1422	1450	1481	1516	1555	1600	1649	1705	1768	1838	1915	2003	2101	2209	2332	2472	2626
PLEP55 A 28.25		1	3.5	1225	1460	1488	1519	1554	1593	1638	1687	1743	1806	1876	1953	2041	2139	2247	2370	2510	2664
PLEP55 A 28.75		1	3.5	1225	1460	1488	1519	1554	1593	1638	1687	1743	1806	1876	1953	2041	2139	2247	2370	2510	2664
PLEP55 A 30.5		1	3.5	1244	1479	1507	1538	1573	1612	1657	1706	1762	1825	1895	1972	2060	2158	2266	2389	2529	2683
PLEP55 A 31.5		1	3.5	1264	1499	1527	1558	1593	1632	1677	1726	1782	1845	1915	1992	2080	2178	2286	2409	2549	2703
PLEP55 A 49		1	3.5	1303	1538	1566	1597	1632	1671	1716	1765	1821	1884	1954	2031	2119	2217	2325	2448	2588	2742
PLEP55 A 52		1	3.5	1322	1557	1585	1616	1651	1690	1735	1784	1840	1903	1973	2050	2138	2236	2344	2467	2607	2761
PLEP55 A 53		1	3.5	1322	1557	1585	1616	1651	1690	1735	1784	1840	1903	1973	2050	2138	2236	2344	2467	2607	2761
PLEP55 A 57.5	≡	1	3.5	1342	1577	1605	1636	1671	1710	1755	1804	1860	1923	1993	2070	2158	2256	2364	2487	2627	2781
PLEP55 B 49		3.25	3.5	1303	1538	1566	1597	1632	1671	1716	1765	1821	1884	1954	2031	2119	2217	2325	2448	2588	2742
PLEP55 C 49		5.5	3.5	1303	1538	1566	1597	1632	1671	1716	1765	1821	1884	1954	2031	2119	2217	2325	2448	2588	2742
PLEP55 D 24		5.5	3.5	1167	1402	1430	1461	1496	1535	1580	1629	1685	1748	1818	1895	1983	2081	2189	2312	2452	2606
PLEP55 E 26		1	3.5	1187	1422	1450	1481	1516	1555	1600	1649	1705	1768	1838	1915	2003	2101	2209	2332	2472	2626
PLEP55 F 17		5.5	3.5	1128	1363	1391	1422	1457	1496	1541	1590	1646	1709	1779	1856	1944	2042	2150	2273	2413	2567
PLEP55 G 35		3.25	3.5	1283	1518	1546	1577	1612	1651	1696	1745	1801	1864	1934	2011	2099	2197	2305	2428	2568	2722
PLEP55 H 35		5.5	3.5	1283	1518	1546	1577	1612	1651	1696	1745	1801	1864	1934	2011	2099	2197	2305	2428	2568	2722
PLEP55 I 26		1	3.5	1187	1422	1450	1481	1516	1555	1600	1649	1705	1768	1838	1915	2003	2101	2209	2332	2472	2626
PLEP55 J 35		1	3.5	1283	1518	1546	1577	1612	1651	1696	1745	1801	1864	1934	2011	2099	2197	2305	2428	2568	2722
PLEP55 K 18		1	3.5	1109	1344	1372	1403	1438	1477	1522	1571	1627	1690	1760	1837	1925	2023	2131	2254	2394	2548
PLEP55 M 29.25	L	18	5	1516	1851	1891	1936	1986	2041	2106	2176	2256	2346	2446	2556	2681	2821	2976	3151	3351	3571
PLEP55 M 29.25	R	18	5	1516	1851	1891	1936	1986	2041	2106	2176	2256	2346	2446	2556	2681	2821	2976	3151	3351	3571
PLEP55 N 29.25	L	18	5	1516	1851	1891	1936	1986	2041	2106	2176	2256	2346	2446	2556	2681	2821	2976	3151	3351	3571
PLEP55 N 29.25	R	18	5	1516	1851	1891	1936	1986	2041	2106	2176	2256	2346	2446	2556	2681	2821	2976	3151	3351	3571
PLEP55 O 29.2																					