



Leit Chair, Single




Product No.	Dimensions	Fabric \$					Leather \$				
PLEC1	26w	COM	2098	F6	2393	F12	2681	COL	2413	L6	3763
	24d	F1	2266	F7	2428	F13	2751	L1	2998	L7	3988
	29h	F2	2286	F8	2468	F14	2828	L2	3088	L8	4258
	18sh	F3	2308	F9	2513	F15	2916	L3	3223	L9	4618
		F4	2333	F10	2563	F16	3016	L4	3358	L10	5023
	2.5 yds, 45 sf	F5	2361	F11	2618	F17	3126	L5	3538	L11	5473

Leit Chair, Double




PLEC2	52w	COM	2918	F6	3390	F12	3850	COL	3356	L6	5516
	24d	F1	3186	F7	3446	F13	3962	L1	4292	L7	5876
	29h	F2	3218	F8	3510	F14	4086	L2	4436	L8	6308
	18sh	F3	3254	F9	3582	F15	4226	L3	4652	L9	6884
		F4	3294	F10	3662	F16	4386	L4	4868	L10	7532
	4 yds, 72 sf	F5	3338	F11	3750	F17	4562	L5	5156	L11	8252

Leit Chair, Triple




PLEC3	78w	COM	3576	F6	4284	F12	4974	COL	4112	L6	7352
	24d	F1	3978	F7	4368	F13	5142	L1	5516	L7	7892
	29h	F2	4026	F8	4464	F14	5328	L2	5732	L8	8540
	18sh	F3	4080	F9	4572	F15	5538	L3	6056	L9	9404
		F4	4140	F10	4692	F16	5778	L4	6380	L10	10376
	6 yds, 108 sf	F5	4206	F11	4824	F17	6042	L5	6812	L11	11456

Leit Chair, Quad




PLEC4	104w	COM	5010	F6	5954	F12	6874	COL	5762	L6	10082
	24d	F1	5546	F7	6066	F13	7098	L1	7634	L7	10802
	29h	F2	5610	F8	6194	F14	7346	L2	7922	L8	11666
	18sh	F3	5682	F9	6338	F15	7626	L3	8354	L9	12818
		F4	5762	F10	6498	F16	7946	L4	8786	L10	14114
	8 yds, 144 sf	F5	5850	F11	6674	F17	8298	L5	9362	L11	15554

Corner/Back Option




PLECB	2.5w	COM	899	F6	1017	F12	1132	COL	1034	L6	1574
	21d	F1	966	F7	1031	F13	1160	L1	1268	L7	1664
	6.5h	F2	974	F8	1047	F14	1191	L2	1304	L8	1772
		F3	983	F9	1065	F15	1226	L3	1358	L9	1916
		F4	993	F10	1085	F16	1266	L4	1412	L10	2078
	1 yd, 18 sf	F5	1004	F11	1107	F17	1310	L5	1484	L11	2258

Arms



PLEA	2.5w	COM	408	F6	526	F12	641	COL	469	L6	1009
	21d	F1	475	F7	540	F13	669	L1	703	L7	1099
	6.5h	F2	483	F8	556	F14	700	L2	739	L8	1207
		F3	492	F9	574	F15	735	L3	793	L9	1351
		F4	502	F10	594	F16	775	L4	847	L10	1513
	1 yd, 18 sf	F5	513	F11	616	F17	819	L5	919	L11	1693

Arms must be placed by a leg (specify location by number) and may receive Pivot Tops and Power-Data Ports.



+ Options for Arms:

For a Pivot Top in Wood1 (15w 9.5d 2.9h), specify Option PTW, add \$216.

For a Pivot Top in FenixNTM®, specify Option PTF and color (matte black or matte white); add \$290.

For a hardwired Power-USB Port, specify Option PUP and color (black or white); add \$355.

Inquire with Customer Service about units with a 20 amp plug.

All metal frame parts this page are resin-coated steel; specify color choice:

MRB Resin Black, MRSA Resin Satin Aluminum, MRTG Resin Thunder Gray or MRW Resin White.

Shipping address for COM/COL materials and memo samples:

TUOHY Furniture Corporation, Upholstery Receiving Dept, 13715 S Western Ave, Gardena, CA 90247




Leit Bench, Single



Product No.	Dimensions	Fabric \$					Leather \$				
PLEB11	26w	COM	949	F6	1126	F12	1299	COL	1091	L6	1901
	18d	F1	1050	F7	1147	F13	1341	L1	1442	L7	2036
	18h	F2	1062	F8	1171	F14	1387	L2	1496	L8	2198
	18sh	F3	1075	F9	1198	F15	1440	L3	1577	L9	2414
		F4	1090	F10	1228	F16	1500	L4	1658	L10	2657
	1.5 yds, 27 sf	F5	1107	F11	1261	F17	1566	L5	1766	L11	2927
PLEB12	26w	COM	1010	F6	1305	F12	1593	COL	1162	L6	2512
	24d	F1	1178	F7	1340	F13	1663	L1	1747	L7	2737
	18h	F2	1198	F8	1380	F14	1740	L2	1837	L8	3007
	18sh	F3	1220	F9	1425	F15	1828	L3	1972	L9	3367
		F4	1245	F10	1475	F16	1928	L4	2107	L10	3772
	2.5 yds, 45 sf	F5	1273	F11	1530	F17	2038	L5	2287	L11	4222

Leit Bench, Extended



PLEBX1	39w	COM	1196	F6	1550	F12	1895	COL	1375	L6	2995
	18d	F1	1397	F7	1592	F13	1979	L1	2077	L7	3265
	18h	F2	1421	F8	1640	F14	2072	L2	2185	L8	3589
	18sh	F3	1448	F9	1694	F15	2177	L3	2347	L9	4021
		F4	1478	F10	1754	F16	2297	L4	2509	L10	4507
	3 yds, 54 sf	F5	1511	F11	1820	F17	2429	L5	2725	L11	5047
PLEBX2	39w	COM	1257	F6	1611	F12	1956	COL	1446	L6	3066
	24d	F1	1458	F7	1653	F13	2040	L1	2148	L7	3336
	18h	F2	1482	F8	1701	F14	2133	L2	2256	L8	3660
	18sh	F3	1509	F9	1755	F15	2238	L3	2418	L9	4092
		F4	1539	F10	1815	F16	2358	L4	2580	L10	4578
	3 yds, 54 sf	F5	1572	F11	1881	F17	2490	L5	2796	L11	5118

Leit Bench, Double



PLEB21	52w	COM	1892	F6	2187	F12	2475	COL	2176	L6	3526
	18d	F1	2060	F7	2222	F13	2545	L1	2761	L7	3751
	18h	F2	2080	F8	2262	F14	2622	L2	2851	L8	4021
	18sh	F3	2102	F9	2307	F15	2710	L3	2986	L9	4381
		F4	2127	F10	2357	F16	2810	L4	3121	L10	4786
	2.5 yds, 45 sf	F5	2155	F11	2412	F17	2920	L5	3301	L11	5236
PLEB22	52w	COM	1954	F6	2249	F12	2537	COL	2247	L6	3597
	24d	F1	2122	F7	2284	F13	2607	L1	2832	L7	3822
	18h	F2	2142	F8	2324	F14	2684	L2	2922	L8	4092
	18sh	F3	2164	F9	2369	F15	2772	L3	3057	L9	4452
		F4	2189	F10	2419	F16	2872	L4	3192	L10	4857
	2.5 yds, 45 sf	F5	2217	F11	2474	F17	2982	L5	3372	L11	5307

Leit Bench, Triple



PLEB31	78w	COM	2406	F6	2819	F12	3222	COL	2767	L6	4657
	18d	F1	2641	F7	2868	F13	3320	L1	3586	L7	4972
	18h	F2	2669	F8	2924	F14	3428	L2	3712	L8	5350
	18sh	F3	2700	F9	2987	F15	3551	L3	3901	L9	5854
		F4	2735	F10	3057	F16	3691	L4	4090	L10	6421
	3.5 yds, 63 sf	F5	2774	F11	3134	F17	3845	L5	4342	L11	7051
PLEB32	78w	COM	2468	F6	2881	F12	3284	COL	2838	L6	4728
	24d	F1	2703	F7	2930	F13	3382	L1	3657	L7	5043
	18h	F2	2731	F8	2986	F14	3490	L2	3783	L8	5421
	18sh	F3	2762	F9	3049	F15	3613	L3	3972	L9	5925
		F4	2797	F10	3119	F16	3753	L4	4161	L10	6492
	3.5 yds, 63 sf	F5	2836	F11	3196	F17	3907	L5	4413	L11	7122

! Notes

All metal frame parts this page are resin-coated steel; specify color choice:

MRB Resin Black, MRSA Resin Satin Aluminum, MRTG Resin Thunder Gray or MRW Resin White.

Shipping address for COM/COL materials and memo samples:


TUOHY Furniture Corporation, Upholstery Receiving Dept, 13715 S Western Ave, Gardena, CA 90247



IMPORTANT! Additional yardage may be required for fabrics less than 54 inches wide and/or having more than a nominal vertical repeat or pattern. Use the Additional Yardage (+YDG) requirements listed in the TUOHY Upholstery Partnership Guides for each upholstery offering to re-calculate the yardage or square footage needed for a given pattern. See also Table 2 on page D2.

Category	Pattern	Grade
Faux-Leather	Proxy	F6
Leather	Lena	L1
Leather	Sierra	L1

Leit Tables



Description	Prod. Prefix	Top Material Suffix / List \$				
		Wood1	Wood2	AcrylicSS	Quartz	Fenix NTM®
Connecting Tables	...	W1	W2	C	Q	F
Inline	PLETC...	247	257	667	1074	578
End Table (2 legs)	PLETE...	722	732	1142	1549	1054
Corner Table (1 leg)	PLETL...	484	495	904	1313	816

Dimensions (tables above): 26w 24d 13.8h

Freestanding	Prod. Prefix	...W1	...W2	...C	...Q	...F
Table 26w 18d 13.8h	PLET111...	652	659	967	1272	900
Table 26w 18d 29h	PLET112...	1002	1010	1318	1623	1252
Table 26w 24d 13.8h	PLET121...	699	709	1119	1526	1031
Table 26w 24d 29h	PLET122...	1095	1105	1515	1922	1427
Table 52w 18d 13.8h	PLET211...	764	779	1394	2006	1261
Table 52w 18d 29h	PLET212...	1137	1152	1767	2378	1635
Table 52w 24d 13.8h	PLET221...	835	856	1676	2490	1498
Table 52w 24d 29h	PLET222...	1253	1274	2094	2907	1916
Table 78w 18d 13.8h	PLET311...	1204	1226	2148	3065	1950
Table 78w 18d 29h	PLET312...	1799	1829	3059	4280	2793
Table 78w 24d 13.8h	PLET321...	1185	1216	2445	3667	2181
Table 78w 24d 29h	PLET322...	1902	1933	3163	4384	2897
Table 104w 24d 29h	PLET422...	2060	2101	3741	5370	3387

! Notes:

Specify the product number by appending the desired Top Material Code to the Prod.No. Prefix.

Example: Inline Connecting Table with Wood1 top is PLETCW1; price is \$247.

Acrylic Solid Surface is Avonite® Polaris.

Quartz is all standard colors from Cambria®; Cambria Matte™ and Luxury Series Designs require quotation.

FenixNTM® available in matte black or matte white.

Other top materials are available on a COM/project basis.

All metal frame parts this page are resin-coated steel; specify color choice:

MRB Resin Black, MRSA Resin Satin Aluminum, MRTG Resin Thunder Gray or MRW Resin White.

Leit Tops



Surround Panels Required	Prod. Prefix	...W1	...W2	...C	...Q	...F
Top 30.5w 24d 0.75th	PLETT305...	503	515	1004	1489	898
Top 56.5w 24d 0.75th	PLETT565...	696	719	1617	2510	1424

! Notes:

Specify the product number by appending the desired Top Material Code to the Prod.No. Prefix.

Example: Top 30.5w 24d 0.75th with Wood1 top is PLETT305W1; price is \$503.

Acrylic Solid Surface is Avonite® Polaris.


Quartz is all standard colors from Cambria®; Cambria Matte™ and Luxury Series Designs require quotation.

FenixNTM® available in matte black or matte white.

Other top materials are available on a COM/project basis.

Leit Surround Panels

May be applied to seating units or used with tops (listed above) as desking stations. See the individual listings on the following pages, grouped and presented by height.



Shipping address for COM/COL materials and memo samples:
TUOHY Furniture Corporation, Upholstery Receiving Dept, 13715 S Western Ave, Gardena, CA 90247

Please provide tagging information as needed for your project.




Leit Surround Panels





May be applied to seating units or used with tops as desking stations.
 See the individual listings on the following pages, grouped and presented by height.
 Metal legs and stand-offs are resin-coated steel; specify color choice:
 MRB Resin Black, MRSA Resin Satin Aluminum, MRTG Resin Thunder Gray or MRW Resin White.

Panels for seating and connecting tables



Panels for work surface tops



Ordering Information

Product numbers are formed by joining the string of data in the grayed area.
 Example:
 PLEP25A24 requires 1.5 yards and has a COM price of \$817.

25.5h	w	d	yds	COM	F1	F2	F3	F4	F5	F6	F7	F8	F9	F10	F11	F12	F13	F14	F15	F16	Gr17
PLEP25 A 24		1	1.5	817	918	930	943	958	975	994	1015	1039	1066	1096	1129	1167	1209	1255	1308	1368	1434
PLEP25 A 26		1	1.5	836	937	949	962	977	994	1013	1034	1058	1085	1115	1148	1186	1228	1274	1327	1387	1453
PLEP25 A 28.25		1	1.5	877	978	990	1003	1018	1035	1054	1075	1099	1126	1156	1189	1227	1269	1315	1368	1428	1494
PLEP25 A 28.75		1	1.5	877	978	990	1003	1018	1035	1054	1075	1099	1126	1156	1189	1227	1269	1315	1368	1428	1494
PLEP25 A 30.5		1	1.5	899	1000	1012	1025	1040	1057	1076	1097	1121	1148	1178	1211	1249	1291	1337	1390	1450	1516
PLEP25 A 31.5		1	1.5	920	1021	1033	1046	1061	1078	1097	1118	1142	1169	1199	1232	1270	1312	1358	1411	1471	1537
PLEP25 A 49		1	2	859	993	1009	1027	1047	1069	1095	1123	1155	1191	1231	1275	1325	1381	1443	1513	1593	1681
PLEP25 A 52		1	2	879	1013	1029	1047	1067	1089	1115	1143	1175	1211	1251	1295	1345	1401	1463	1533	1613	1701
PLEP25 A 53		1	2	879	1013	1029	1047	1067	1089	1115	1143	1175	1211	1251	1295	1345	1401	1463	1533	1613	1701
PLEP25 A 57.5		1	2	900	1034	1050	1068	1088	1110	1136	1164	1196	1232	1272	1316	1366	1422	1484	1554	1634	1722
PLEP25 M 29.25 L		18	2.5	1184	1352	1372	1394	1419	1447	1479	1514	1554	1599	1649	1704	1767	1837	1914	2002	2102	2212
PLEP25 M 29.25 R		18	2.5	1184	1352	1372	1394	1419	1447	1479	1514	1554	1599	1649	1704	1767	1837	1914	2002	2102	2212
PLEP25 N 29.25 L		18	2.5	1184	1352	1372	1394	1419	1447	1479	1514	1554	1599	1649	1704	1767	1837	1914	2002	2102	2212
PLEP25 N 29.25 R		18	2.5	1184	1352	1372	1394	1419	1447	1479	1514	1554	1599	1649	1704	1767	1837	1914	2002	2102	2212
PLEP25 P 27 L		25	3	1124	1325	1349	1376	1406	1439	1478	1520	1568	1622	1682	1748	1823	1907	2000	2105	2225	2357
PLEP25 P 27 R		25	3	1124	1325	1349	1376	1406	1439	1478	1520	1568	1622	1682	1748	1823	1907	2000	2105	2225	2357
PLEP25 Q 32.5		18	3.5	1286	1521	1549	1580	1615	1654	1699	1748	1804	1867	1937	2014	2102	2200	2308	2431	2571	2725
PLEP25 S 29.25 L		18	2.5	1383	1551	1571	1593	1618	1646	1678	1713	1753	1798	1848	1903	1966	2036	2113	2201	2301	2411
PLEP25 S 29.25 R		18	2.5	1383	1551	1571	1593	1618	1646	1678	1713	1753	1798	1848	1903	1966	2036	2113	2201	2301	2411
PLEP25 U 32.5		18	3.5	1484	1719	1747	1778	1813	1852	1897	1946	2002	2065	2135	2212	2300	2398	2506	2629	2769	2923

≡ Denotes that patterns require railroading.

Shipping address for COM/COL materials and memo samples:
 TUOHY Furniture Corporation, Upholstery Receiving Dept, 13715 S Western Ave, Gardena, CA 90247



IMPORTANT! Additional yardage may be required for fabrics less than 54 inches wide and/or having more than a nominal vertical repeat or pattern.
 Use the Additional Yardage (+YDG) requirements listed in the TUOHY Upholstery Partnership Guides for each upholstery offering to re-calculate the yardage or square footage needed for a given pattern. See also Table 2 on page D2.

Category	Pattern	Grade
Faux-Leather	Proxy	F6
Leather	Lena	L1
Leather	Sierra	L1

Shipping address for COM/COL materials and memo samples:
TUOHY Furniture Corporation, Upholstery Receiving Dept, 13715 S Western Ave, Gardena, CA 90247



Please provide tagging information as needed for your project.

Leit Surround Panels (cont.)

45.5h	w	d	yds	COM	F1	F2	F3	F4	F5	F6	F7	F8	F9	F10	F11	F12	F13	F14	F15	F16	Gr17
PLEP45 A 24		1	2.5	1021	1189	1209	1231	1256	1284	1316	1351	1391	1436	1486	1541	1604	1674	1751	1839	1939	2049
PLEP45 A 26		1	2.5	1041	1209	1229	1251	1276	1304	1336	1371	1411	1456	1506	1561	1624	1694	1771	1859	1959	2069
PLEP45 A 28.25		1	2.5	1082	1250	1270	1292	1317	1345	1377	1412	1452	1497	1547	1602	1665	1735	1812	1900	2000	2110
PLEP45 A 28.75		1	2.5	1082	1250	1270	1292	1317	1345	1377	1412	1452	1497	1547	1602	1665	1735	1812	1900	2000	2110
PLEP45 A 30.5		1	2.5	1103	1271	1291	1313	1338	1366	1398	1433	1473	1518	1568	1623	1686	1756	1833	1921	2021	2131
PLEP45 A 31.5		1	2.5	1124	1292	1312	1334	1359	1387	1419	1454	1494	1539	1589	1644	1707	1777	1854	1942	2042	2152
PLEP45 A 49		1	3.5	1164	1399	1427	1458	1493	1532	1577	1626	1682	1745	1815	1892	1980	2078	2186	2309	2449	2603
PLEP45 A 52		1	3.5	1184	1419	1447	1478	1513	1552	1597	1646	1702	1765	1835	1912	2000	2098	2206	2329	2469	2623
PLEP45 A 53		1	3.5	1184	1419	1447	1478	1513	1552	1597	1646	1702	1765	1835	1912	2000	2098	2206	2329	2469	2623
PLEP45 A 57.5	≡	1	3.5	1205	1440	1468	1499	1534	1573	1618	1667	1723	1786	1856	1933	2021	2119	2227	2350	2490	2644
PLEP45 B 49		3.25	3.5	1164	1399	1427	1458	1493	1532	1577	1626	1682	1745	1815	1892	1980	2078	2186	2309	2449	2603
PLEP45 C 49		5.5	3.5	1164	1399	1427	1458	1493	1532	1577	1626	1682	1745	1815	1892	1980	2078	2186	2309	2449	2603
PLEP45 D 24		5.5	2.5	1021	1189	1209	1231	1256	1284	1316	1351	1391	1436	1486	1541	1604	1674	1751	1839	1939	2049
PLEP45 E 26		1	2.5	1041	1209	1229	1251	1276	1304	1336	1371	1411	1456	1506	1561	1624	1694	1771	1859	1959	2069
PLEP45 F 17		5.5	2.5	980	1148	1168	1190	1215	1243	1275	1310	1350	1395	1445	1500	1563	1633	1710	1798	1898	2008
PLEP45 G 35		3.25	2.5	1143	1311	1331	1353	1378	1406	1438	1473	1513	1558	1608	1663	1726	1796	1873	1961	2061	2171
PLEP45 H 35		5.5	2.5	1143	1311	1331	1353	1378	1406	1438	1473	1513	1558	1608	1663	1726	1796	1873	1961	2061	2171
PLEP45 J 35		1	2.5	1143	1311	1331	1353	1378	1406	1438	1473	1513	1558	1608	1663	1726	1796	1873	1961	2061	2171
PLEP45 K 18		1	2.5	960	1128	1148	1170	1195	1223	1255	1290	1330	1375	1425	1480	1543	1613	1690	1778	1878	1988
PLEP45 M 29.25	L	18	4	1388	1656	1688	1724	1764	1808	1860	1916	1980	2052	2132	2220	2320	2432	2556	2696	2856	3032
PLEP45 M 29.25	R	18	4	1388	1656	1688	1724	1764	1808	1860	1916	1980	2052	2132	2220	2320	2432	2556	2696	2856	3032
PLEP45 N 29.25	L	18	4	1388	1656	1688	1724	1764	1808	1860	1916	1980	2052	2132	2220	2320	2432	2556	2696	2856	3032
PLEP45 N 29.25	R	18	4	1388	1656	1688	1724	1764	1808	1860	1916	1980	2052	2132	2220	2320	2432	2556	2696	2856	3032
PLEP45 O 29.25	L	25	4.5	1429	1731	1767	1807	1852	1902	1960	2023	2095	2176	2266	2365	2478	2604	2743	2901	3081	3279
PLEP45 O 29.25	R	25	4.5	1429	1731	1767	1807	1852	1902	1960	2023	2095	2176	2266	2365	2478	2604	2743	2901	3081	3279
PLEP45 P 27	L	25	4.5	1327	1629	1665	1705	1750	1800	1858	1921	1993	2074	2164	2263	2376	2502	2641	2799	2979	3177
PLEP45 P 27	R	25	4.5	1327	1629	1665	1705	1750	1800	1858	1921	1993	2074	2164	2263	2376	2502	2641	2799	2979	3177
PLEP45 Q 32.5		18	5.5	1491	1860	1904	1953	2008	2069	2140	2217	2305	2404	2514	2635	2773	2927	3097	3290	3510	3752
PLEP45 S 29.25	L	18	4	1587	1855	1887	1923	1963	2007	2059	2115	2179	2251	2331	2419	2519	2631	2755	2895	3055	3231
PLEP45 S 29.25	R	18	4	1587	1855	1887	1923	1963	2007	2059	2115	2179	2251	2331	2419	2519	2631	2755	2895	3055	3231
PLEP45 T 29.25	L	25	4	1547	1815	1847	1883	1923	1967	2019	2075	2139	2211	2291	2379	2479	2591	2715	2855	3015	3191
PLEP45 T 29.25	R	25	4	1547	1815	1847	1883	1923	1967	2019	2075	2139	2211	2291	2379	2479	2591	2715	2855	3015	3191
PLEP45 U 32.5		18	5.5	1688	2057	2101	2150	2205	2266	2337	2414	2502	2601	2711	2832	2970	3124	3294	3487	3707	3949

55.5h	w	d	yds	COM	F1	F2	F3	F4	F5	F6	F7	F8	F9	F10	F11	F12	F13	F14	F15	F16	Gr17
PLEP55 A 24		1	3.5	1167	1402	1430	1461	1496	1535	1580	1629	1685	1748	1818	1895	1983	2081	2189	2312	2452	2606
PLEP55 A 26		1	3.5	1187	1422	1450	1481	1516	1555	1600	1649	1705	1768	1838	1915	2003	2101	2209	2332	2472	2626
PLEP55 A 28.25		1	3.5	1225	1460	1488	1519	1554	1593	1638	1687	1743	1806	1876	1953	2041	2139	2247	2370	2510	2664
PLEP55 A 28.75		1	3.5	1225	1460	1488	1519	1554	1593	1638	1687	1743	1806	1876	1953	2041	2139	2247	2370	2510	2664
PLEP55 A 30.5		1	3.5	1244	1479	1507	1538	1573	1612	1657	1706	1762	1825	1895	1972	2060	2158	2266	2389	2529	2683
PLEP55 A 31.5		1	3.5	1264	1499	1527	1558	1593	1632	1677	1726	1782	1845	1915	1992	2080	2178	2286	2409	2549	2703
PLEP55 A 49		1	3.5	1303	1538	1566	1597	1632	1671	1716	1765	1821	1884	1954	2031	2119	2217	2325	2448	2588	2742
PLEP55 A 52		1	3.5	1322	1557	1585	1616	1651	1690	1735	1784	1840	1903	1973	2050	2138	2236	2344	2467	2607	2761
PLEP55 A 53		1	3.5	1322	1557	1585	1616	1651	1690	1735	1784	1840	1903	1973	2050	2138	2236	2344	2467	2607	2761
PLEP55 A 57.5	≡	1	3.5	1342	1577	1605	1636	1671	1710	1755	1804	1860	1923	1993	2070	2158	2256	2364	2487	2627	2781
PLEP55 B 49		3.25	3.5	1303	1538	1566	1597	1632	1671	1716	1765	1821	1884	1954	2031	2119	2217	2325	2448	2588	2742
PLEP55 C 49		5.5	3.5	1303	1538	1566	1597	1632	1671	1716	1765	1821	1884	1954	2031	2119	2217	2325	2448	2588	2742
PLEP55 D 24		5.5	3.5	1167	1402	1430	1461	1496	1535	1580	1629	1685	1748	1818	1895	1983	2081	2189	2312	2452	2606
PLEP55 E 26		1	3.5	1187	1422	1450	1481	1516	1555	1600	1649	1705	1768	1838	1915	2003	2101	2209	2332	2472	2626
PLEP55 F 17		5.5	3.5	1128	1363	1391	1422	1457	1496	1541	1590	1646	1709	1779	1856	1944	2042	2150	2273	2413	2567
PLEP55 G 35		3.25	3.5	1283	1518	1546	1577	1612	1651	1696	1745	1801	1864	1934	2011	2099	2197	2305	2428	2568	2722
PLEP55 H 35		5.5	3.5	1283	1518	1546	1577	1612	1651	1696	1745	1801	1864	1934	2011	2099	2197	2305	2428	2568	2722
PLEP55 J 35		1	3.5	1283	1518	1546	1577	1612	1651	1696	1745	1801	1864	1934	2011	2099	2197	2305	2428	2568	2722
PLEP55 K 18		1	3.5	1109	1344	1372	1403	1438	1477	1522	1571	1627	1690	1760	1837	1925	2023	2131	2254	2394	2548
PLEP55 M 29.25	L	18	5	1516	1851	1891	1936	1986	2041	2106	2176	2256	2346	2446	2556	2681	2821	2976	3151	3351	3571
PLEP55 M 29.25	R	18	5	1516	1851	1891	1936	1986	2041	2106	2176	2256	2346	2446	2556	2681	2821	2976	3151	3351	3571
PLEP55 N 29.25	L	18	5	1516	1851	1891	1936	1986	2041	2106	2176	2256	2346	2446	2556	2681	2821	2976	3151	3351	3571
PLEP55 N 29.25	R	18	5	1516	1851	1891	1936	1986	2041	2106	2176	2256	2346	2446	2556	2681	2821	2976	3151	3351	3571
PLEP55 O 29.25	L	25	5.5	1555	1924	1968	2017	2072	2133	2204	2281	2369	2468	2578	2699	2837	2991	3161	3354	3574	3816
PLEP55 O 29.25	R	25	5.5	1555	1924	1968	2017	2072	2133	2204	2281	2369	2468	2578	2699	2837	2991	3161	3354		