



Leit Chair, Single




Product No.	Dimensions	Fabric \$					Leather \$				
PLEC1	26w	COM	1998	Gr6	2293	Gr12	2581	COL	2298	L6	3648
	24d	Gr1	2166	Gr7	2328	Gr13	2651	L1	2883	L7	3873
	29h	Gr2	2186	Gr8	2368	Gr14	2728	L2	2973	L8	4143
	18sh	Gr3	2208	Gr9	2413	Gr15	2816	L3	3108	L9	4503
		Gr4	2233	Gr10	2463	Gr16	2916	L4	3243	L10	4908
	2.5 yds, 45 sf	Gr5	2261	Gr11	2518	Gr17	3026	L5	3423	L11	5358

Leit Chair, Double




PLEC2	52w	COM	2779	Gr6	3251	Gr12	3711	COL	3196	L6	5356
	24d	Gr1	3047	Gr7	3307	Gr13	3823	L1	4132	L7	5716
	29h	Gr2	3079	Gr8	3371	Gr14	3947	L2	4276	L8	6148
	18sh	Gr3	3115	Gr9	3443	Gr15	4087	L3	4492	L9	6724
		Gr4	3155	Gr10	3523	Gr16	4247	L4	4708	L10	7372
	4 yds, 72 sf	Gr5	3199	Gr11	3611	Gr17	4423	L5	4996	L11	8092

Leit Chair, Triple




PLEC3	78w	COM	3406	Gr6	4114	Gr12	4804	COL	3917	L6	7157
	24d	Gr1	3808	Gr7	4198	Gr13	4972	L1	5321	L7	7697
	29h	Gr2	3856	Gr8	4294	Gr14	5158	L2	5537	L8	8345
	18sh	Gr3	3910	Gr9	4402	Gr15	5368	L3	5861	L9	9209
		Gr4	3970	Gr10	4522	Gr16	5608	L4	6185	L10	10181
	6 yds, 108 sf	Gr5	4036	Gr11	4654	Gr17	5872	L5	6617	L11	11261

Leit Chair, Quad




PLEC4	104w	COM	4771	Gr6	5715	Gr12	6635	COL	5487	L6	9807
	24d	Gr1	5307	Gr7	5827	Gr13	6859	L1	7359	L7	10527
	29h	Gr2	5371	Gr8	5955	Gr14	7107	L2	7647	L8	11391
	18sh	Gr3	5443	Gr9	6099	Gr15	7387	L3	8079	L9	12543
		Gr4	5523	Gr10	6259	Gr16	7707	L4	8511	L10	13839
	8 yds, 144 sf	Gr5	5611	Gr11	6435	Gr17	8059	L5	9087	L11	15279

Corner/Back Option




PLECB	2.5w	COM	856	Gr6	974	Gr12	1089	COL	984	L6	1524
	21d	Gr1	923	Gr7	988	Gr13	1117	L1	1218	L7	1614
	6.5h	Gr2	931	Gr8	1004	Gr14	1148	L2	1254	L8	1722
		Gr3	940	Gr9	1022	Gr15	1183	L3	1308	L9	1866
		Gr4	950	Gr10	1042	Gr16	1223	L4	1362	L10	2028
	1 yd, 18 sf	Gr5	961	Gr11	1064	Gr17	1267	L5	1434	L11	2208


Arms



PLEA	2.5w	COM	389	Gr6	507	Gr12	622	COL	447	L6	987
	21d	Gr1	456	Gr7	521	Gr13	650	L1	681	L7	1077
	6.5h	Gr2	464	Gr8	537	Gr14	681	L2	717	L8	1185
		Gr3	473	Gr9	555	Gr15	716	L3	771	L9	1329
		Gr4	483	Gr10	575	Gr16	756	L4	825	L10	1491
	1 yd, 18 sf	Gr5	494	Gr11	597	Gr17	800	L5	897	L11	1671



Arms must be placed by a leg (specify location by number) and may receive Pivot Tops and Power-Data Ports.



+ Options for Arms:

For a Pivot Top in Wood1 (15w 9.5d 2.9h), specify Option PTW, add \$206.

For a Pivot Top in FenixNTM®, specify Option PTF and color (matte black or matte white); add \$276.

For a hardwired Power-USB Port, specify Option PUP and color (black or white); add \$338.

Inquire with Customer Service about units with a 20 amp plug.

All metal frame parts this page are resin-coated steel; specify color choice:

MRB Resin Black, MRSa Resin Satin Aluminum, MRTG Resin Thunder Gray or MRW Resin White.

Shipping address for COM/COL materials and memo samples:

TUOHY Furniture Corporation, Upholstery Receiving Dept, 13705 S Western Ave, Gardena, CA 90247



Leit Bench, Single



Product No.	Dimensions	Fabric \$					Leather \$				
PLEB11	26w	COM	904	Gr6	1081	Gr12	1254	COL	1040	L6	1850
	18d	Gr1	1005	Gr7	1102	Gr13	1296	L1	1391	L7	1985
	18h	Gr2	1017	Gr8	1126	Gr14	1342	L2	1445	L8	2147
	18sh	Gr3	1030	Gr9	1153	Gr15	1395	L3	1526	L9	2363
	1.5 yds, 27 sf	Gr4	1045	Gr10	1183	Gr16	1455	L4	1607	L10	2606

PLEB12	26w	COM	962	Gr6	1257	Gr12	1545	COL	1106	L6	2456
	24d	Gr1	1130	Gr7	1292	Gr13	1615	L1	1691	L7	2681
	18h	Gr2	1150	Gr8	1332	Gr14	1692	L2	1781	L8	2951
	18sh	Gr3	1172	Gr9	1377	Gr15	1780	L3	1916	L9	3311
	2.5 yds, 45 sf	Gr4	1197	Gr10	1427	Gr16	1880	L4	2051	L10	3716


Leit Bench, Extended



PLEBX1	39w	COM	1139	Gr6	1493	Gr12	1838	COL	1310	L6	2930
	18d	Gr1	1340	Gr7	1535	Gr13	1922	L1	2012	L7	3200
	18h	Gr2	1364	Gr8	1583	Gr14	2015	L2	2120	L8	3524
	18sh	Gr3	1391	Gr9	1637	Gr15	2120	L3	2282	L9	3956
	3 yds, 54 sf	Gr4	1421	Gr10	1697	Gr16	2240	L4	2444	L10	4442

PLEBX2	39w	COM	1197	Gr6	1551	Gr12	1896	COL	1377	L6	2997
	24d	Gr1	1398	Gr7	1593	Gr13	1980	L1	2079	L7	3267
	18h	Gr2	1422	Gr8	1641	Gr14	2073	L2	2187	L8	3591
	18sh	Gr3	1449	Gr9	1695	Gr15	2178	L3	2349	L9	4023
	3 yds, 54 sf	Gr4	1479	Gr10	1755	Gr16	2298	L4	2511	L10	4509

Leit Bench, Double



PLEB21	52w	COM	1802	Gr6	2097	Gr12	2385	COL	2072	L6	3422
	18d	Gr1	1970	Gr7	2132	Gr13	2455	L1	2657	L7	3647
	18h	Gr2	1990	Gr8	2172	Gr14	2532	L2	2747	L8	3917
	18sh	Gr3	2012	Gr9	2217	Gr15	2620	L3	2882	L9	4277
	2.5 yds, 45 sf	Gr4	2037	Gr10	2267	Gr16	2720	L4	3017	L10	4682

PLEB22	52w	COM	1861	Gr6	2156	Gr12	2444	COL	2140	L6	3490
	24d	Gr1	2029	Gr7	2191	Gr13	2514	L1	2725	L7	3715
	18h	Gr2	2049	Gr8	2231	Gr14	2591	L2	2815	L8	3985
	18sh	Gr3	2071	Gr9	2276	Gr15	2679	L3	2950	L9	4345
	2.5 yds, 45 sf	Gr4	2096	Gr10	2326	Gr16	2779	L4	3085	L10	4750

Leit Bench, Triple



PLEB31	78w	COM	2291	Gr6	2704	Gr12	3107	COL	2635	L6	4525
	18d	Gr1	2526	Gr7	2753	Gr13	3205	L1	3454	L7	4840
	18h	Gr2	2554	Gr8	2809	Gr14	3313	L2	3580	L8	5218
	18sh	Gr3	2585	Gr9	2872	Gr15	3436	L3	3769	L9	5722
	3.5 yds, 63 sf	Gr4	2620	Gr10	2942	Gr16	3576	L4	3958	L10	6289

PLEB32	78w	COM	2350	Gr6	2763	Gr12	3166	COL	2703	L6	4593
	24d	Gr1	2585	Gr7	2812	Gr13	3264	L1	3522	L7	4908
	18h	Gr2	2613	Gr8	2868	Gr14	3372	L2	3648	L8	5286
	18sh	Gr3	2644	Gr9	2931	Gr15	3495	L3	3837	L9	5790
	3.5 yds, 63 sf	Gr4	2679	Gr10	3001	Gr16	3635	L4	4026	L10	6357

! Notes

All metal frame parts this page are resin-coated steel; specify color choice:
 MRB Resin Black, MRSA Resin Satin Aluminum, MRTG Resin Thunder Gray or MRW Resin White.



Shipping address for COM/COL materials and memo samples:
 TUOHY Furniture Corporation, Upholstery Receiving Dept, 13705 S Western Ave, Gardena, CA 90247



IMPORTANT! Additional yardage may be required for fabrics less than 54 inches wide and/or having more than a nominal vertical repeat or pattern.
 Use the Additional Yardage (+YDG) requirements listed in the TUOHY Upholstery Partnership Guides for each upholstery offering to re-calculate the yardage or square footage needed for a given pattern. See also Table 2 on page D2.

Gr1	Proxy	Faux-Leather
L1	Lena	Leather
L1	Sierra	Leather

Leit Tables



Description	Prod. Prefix	Top Material Suffix / List \$				
		Wood1	Wood2	AcrylicSS	Quartz	Fenix NTM®
Connecting Tables		...W1	...W2	...C	...Q	...F
Inline	PLETC...	235	245	635	1023	550
End Table (2 legs)	PLETE...	688	697	1088	1475	1004
Corner Table (1 leg)	PLETL...	461	471	861	1250	777

Dimensions (tables above): 26w 24d 13.8h

Freestanding	Prod. Prefix	...W1	...W2	...C	...Q	...F
Table 26w 18d 13.8h	PLET111...	621	628	921	1211	857
Table 26w 18d 29h	PLET112...	954	962	1255	1546	1192
Table 26w 24d 13.8h	PLET121...	666	675	1066	1453	982
Table 26w 24d 29h	PLET122...	1043	1052	1443	1830	1359
Table 52w 18d 13.8h	PLET211...	728	742	1328	1910	1201
Table 52w 18d 29h	PLET212...	1083	1097	1683	2265	1557
Table 52w 24d 13.8h	PLET221...	795	815	1596	2371	1427
Table 52w 24d 29h	PLET222...	1193	1213	1994	2769	1825
Table 78w 18d 13.8h	PLET311...	1147	1168	2046	2919	1857
Table 78w 18d 29h	PLET312...	1713	1742	2913	4076	2660
Table 78w 24d 13.8h	PLET321...	1129	1158	2329	3492	2077
Table 78w 24d 29h	PLET322...	1811	1841	3012	4175	2759
Table 104w 24d 29h	PLET422...	1962	2001	3563	5114	3226

! Notes:

Specify the product number by appending the desired Top Material Code to the Prod.No. Prefix.

Example: Inline Connecting Table with Wood1 top is PLETCW1; price is \$235.

Acrylic Solid Surface is Avonite® Polaris.

Quartz is all standard colors from Cambria®; Cambria Matte™ and Luxury Series Designs require quotation.

FenixNTM® available in matte black or matte white.

Other top materials are available on a COM/project basis.

All metal frame parts this page are resin-coated steel; specify color choice:

MRB Resin Black, MRSA Resin Satin Aluminum, MRTG Resin Thunder Gray or MRW Resin White.

Leit Tops



Surround Panels Required	Prod. Prefix	...W1	...W2	...C	...Q	...F
Top 30.5w 24d 0.75th	PLETT305...	479	490	956	1418	855
Top 56.5w 24d 0.75th	PLETT565...	663	685	1540	2390	1356

! Notes:

Specify the product number by appending the desired Top Material Code to the Prod.No. Prefix.

Example: Top 30.5w 24d 0.75th with Wood1 top is PLETT305W1; price is \$479.

Acrylic Solid Surface is Avonite® Polaris.


Quartz is all standard colors from Cambria®; Cambria Matte™ and Luxury Series Designs require quotation.

FenixNTM® available in matte black or matte white.

Other top materials are available on a COM/project basis.

Leit Surround Panels

May be applied to seating units or used with tops (listed above) as desking stations. See the individual listings on the following pages, grouped and presented by height.



Shipping address for COM/COL materials and memo samples:
TUOHY Furniture Corporation, Upholstery Receiving Dept, 13705 S Western Ave, Gardena, CA 90247

Please provide tagging information as needed for your project.




Leit Surround Panels





May be applied to seating units or used with tops as desking stations.
 See the individual listings on the following pages, grouped and presented by height.
 Metal legs and stand-offs are resin-coated steel; specify color choice:
 MRB Resin Black, MRSA Resin Satin Aluminum, MRTG Resin Thunder Gray or MRW Resin White.

Panels for seating and connecting tables



Panels for work surface tops



Ordering Information

Product numbers are formed by joining the string of data in the grayed area.
 Example: PLEP25A24 requires 1.5 yards and has a COM price of \$778.

25.5h	w	d	yds	COM	Gr1	Gr2	Gr3	Gr4	Gr5	Gr6	Gr7	Gr8	Gr9	Gr10	Gr11	Gr12	Gr13	Gr14	Gr15	Gr16	Gr17
PLEP25 A 24		1	1.5	778	879	891	904	919	936	955	976	1000	1027	1057	1090	1128	1170	1216	1269	1329	1395
PLEP25 A 26		1	1.5	796	897	909	922	937	954	973	994	1018	1045	1075	1108	1146	1188	1234	1287	1347	1413
PLEP25 A 28.25		1	1.5	835	936	948	961	976	993	1012	1033	1057	1084	1114	1147	1185	1227	1273	1326	1386	1452
PLEP25 A 28.75		1	1.5	835	936	948	961	976	993	1012	1033	1057	1084	1114	1147	1185	1227	1273	1326	1386	1452
PLEP25 A 30.5		1	1.5	856	957	969	982	997	1014	1033	1054	1078	1105	1135	1168	1206	1248	1294	1347	1407	1473
PLEP25 A 31.5		1	1.5	876	977	989	1002	1017	1034	1053	1074	1098	1125	1155	1188	1226	1268	1314	1367	1427	1493
PLEP25 A 49		1	2	818	952	968	986	1006	1028	1054	1082	1114	1150	1190	1234	1284	1340	1402	1472	1552	1640
PLEP25 A 52		1	2	837	971	987	1005	1025	1047	1073	1101	1133	1169	1209	1253	1303	1359	1421	1491	1571	1659
PLEP25 A 53		1	2	837	971	987	1005	1025	1047	1073	1101	1133	1169	1209	1253	1303	1359	1421	1491	1571	1659
PLEP25 A 57.5	≡	1	2	857	991	1007	1025	1045	1067	1093	1121	1153	1189	1229	1273	1323	1379	1441	1511	1591	1679
PLEP25 M 29.25	L	18	2.5	1128	1296	1316	1338	1363	1391	1423	1458	1498	1543	1593	1648	1711	1781	1858	1946	2046	2156
PLEP25 M 29.25	R	18	2.5	1128	1296	1316	1338	1363	1391	1423	1458	1498	1543	1593	1648	1711	1781	1858	1946	2046	2156
PLEP25 N 29.25	L	18	2.5	1128	1296	1316	1338	1363	1391	1423	1458	1498	1543	1593	1648	1711	1781	1858	1946	2046	2156
PLEP25 N 29.25	R	18	2.5	1128	1296	1316	1338	1363	1391	1423	1458	1498	1543	1593	1648	1711	1781	1858	1946	2046	2156
PLEP25 P 27	L	25	3	1070	1271	1295	1322	1352	1385	1424	1466	1514	1568	1628	1694	1769	1853	1946	2051	2171	2303
PLEP25 P 27	R	25	3	1070	1271	1295	1322	1352	1385	1424	1466	1514	1568	1628	1694	1769	1853	1946	2051	2171	2303
PLEP25 Q 32.5		18	3.5	1225	1460	1488	1519	1554	1593	1638	1687	1743	1806	1876	1953	2041	2139	2247	2370	2510	2664

≡ Denotes that patterns require railroading.

Shipping address for COM/COL materials and memo samples:
 TUOHY Furniture Corporation, Upholstery Receiving Dept, 13705 S Western Ave, Gardena, CA 90247



IMPORTANT! Additional yardage may be required for fabrics less than 54 inches wide and/or having more than a nominal vertical repeat or pattern.
 Use the Additional Yardage (+YDG) requirements listed in the TUOHY Upholstery Partnership Guides for each upholstery offering to re-calculate the yardage or square footage needed for a given pattern. See also Table 2 on page D2.

Gr1	Proxy	Faux-Leather
L1	Lena	Leather
L1	Sierra	Leather

Shipping address for COM/COL materials and memo samples:
 TUOHY Furniture Corporation, Upholstery Receiving Dept., 13705 S Western Ave, Gardena, CA 90247
 Please provide tagging information as needed for your project.

Leit Surround Panels (cont.)

45.5h	w	d	yds	COM	Gr1	Gr2	Gr3	Gr4	Gr5	Gr6	Gr7	Gr8	Gr9	Gr10	Gr11	Gr12	Gr13	Gr14	Gr15	Gr16	Gr17
PLEP45 A 24		1	2.5	972	1140	1160	1182	1207	1235	1267	1302	1342	1387	1437	1492	1555	1625	1702	1790	1890	2000
PLEP45 A 26		1	2.5	991	1159	1179	1201	1226	1254	1286	1321	1361	1406	1456	1511	1574	1644	1721	1809	1909	2019
PLEP45 A 28.25		1	2.5	1030	1198	1218	1240	1265	1293	1325	1360	1400	1445	1495	1550	1613	1683	1760	1848	1948	2058
PLEP45 A 28.75		1	2.5	1030	1198	1218	1240	1265	1293	1325	1360	1400	1445	1495	1550	1613	1683	1760	1848	1948	2058
PLEP45 A 30.5		1	2.5	1050	1218	1238	1260	1285	1313	1345	1380	1420	1465	1515	1570	1633	1703	1780	1868	1968	2078
PLEP45 A 31.5		1	2.5	1070	1238	1258	1280	1305	1333	1365	1400	1440	1485	1535	1590	1653	1723	1800	1888	1988	2098
PLEP45 A 49		1	3.5	1109	1344	1372	1403	1438	1477	1522	1571	1627	1690	1760	1837	1925	2023	2131	2254	2394	2548
PLEP45 A 52		1	3.5	1128	1363	1391	1422	1457	1496	1541	1590	1646	1709	1779	1856	1944	2042	2150	2273	2413	2567
PLEP45 A 53		1	3.5	1128	1363	1391	1422	1457	1496	1541	1590	1646	1709	1779	1856	1944	2042	2150	2273	2413	2567
PLEP45 A 57.5	#	1	3.5	1148	1383	1411	1442	1477	1516	1561	1610	1666	1729	1799	1876	1964	2062	2170	2293	2433	2587
PLEP45 B 49		3.25	3.5	1109	1344	1372	1403	1438	1477	1522	1571	1627	1690	1760	1837	1925	2023	2131	2254	2394	2548
PLEP45 C 49		5.5	3.5	1109	1344	1372	1403	1438	1477	1522	1571	1627	1690	1760	1837	1925	2023	2131	2254	2394	2548
PLEP45 D 24		5.5	2.5	972	1140	1160	1182	1207	1235	1267	1302	1342	1387	1437	1492	1555	1625	1702	1790	1890	2000
PLEP45 E 26		1	2.5	991	1159	1179	1201	1226	1254	1286	1321	1361	1406	1456	1511	1574	1644	1721	1809	1909	2019
PLEP45 F 17		5.5	2.5	933	1101	1121	1143	1168	1196	1228	1263	1303	1348	1398	1453	1516	1586	1663	1751	1851	1961
PLEP45 G 35		3.25	2.5	1089	1257	1277	1299	1324	1352	1384	1419	1459	1504	1554	1609	1672	1742	1819	1907	2007	2117
PLEP45 H 35		5.5	2.5	1089	1257	1277	1299	1324	1352	1384	1419	1459	1504	1554	1609	1672	1742	1819	1907	2007	2117
PLEP45 I 26		1	2.5	991	1159	1179	1201	1226	1254	1286	1321	1361	1406	1456	1511	1574	1644	1721	1809	1909	2019
PLEP45 J 35		1	2.5	1089	1257	1277	1299	1324	1352	1384	1419	1459	1504	1554	1609	1672	1742	1819	1907	2007	2117
PLEP45 K 18		1	2.5	914	1082	1102	1124	1149	1177	1209	1244	1284	1329	1379	1434	1497	1567	1644	1732	1832	1942
PLEP45 M 29.25	L	18	4	1322	1590	1622	1658	1698	1742	1794	1850	1914	1986	2066	2154	2254	2366	2490	2630	2790	2966
PLEP45 M 29.25	R	18	4	1322	1590	1622	1658	1698	1742	1794	1850	1914	1986	2066	2154	2254	2366	2490	2630	2790	2966
PLEP45 N 29.25	L	18	4	1322	1590	1622	1658	1698	1742	1794	1850	1914	1986	2066	2154	2254	2366	2490	2630	2790	2966
PLEP45 N 29.25	R	18	4	1322	1590	1622	1658	1698	1742	1794	1850	1914	1986	2066	2154	2254	2366	2490	2630	2790	2966
PLEP45 O 29.25	L	25	4.5	1361	1663	1699	1739	1784	1834	1892	1955	2027	2108	2198	2297	2410	2536	2675	2833	3013	3211
PLEP45 O 29.25	R	25	4.5	1361	1663	1699	1739	1784	1834	1892	1955	2027	2108	2198	2297	2410	2536	2675	2833	3013	3211
PLEP45 P 27	L	25	4.5	1264	1566	1602	1642	1687	1737	1795	1858	1930	2011	2101	2200	2313	2439	2578	2736	2916	3114
PLEP45 P 27	R	25	4.5	1264	1566	1602	1642	1687	1737	1795	1858	1930	2011	2101	2200	2313	2439	2578	2736	2916	3114
PLEP45 Q 32.5		18	5.5	1420	1789	1833	1882	1937	1998	2069	2146	2234	2333	2443	2564	2702	2856	3026	3219	3439	3681
PLEP45 S 29.25	L	18	4	1511	1779	1811	1847	1887	1931	1983	2039	2103	2175	2255	2343	2443	2555	2679	2819	2979	3155
PLEP45 S 29.25	R	18	4	1511	1779	1811	1847	1887	1931	1983	2039	2103	2175	2255	2343	2443	2555	2679	2819	2979	3155
PLEP45 T 29.25	L	25	4	1473	1741	1773	1809	1849	1893	1945	2001	2065	2137	2217	2305	2405	2517	2641	2781	2941	3117
PLEP45 T 29.25	R	25	4	1473	1741	1773	1809	1849	1893	1945	2001	2065	2137	2217	2305	2405	2517	2641	2781	2941	3117
PLEP45 U 32.5		18	5.5	1608	1977	2021	2070	2125	2186	2257	2334	2422	2521	2631	2752	2890	3044	3214	3407	3627	3869

55.5h	w	d	yds	COM	Gr1	Gr2	Gr3	Gr4	Gr5	Gr6	Gr7	Gr8	Gr9	Gr10	Gr11	Gr12	Gr13	Gr14	Gr15	Gr16	Gr17
PLEP55 A 24		1	3.5	1167	1402	1430	1461	1496	1535	1580	1629	1685	1748	1818	1895	1983	2081	2189	2312	2452	2606
PLEP55 A 26		1	3.5	1187	1422	1450	1481	1516	1555	1600	1649	1705	1768	1838	1915	2003	2101	2209	2332	2472	2626
PLEP55 A 28.25		1	3.5	1225	1460	1488	1519	1554	1593	1638	1687	1743	1806	1876	1953	2041	2139	2247	2370	2510	2664
PLEP55 A 28.75		1	3.5	1225	1460	1488	1519	1554	1593	1638	1687	1743	1806	1876	1953	2041	2139	2247	2370	2510	2664
PLEP55 A 30.5		1	3.5	1244	1479	1507	1538	1573	1612	1657	1706	1762	1825	1895	1972	2060	2158	2266	2389	2529	2683
PLEP55 A 31.5		1	3.5	1264	1499	1527	1558	1593	1632	1677	1726	1782	1845	1915	1992	2080	2178	2286	2409	2549	2703
PLEP55 A 49		1	3.5	1303	1538	1566	1597	1632	1671	1716	1765	1821	1884	1954	2031	2119	2217	2325	2448	2588	2742
PLEP55 A 52		1	3.5	1322	1557	1585	1616	1651	1690	1735	1784	1840	1903	1973	2050	2138	2236	2344	2467	2607	2761
PLEP55 A 53		1	3.5	1322	1557	1585	1616	1651	1690	1735	1784	1840	1903	1973	2050	2138	2236	2344	2467	2607	2761
PLEP55 A 57.5	#	1	3.5	1342	1577	1605	1636	1671	1710	1755	1804	1860	1923	1993	2070	2158	2256	2364	2487	2627	2781
PLEP55 B 49		3.25	3.5	1303	1538	1566	1597	1632	1671	1716	1765	1821	1884	1954	2031	2119	2217	2325	2448	2588	2742
PLEP55 C 49		5.5	3.5	1303	1538	1566	1597	1632	1671	1716	1765	1821	1884	1954	2031	2119	2217	2325	2448	2588	2742
PLEP55 D 24		5.5	3.5	1167	1402	1430	1461	1496	1535	1580	1629	1685	1748	1818	1895	1983	2081	2189	2312	2452	2606
PLEP55 E 26		1	3.5	1187	1422	1450	1481	1516	1555	1600	1649	1705	1768	1838	1915	2003	2101	2209	2332	2472	2626
PLEP55 F 17		5.5	3.5	1128	1363	1391	1422	1457	1496	1541	1590	1646	1709	1779	1856	1944	2042	2150	2273	2413	2567
PLEP55 G 35		3.25	3.5	1283	1518	1546	1577	1612	1651	1696	1745	1801	1864	1934	2011	2099	2197	2305	2428	2568	2722
PLEP55 H 35		5.5	3.5	1283	1518	1546	1577	1612	1651	1696	1745	1801	1864	1934	2011	2099	2197	2305	2428	2568	2722
PLEP55 I 26		1	3.5	1187	1422	1450	1481	1516	1555	1600	1649	1705	1768	1838	1915	2003	2101	2209	2332	2472	2626
PLEP55 J 35		1	3.5	1283	1518	1546	1577	1612	1651	1696	1745	1801	1864	1934	2011	2099	2197	2305	2428	2568	2722
PLEP55 K 18		1	3.5	1109	1344	1372	1403	1438	1477	1522	1571	1627	1690	1760	1837	1925	2023	2131	2254	2394	2548
PLEP55 M 29.25	L	18	5	1516	1851	1891	1936	1986	2041	2106	2176	2256	2346	2446	2556	2681	2821	2976	3151	3351	3571
PLEP55 M 29.25	R	18	5	1516	1851	1891	1936	1986	2041	2106	2176	2256	2346	2446	2556	2681	2821	2976	3151	3351	3571
PLEP55 N 29.25	L	18	5	1516	1851	1891	1936	1986	2041	2106	2176	2256	2346	2446	2556	2681	2821	2976	3151	3351	3571
PLEP55 N 29.25	R	18	5	1516	1851	1891	1936	1986	2041	2106	2176	2256	2346	2446	2556	2681	2821	2976	3151	3351	3571
PLEP55 O 29.25	L	25	5.5																		