


PRICING & SPECIFICATION GUIDE
Xpect Collection

May 1, 2023

TUOHY



Casegoods: **Xpect**

Design:
TUOHY Design Team

Drawer Layouts	AX3
Introduction/Options	AX4
Edge Details	AX5
Knob & Pull Hardware	AX6
Table-Desks	AX8
Desks	AX9
Runoffs	AX12
Bridges	AX14
Divider Panels	AX15
Surround Panels	AX15
Credenza Tops	AX16
Top-to-Tower Connection	AX16
Top Support Keels	AX17
Post-Legs	AX17
Base L/T Panels	AX17
Modesty Panels	AX18
Bookcases	AX18
Pedestals	AX18
Hutches	AX22
Wall Hutches	AX25
Hutches, Sliding Glass Doors	AX26
Hutch Shelves	AX29
Fabric Panels, Wall Hung	AX29
Wall Panels	AX30
Wall Panel Shelves	AX30
Towers	AX31
Gallery Modules	AX37
Gallery Added Elements	AX39
Adjustable Height	AX40

Drawer Layouts: Plan View

Slides: Side-Mount

Mobile Dwr d-varies				Pedestal Units 18d Drawers 16d			Pedestal Units 24d Drawers 20.1d			Ped Units 30d & 36d Dwr 27d Dwr 16d	
18w	18w	30w	36w	18w	30w	36w	18w	30w	36w	18w	18w Ht.Adj.
Box Drawers w Divider											
File Drawers: Lateral											
File Drawers: Front-to-Back											

DRAWER CONSTRUCTION

A fine point for a quality casegood product is the inner drawer construction. Each TUOHY casegood offers you uncompromised excellence in this area as well. Drawer boxes are constructed with dovetail joinery for maximum durability. The drawer face is mounted separately to this box (i.e., five-sided construction) to maintain integrity.

Drawer bottoms are dadoed on all four sides. Slides for box drawers are rated at 100 pounds per drawer; slides for file drawers are rated at a heavy duty 150 pound load per drawer. All slides have progressive action.

Box drawers have a removable divider, adjustable when depicted (±). File drawers have suspension rods for filing laterally or front-to-back, as depicted. For Drawers for Lap Area, Drawer Pencil Tray, and Locks: See the Introduction/Terms-Options section of the Master Price List, page 12.

OPTIONS

Wood Species/Finish


Units can be specified in standard TUOHY Wood Finishes, Solid Colors, or any combination thereof. Exotic veneers and sketch-face patterns may be applied on a quote basis.

Parametrics

Xpect products are parametrically specified. You are not restricted to the sizes listed in this price list. Call out the nominal dimension that you desire, TUOHY will calculate the appropriate edge overhangs based upon the style you select. There is no surcharge, just use the price for the next larger unit.

Example: LAAA-76-34 is a 76 wide x 34 deep rectangular 2 box/file-2 box/file desk. The price would be the same as a LAAA-78-36, which is the next size larger in both width and depth.

The following dimensions are fixed and cannot be changed:
Pedestal heights are 28.4 inches tall
Drawer style pedestals are available in 18, 30, 36 inches widths only.



Lap Drawers

Finishes Available:

Lap Drawer 24 inch Face	All TUOHY Wood Colors (Face only)	L70MKA00	838
Lap Drawer 24 inch Face w. Liner	All TUOHY Wood Colors (Face only)	L70MKA01	995
Lap Dwr Rear Fascia-4 ft/Field Cut	All TUOHY Wood Colors	L70PCF00	355
Lap Drawer 24 inch Face, Encased	All TUOHY Wood Colors (Face+case)	L70MKA02	1240

Additional Notes

- ! All dimensions are nominal.
- ! All prices are based on Wood1 finishes and include freight.
- ! All drawer pedestals are standard with locks. Locks are optional on Hutches and Towers.
- ! Towers, Peds: Unfinished Back-ends overlay the back; Finished Back-back overlaying the ends.
- ! Refer to the General Information section of the TUOHY List Price Schedule for additional:
 - Specification Information
 - Terms & Conditions
 - Warranty
 - Power Management
 - Undershelf Lights
 - Locks
 - Pencil Trays
 - Keyboard Mechanisms

EDGE DETAILS

2mm Veneer Edges

Applied to all edges.

50 Square All-Veneer
(0.08-in overhang)



Note:
The overhang dimensions shown on this page are per affected edge. Dimensions listed in this price list do not include the edge overhang; make allowances accordingly.

Solid Wood Edges, available with natural veneers only

Applied to user and visitor edges only;
Square-cut, 2mm veneer on ends.

58 Square
(0.08-in overhang)



55 Concave
(0.08-in overhang)



57 Soft Bevel
(0.34-in overhang)



56 Bullnose
(0.87-in overhang)



KNOB & PULL HARDWARE

Drawer knobs and pulls will be centered on all drawer fronts, except as noted.
Door knobs and pulls will be mounted opposite the hinge side in all instances.

100 Recessed Wood



820 Resin Stainless



830 Resin Stainless

Pulls will be mounted
RIGHT on drawers faces
18-inches wide or less.



KNOB & PULL HARDWARE
(continued)

Drawer knobs and pulls will be centered on all drawer fronts, except as noted.
Door knobs and pulls will be mounted opposite the hinge side in all instances.

840 Resin Stainless






851 Chrome Polished
856 Stainless Steel



900 Resin Stainless



Table-Desks



				Product No.	List \$	Product No.	List \$
Open Leg	w	d	29.9h	Open Leg			
Table Rectangle 60x24	60	24		LQCG-60-24	3690		
Table Rectangle 60x30	60	30		LQCG-60-30	3754		
Table Rectangle 66x30	66	30		LQCG-66-30	3836		
Table Rectangle 72x30	72	30		LQCG-72-30	3911		
Table Rectangle 78x30	78	30		LQCG-78-30	3995		
Table Rectangle 60x36	60	36		LQCG-60-36	4150		
Table Rectangle 66x36	66	36		LQCG-66-36	4266		
• Table Rectangle 72x36	72	36		LQCG-72-36	4385		
Table Rectangle 78x36	78	36		LQCG-78-36	4496		

With Modesty Panel	w	d	29.9h	Half Modesty Panel		Full Modesty Panel	
Table/Modesty Rectangle 60x24	60	24		LQCJ-60-24	4002	LQCH-60-24	4079
Table/Modesty Rectangle 60x30	60	30		LQCJ-60-30	4073	LQCH-60-30	4150
Table/Modesty Rectangle 66x30	66	30		LQCJ-66-30	4160	LQCH-66-30	4240
Table/Modesty Rectangle 72x30	72	30		LQCJ-72-30	4245	LQCH-72-30	4327
Table/Modesty Rectangle 78x30	78	30		LQCJ-78-30	4344	LQCH-78-30	4431
Table/Modesty Rectangle 60x36	60	36		LQCJ-60-36	4465	LQCH-60-36	4540
Table/Modesty Rectangle 66x36	66	36		LQCJ-66-36	4592	LQCH-66-36	4674
• Table/Modesty Rectangle 72x36	72	36		LQCJ-72-36	4719	LQCH-72-36	4802
Table/Modesty Rectangle 78x36	78	36		LQCJ-78-36	4845	LQCH-78-36	4930

Track Top	w	d	29.9h	Open Leg			
Table Track 72x30	72	30		LQFG-72-30	7065		
Table Track 78x30	78	30		LQFG-78-30	7194		
• Table Track 72x36	72	36		LQFG-72-36	7194		
Table Track 78x36	78	36		LQFG-78-36	7323		

+Options/Parametrics:

Width range: 60-78

Depth range: 24-36

Finish variables are top, modesty panel.

! Notes:

Tops are 1.5 inches thick; specify any Xpect edge detail.





Leg finish is Resin Brushed Aluminum.

- Denotes Item is illustrated.
- ‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

Specify: Product Number, Quantity
 Tagging
 Wood Finish
 Hardware Finish
 Edge Detail

Desks, Double Pedestal



Product No. List \$

Rectangular Top ▾	w	d	29.9h		
Desk 60x24	60	24		LAA?-60-24	6335
Desk 60x30	60	30		LAA?-60-30	6669
Desk 66x30	66	30		LAA?-66-30	6778
Desk 72x30	72	30		LAA?-72-30	6905
Desk 78x30	78	30		LAA?-78-30	7007
Desk 84x30	84	30		LAA?-84-30	7148
Desk 60x36	60	36		LAA?-60-36	7046
Desk 66x36	66	36		LAA?-66-36	7162
• Desk 72x36	72	36		LAA?-72-36	7312
Desk 78x36	78	36		LAA?-78-36	7435
Desk 84x36	84	36		LAA?-84-36	7595
Desk 90x36	90	36		LAA?-90-36	7748

D-Top ▾	w	d	29.9h		
Desk/D 60x24 (+6)	60	30		LAB?-60-24	7005
Desk/D 60x30 (+6)	60	36		LAB?-60-30	7330
Desk/D 66x30 (+6)	66	36		LAB?-66-30	7452
Desk/D 72x30 (+6)	72	36		LAB?-72-30	7596
Desk/D 78x30 (+6)	78	36		LAB?-78-30	7709
Desk/D 84x30 (+6)	84	36		LAB?-84-30	7858
Desk/D 60x36 (+6)	60	42		LAB?-60-36	7748
Desk/D 66x36 (+6)	66	42		LAB?-66-36	7883
• Desk/D 72x36 (+6)	72	42		LAB?-72-36	8041
Desk/D 78x36 (+6)	78	42		LAB?-78-36	8181
Desk/D 84x36 (+6)	84	42		LAB?-84-36	8353
Desk/D 90x36 (+6)	90	42		LAB?-90-36	8524

Overhang-Top ▾	w	d	29.9h		
Desk/Overhang 60x30 (+6)	60	36		LAE?-60-30	6746
Desk/Overhang 66x30 (+6)	66	36		LAE?-66-30	6868
Desk/Overhang 72x30 (+6)	72	36		LAE?-72-30	7017
Desk/Overhang 78x30 (+6)	78	36		LAE?-78-30	7147
Desk/Overhang 84x30 (+6)	84	36		LAE?-84-30	7308
Desk/Overhang 60x36 (+6)	60	42		LAE?-60-36	7127
Desk/Overhang 66x36 (+6)	66	42		LAE?-66-36	7259
• Desk/Overhang 72x36 (+6)	72	42		LAE?-72-36	7427
Desk/Overhang 78x36 (+6)	78	42		LAE?-78-36	7568
Desk/Overhang 84x36 (+6)	84	42		LAE?-84-36	7748
Desk/Overhang 90x36 (+6)	90	42		LAE?-90-36	7932

? Specify configuration (user's left-right) by modifying the Product Number:

For 2BF-2BF, change the 4th digit from ? to A.

For 2F-2F, change the 4th digit from ? to B.

For 2BF-2F, change the 4th digit from ? to C.

For 2F-2BF, change the 4th digit from ? to D.

+Options/Parametrics:

Width range: 60-90 (peds are 18w fixed; top and modesty panel change). Ex: LAAA-62.25-30 \$6778.

Depth range: 24-36 (drawer depths will be 20 or 30). Ex: LAAA-74-34.5 \$7435.

Maximum of 3 surface grommets may be used; see Options and surcharges.

Finish variables are top, faces, backs, modesty panel.

! Notes:

Modesty panel is inset 0.75 inch.

D-Tops and Overhang-Tops have a 6 inch (+6) visitor's overhang.

Face locks are included as standard




Tops have Flush-Cut Ends.

Specify: Product Number, Quantity
Tagging
Wood Finish
Hardware Finish
Edge Detail

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

Desks, Single Pedestal



Product No. List \$

Rectangular Top ↯	w	d	29.9h		
Desk1 60x24	60	24		LAA?-60-24	5126
Desk1 60x30	60	30		LAA?-60-30	5417
Desk1 66x30	66	30		LAA?-66-30	5521
Desk1 72x30	72	30		LAA?-72-30	5649
Desk1 78x30	78	30		LAA?-78-30	5753
Desk1 60x36	60	36		LAA?-60-36	5762
Desk1 66x36	66	36		LAA?-66-36	5877
• Desk1 72x36	72	36		LAA?-72-36	6020
Desk1 78x36	78	36		LAA?-78-36	6140

D-Top ↯	w	d	29.9h		
Desk1/D 60x30 (+6)	60	36		LAB?-60-30	6085
Desk1/D 66x30 (+6)	66	36		LAB?-66-30	6201
Desk1/D 72x30 (+6)	72	36		LAB?-72-30	6338
Desk1/D 78x30 (+6)	78	36		LAB?-78-30	6453
Desk1/D 60x36 (+6)	60	42		LAB?-60-36	5762
Desk1/D 66x36 (+6)	66	42		LAB?-66-36	6591
• Desk1/D 72x36 (+6)	72	42		LAB?-72-36	6748
Desk1/D 78x36 (+6)	78	42		LAB?-78-36	6882

Overhang-Top ↯	w	d	29.9h		
Desk1/Overhang 60x30 (+6)	60	36		LAE?-60-30	5498
Desk1/Overhang 66x30 (+6)	66	36		LAE?-66-30	5614
Desk1/Overhang 72x30 (+6)	72	36		LAE?-72-30	5763
Desk1/Overhang 78x30 (+6)	78	36		LAE?-78-30	5887
Desk1/Overhang 60x36 (+6)	60	42		LAE?-60-36	5840
Desk1/Overhang 66x36 (+6)	66	42		LAE?-66-36	5971
• Desk1/Overhang 72x36 (+6)	72	42		LAE?-72-36	6132
Desk1/Overhang 78x36 (+6)	78	42		LAE?-78-36	6277

? Specify configuration (user's left-right) by modifying the Product Number:

For LBase-2BF, change the 4th digit from ? to E.

For LBase-2F, change the 4th digit from ? to F.

For 2BF-LBase, change the 4th digit from ? to G.

For 2F-LBase, change the 4th digit from ? to H.

+Options/Parametrics:

Width range: 60-78, peds are 18 inches fixed width—top and modesty panel change.

Depth range: 24-36, drawer depths will be 20 or 30.

Maximum of 3 surface grommets may be used; see Options and surcharges.

Finish variables are top, faces, backs, modesty panel.

! Notes:


Modesty panel is inset 0.75 inch.

D-Tops and Overhang-Tops have a 6 inch (+6) visitor's overhang.

Face locks are included as standard

Tops have Flush-Cut Ends.

Desks, Bullet-Top



Post-Leg & T-Base ‡	w	d	29.9h	Product No.	List \$
Desk/Bullet: Post-TBase 60x24	60	24		LACJ-60-24	4073
Desk/Bullet: Post-TBase 66x30	66	30		LACJ-66-30	4479
Desk/Bullet: Post-TBase 72x30	72	30		LACJ-72-30	4569
• Desk/Bullet: Post-TBase 72x36	72	36		LACJ-72-36	4781
Desk/Bullet: Post-TBase 78x36	78	36		LACJ-78-36	4867
Desk/Bullet: Post-TBase 84x36	84	36		LACJ-84-36	5006

+Options/Parametrics:


Width range: 60-84

Depth range: 24-36

Metal post leg is available in MRB Resin Black or MRSA Resin Satin Aluminum.

Finish variable is the top.

Desks, P-Top



User's side

Post & T-Base ‡	w	d	29.9h		
Desk/P: Post-TBase 60x24 (+6)	60	30		LADK-60-24	5061
Desk/P: Post-TBase 66x30 (+6)	66	36		LADK-66-30	5440
Desk/P: Post-TBase 72x30 (+6)	72	36		LADK-72-30	5476
Desk/P: Post-TBase 72x36 (+6)	72	42		LADK-72-36	5963
Desk/P: Post-TBase 78x36 (+6)	78	42		LADK-78-36	6001
Desk/P: Post-TBase 84x36 (+6)	84	42		LADK-84-36	6081
Desk/P: TBase-Post 60x24 (+6)	60	30		LADJ-60-24	5061
Desk/P: TBase-Post 66x30 (+6)	66	36		LADJ-66-30	5440
Desk/P: TBase-Post 72x30 (+6)	72	36		LADJ-72-30	5476
• Desk/P: TBase-Post 72x36 (+6)	72	42		LADJ-72-36	5963
Desk/P: TBase-Post 78x36 (+6)	78	42		LADJ-78-36	6001
Desk/P: TBase-Post 84x36 (+6)	84	42		LADJ-84-36	6081

+Options/Parametrics:

Width range: 60-84

Depth range: 24-42

Metal post leg is available in MRB Resin Black or MRSA Resin Satin Aluminum.





Finish variable is the top.

! Notes (all items this page):

Tops have a Flush-Cut End.

P-Tops and have a 6 inch (+6) visitor's overhang.

Runoffs, Rectangular Top Only



		Product No.	List \$	Product No.	List \$
Credenza Depths	w	1.5th	18d Top	24d Top	
Runoff Cred Top: LH 42	42		LBA-42-18	LBA-42-24	1474
Runoff Cred Top: LH 48	48		LBA-48-18	LBA-48-24	1550
• Runoff Cred Top: LH 54	54		LBA-54-18	LBA-54-24	1612
Runoff Cred Top: LH 60	60		LBA-60-18	LBA-60-24	1716
Runoff Cred Top: LH 72	72		LBA-72-18	LBA-72-24	1850
Runoff Cred Top: LH 84	84		LBA-84-18	LBA-84-24	2014
Runoff Cred Top: LH 90	90		LBA-90-18	LBA-90-24	2163
Runoff Cred Top: LH 108	108		LBA-108-18	LBA-108-24	2398
Runoff Cred Top: LH 120	120		LBA-120-18	LBA-120-24	2615
Runoff Cred Top: RH 42	42		LBB-42-18	LBB-42-24	1474
Runoff Cred Top: RH 48	48		LBB-48-18	LBB-48-24	1550
Runoff Cred Top: RH 54	54		LBB-54-18	LBB-54-24	1612
Runoff Cred Top: RH 60	60		LBB-60-18	LBB-60-24	1716
Runoff Cred Top: RH 72	72		LBB-72-18	LBB-72-24	1850
Runoff Cred Top: RH 84	84		LBB-84-18	LBB-84-24	2014
Runoff Cred Top: RH 90	90		LBB-90-18	LBB-90-24	2163
Runoff Cred Top: RH 108	108		LBB-108-18	LBB-108-24	2398
Runoff Cred Top: RH 120	120		LBB-120-18	LBB-120-24	2615

Desk Depths	w	1.5th	30d Top	36d Top	
Runoff Desk Top: LH 42	42		LBA-42-30	LBA-42-36	1680
Runoff Desk Top: LH 48	48		LBA-48-30	LBA-48-36	1786
• Runoff Desk Top: LH 54	54		LBA-54-30	LBA-54-36	1886
Runoff Desk Top: LH 60	60		LBA-60-30	LBA-60-36	2017
Runoff Desk Top: LH 72	72		LBA-72-30	LBA-72-36	2223
Runoff Desk Top: LH 84	84		LBA-84-30	LBA-84-36	2429
Runoff Desk Top: LH 90	90		LBA-90-30	LBA-90-36	2607
Runoff Desk Top: LH 108	108		LBA-108-30	LBA-108-36	2846
Runoff Desk Top: LH 120	120		LBA-120-30	LBA-120-36	3067
Runoff Desk Top: RH 42	42		LBB-42-30	LBB-42-36	1680
Runoff Desk Top: RH 48	48		LBB-48-30	LBB-48-36	1786
Runoff Desk Top: RH 54	54		LBB-54-30	LBB-54-36	1886
Runoff Desk Top: RH 60	60		LBB-60-30	LBB-60-36	2017
Runoff Desk Top: RH 72	72		LBB-72-30	LBB-72-36	2223
Runoff Desk Top: RH 84	84		LBB-84-30	LBB-84-36	2429
Runoff Desk Top: RH 90	90		LBB-90-30	LBB-90-36	2607
Runoff Desk Top: RH 108	108		LBB-108-30	LBB-108-36	2846
Runoff Desk Top: RH 120	120		LBB-120-30	LBB-120-36	3067

+Options/Parametrics:

Width range: 18-120

Depth range: 18-36


! Notes:

See page AX17 for Post-Legs that may be used with Runoff Tops shown above.

The recommended maximum open span under tops is 54 inches use legs, bases & pedestals accordingly.

Tops are Edge Detail Front Only (Flush-Cut End/Back).

Runoffs, Rectangular Top Only (cont.)



48d Top	w	48d	1.5th	Product No.	List \$
Runoff48 Top: LH 42	42			LBA-42-48	1767
Runoff48 Top: LH 48	48			LBA-48-48	1838
• Runoff48 Top: LH 54	54			LBA-54-48	1908
Runoff48 Top: LH 60	60			LBA-60-48	1979
Runoff48 Top: LH 72	72			LBA-72-48	2151
Runoff48 Top: LH 84	84			LBA-84-48	2291

+Options/Parametrics:

Width range: 42-84

Depth range: 36-48


! Notes:

See page AX17 for Post-Legs that may be used with Runoff Tops shown above.

The maximum open span under tops is 54 inches; use legs, bases and pedestals accordingly.

Tops have Edge Detail Front and Back (Flush-Cut End).

Runoffs, Bullet-Shape



30d Bullet w. Post-Leg ‡	w	30d	29.9h	Product No.	List \$
Runoff30/Bullet: Post-Leg 48	48			LBC-48-30	3411
Runoff30/Bullet: Post-Leg 54	54			LBC-54-30	3489
Runoff30/Bullet: Post-Leg 60	60			LBC-60-30	3577
Runoff30/Bullet: Post-Leg 66	66			LBC-66-30	3654
Runoff30/Bullet: Post-Leg 72	72			LBC-72-30	3752

36d Bullet w. Post-Leg ‡	w	36d	29.9h	Product No.	List \$
Runoff36/Bullet: Post-Leg 48	48			LBC-48-36	3572
Runoff36/Bullet: Post-Leg 54	54			LBC-54-36	3695
• Runoff36/Bullet: Post-Leg 60	60			LBC-60-36	3774
Runoff36/Bullet: Post-Leg 66	66			LBC-66-36	3896
Runoff36/Bullet: Post-Leg 72	72			LBC-72-36	4003


+Options/Parametrics:

Width range: 48-72

Depth range: 30-36

Metal post leg is available in MRB Resin Black or MRSA Resin Satin Aluminum.

Runoffs, P-Shape



36d P-Shape w. Post-Leg ‡	w	36d*	29.9h	Product No.	List \$
Runoff30/P: Post-Leg LH 66	66			LBD-66-30	4703
Runoff30/P: Post-Leg LH 72	72			LBD-72-30	4806
Runoff30/P: Post-Leg RH 66	66			LBE-66-30	4703
Runoff30/P: Post-Leg RH 72	72			LBE-72-30	4806

42d P-Shape w. Post-Leg ‡	w	42d*	29.9h	Product No.	List \$
• Runoff36/P: Post-Leg LH 66	66			LBD-66-36	4917
Runoff36/P: Post-Leg LH 72	72			LBD-72-36	5056
Runoff36/P: Post-Leg RH 66	66			LBE-66-36	4917
Runoff36/P: Post-Leg RH 72	72			LBE-72-36	5056

+Options/Parametrics:

Width range: 48-72


Depth range: 30-36

Metal post leg is available in MRB Resin Black or MRSA Resin Satin Aluminum.

! Notes:

Depth dimension (*) includes a 6-inch extension on the P-shape top.

Bridges



			Product No.	List \$	Product No.	List \$
18d ±	w	18d 29.9h	Top Only		With Fixed Panel	
Bridge18: 36	36		LCD-36-18	1405	LCF-36-18	1934
Bridge18: 42	42		LCD-42-18	1465	LCF-42-18	2030
Bridge18: 48	48		LCD-48-18	1530	LCF-48-18	2147
Bridge18: 54	54		LCD-54-18	1578	LCF-54-18	2251
24d ±	w	24d 29.9h				
Bridge24: 36	36		LCD-36-24	1508	LCF-36-24	2039
Bridge24: 42	42		LCD-42-24	1573	LCF-42-24	2145
• Bridge24: 48	48		LCD-48-24	1657	LCF-48-24	2282
Bridge24: 54	54		LCD-54-24	1725	LCF-54-24	2393
30d ±	w	30d 29.9h				
Bridge30: 36	36		LCD-36-30	1605	LCF-36-30	2140
Bridge30: 42	42		LCD-42-30	1688	LCF-42-30	2254
Bridge30: 48	48		LCD-48-30	1785	LCF-48-30	2413
Bridge30: 54	54		LCD-54-30	1867	LCF-54-30	2537

+Options/Parametrics:

Width range: 36-54

Depth range: 18-30

Finish variables are top, mod panel.

! Notes:


Finished modesty panel.

Width is nominal; accommodates hutch sitting on desk-bridge-credenza combination.

Modesty panel is designed to screw to two L-Panels.

Tops have Edge Detail Front Only.

Bridges, Removable Access Panel



18d ±	w	18d 29.9h	Unfinished Back	
Bridge18/Access: 36	36		LCR-36-18	2138
Bridge18/Access: 42	42		LCR-42-18	2227
Bridge18/Access: 48	48		LCR-48-18	2317
Bridge18/Access: 54	54		LCR-54-18	2398
24d ±	w	24d 29.9h	Unfinished Back	
Bridge24/Access: 36	36		LCR-36-24	2235
Bridge24/Access: 42	42		LCR-42-24	2337
• Bridge24/Access: 48	48		LCR-48-24	2452
Bridge24/Access: 54	54		LCR-54-24	2546
30d ±	w	30d 29.9h	Unfinished Back	
Bridge30/Access: 36	36		LCR-36-30	2337
Bridge30/Access: 42	42		LCR-42-30	2452
Bridge30/Access: 48	48		LCR-48-30	2578
Bridge30/Access: 54	54		LCR-54-30	2686

+Options/Parametrics:

Width range: 36-54

Depth range: 18-30

Finish variables are top, access panel.

! Notes:

Unfinished back on access panel.

Width is nominal; accommodates hutch sitting on desk-bridge-credenza combination.


Access panel has 2.5 inches clearance under top.

Access panel sits out from the wall 3 inches and is attached with Velcro to two spacers.

Spacers are designed to screw between two L-Panels.

Tops have Edge Detail Front Only.

Divider Panels



		Prod. Prefix	Width Codes and List \$											
1.5th	12.125h		18	24	30	36	45	48	54	60	72	84	90	108
Fabric-Fabric	LWDFF		1499	1587	1701	1820	1974	2048	2165	2277	2511	2737	2854	3234
Glass-Glass	LWDGG		1801	2050	2280	2511	2838	2973	3201	3430	3896	4354	4585	5312
Metal-Metal	LWDM		1340	1377	1437	1499	1576	1625	1686	1746	1870	1996	2059	2282
Wood-Fabric	LWDWF		1376	1424	1496	1571	1663	1718	1793	1864	2015	2162	2234	2490
Wood-Glass	LWDWG		1526	1655	1785	1915	2093	2178	2310	2442	2706	2967	3100	3529
Wood-Metal	LWDWM		1295	1317	1362	1409	1465	1507	1555	1601	1695	1791	1834	2015
Wood-Wood	LWDWW		1248	1259	1290	1324	1355	1388	1420	1453	1519	1582	1615	1746

> To Specify Divider Panels:

Determine the Product No. for each set by selecting the appropriate Product Prefix and appending the desired Width Code.
Tag the furniture item/location that is to receive each Divider Panel.

+ Options/Parametrics:

Widths: 12-108. Replace item number width code with actual dimension use next larger std size for pricing.

! Notes:

All Divider Panels are 1.5 inches thick exposed surfaces have finished veneers.


Wood veneers are all Wood1 species and solid paint colors inquire regarding other species/colors.

Fabric is an overlay, COM selection must be suitable for vertical/panel applications.

Glass is an overlay, 4mm thick, back-painted.

Metal is an HPL overlay, MSBN Satin Brushed Nickel (~MBN).

Surround Panels



	Prod. Prefix	Width Codes and List \$												
1.5th 42h		18	24	30	36	45	48	54	60	72	84	90	108	
Fabric-Fabric	LWXFF	1650	1825	1993	2170	2395	2532	2701	2875	3226	3572	3749	4355	
Glass-Glass	LWXGG	1952	2225	2501	2777	3154	3340	3610	3884	4435	4988	5262	6173	
Metal-Metal	LWXMM	1490	1609	1730	1854	1998	2108	2223	2347	2588	2832	2954	3403	
Wood-Fabric	LWXWF	1525	1657	1790	1922	2085	2200	2329	2461	2730	2991	3128	3612	
Wood-Glass	LWXWG	1677	1857	2041	2225	2464	2606	2784	2967	3334	3700	3884	4523	
Wood-Metal	LWXWM	1446	1553	1656	1766	1887	1990	2088	2198	2412	2621	2730	3134	
Wood-Wood	LXWWW	1400	1494	1582	1677	1776	1868	1957	2050	2233	2416	2508	2868	

> To Specify Surround Panels:

Determine the Product No. for each set by selecting the appropriate Product Prefix and appending the desired Width Code.
Tag the furniture item/location that is to receive each Surround Panel.

+ Options/Parametrics:

Width range: 18-108

! Notes:

All Surround Panels are 1.5 inches thick exposed surfaces have finished veneers.

Wood veneers are all Wood1 species and solid paint colors inquire regarding other species/colors.

Fabric is an overlay, COM selection must be suitable for vertical/panel applications.

Glass is an overlay, 4mm thick, back-painted.

Metal is an HPL overlay, MSBN Satin Brushed Nickel (~MBN).

Shipping address for COM/COL materials and memo samples:
TUOHY Furniture Corporation, P1 Upholstery Receiving, 42 Saint Albans Place, Chatfield, MN 55923




TUOHY

Specify: Product Number
Quantity
Tagging
Wood Finish

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

Credenza Tops



Product No. List \$

Rectangular 15d	w	15d	1.5th		
CredenzaTop15: 18	18			LF-18-15	991
CredenzaTop15: 30	30			LF-30-15	1050
CredenzaTop15: 36	36			LF-36-15	1094
CredenzaTop15: 48	48			LF-48-15	1177
CredenzaTop15: 54	54			LF-54-15	1217
CredenzaTop15: 60	60			LF-60-15	1265
CredenzaTop15: 66	66			LF-66-15	1304
CredenzaTop15: 72	72			LF-72-15	1355
CredenzaTop15: 78	78			LF-78-15	1394
CredenzaTop15: 84	84			LF-84-15	1452
CredenzaTop15: 90	90			LF-90-15	1495
CredenzaTop15: 108	108			LF-108-15	1659
CredenzaTop15: 120	120			LF-120-15	1749

Rectangular 24d	w	24d	1.5th		
CredenzaTop24: 18	18			LF-18-24	994
CredenzaTop24: 30	30			LF-30-24	1108
CredenzaTop24: 36	36			LF-36-24	1175
CredenzaTop24: 48	48			LF-48-24	1301
CredenzaTop24: 54	54			LF-54-24	1348
CredenzaTop24: 60	60			LF-60-24	1424
CredenzaTop24: 66	66			LF-66-24	1485
CredenzaTop24: 72	72			LF-72-24	1556
CredenzaTop24: 78	78			LF-78-24	1616
CredenzaTop24: 84	84			LF-84-24	1714
CredenzaTop24: 90	90			LF-90-24	1772
CredenzaTop24: 108	108			LF-108-24	2017
CredenzaTop24: 120	120			LF-120-24	2235

Rectangular 30d	w	30d	1.5th		
CredenzaTop30: 18	18			LF-18-30	1121
CredenzaTop30: 30	30			LF-30-30	1259
CredenzaTop30: 36	36			LF-36-30	1322
CredenzaTop30: 48	48			LF-48-30	1462
CredenzaTop30: 54	54			LF-54-30	1532
CredenzaTop30: 60	60			LF-60-30	1624
CredenzaTop30: 66	66			LF-66-30	1695
CredenzaTop30: 72	72			LF-72-30	1776
CredenzaTop30: 78	78			LF-78-30	1843
CredenzaTop30: 84	84			LF-84-30	1919
CredenzaTop30: 90	90			LF-90-30	1996
CredenzaTop30: 108	108			LF-108-30	2312
CredenzaTop30: 120	120			LF-120-30	2588

+Options/Parametrics:

Width range: 18-120

Depth range: 15-30


! Notes:

This listing is of credenza tops only.

The recommended maximum open span under tops is 54 inches; use bases/pedestals accordingly.

Tops have Edge Detail Front Only.

Top-to-Tower Connector




For All Top Depths ±	1w	d	1h		
Top-to-Tower Connector		6		LGB	64

! Notes:

Pair of steel brackets in MRB Resin Black, flush-mounted to end/bottom of top.

Unsupported spans of 54 inches or more will also require a Credenza Support Keel.

Top Support Keels



	±	w	2d	1h	Product No.	List \$	Product No.	List \$
MRB Resin Black Finish								
Top Support Keel: 52		52			LG-52	442		
Top Support Keel: 58		58			LG-58	456		
Top Support Keel: 64		64			LG-64	461		
Top Support Keel: 70		70			LG-70	469		
Top Support Keel: 82		82			LG-82	479		
• Top Support Keel: 88		88			LG-88	487		

! Notes:

Required for unsupported work surface spans of 54 inches or more.

Unit is a MRB Resin Black, 1 x 2 steel tube screwed to the underside of the work surface.

Post-Legs



For Credenza and Runoff Tops	w	d	28.4h		
Post-Legs (Pair)	2.2	Diam		7VMUA92	839


! Notes:

Remember when using Post-Legs that the maximum unsupported work surface span is 54 inches.

Metal finish is MRBA Resin Brushed Aluminum.

Includes wire management.

Base L/T Panels



L-Panel LH ±	w	d	28.4h	Unfinished Back	Finished Back
Base L-Panel LH 18x15	18	15		LHLU-18-15	728 LHLF-18-15 769
• Base L-Panel LH 18x24	18	24		LHLU-18-24	770 LHLF-18-24 814
Base L-Panel LH 18x30	18	30		LHLU-18-30	825 LHLF-18-30 868
Base L-Panel LH 18x36	18	36		LHLU-18-36	880 LHLF-18-36 923
Base L-Panel LH 24x15	24	15		LHLU-24-15	779 LHLF-24-15 835
Base L-Panel LH 24x24	24	24		LHLU-24-24	815 LHLF-24-24 874
Base L-Panel LH 24x30	24	30		LHLU-24-30	855 LHLF-24-30 909
Base L-Panel LH 24x36	24	36		LHLU-24-36	894 LHLF-24-36 948
Base L-Panel LH 36x15	36	15		LHLU-36-15	826 LHLF-36-15 911
Base L-Panel LH 36x24	36	24		LHLU-36-24	865 LHLF-36-24 952
Base L-Panel LH 36x30	36	30		LHLU-36-30	905 LHLF-36-30 991
Base L-Panel LH 36x36	36	36		LHLU-36-36	944 LHLF-36-36 1029

L-Panel RH ±	w	d	28.4h	Unfinished Back	Finished Back
Base L-Panel RH 18x15	18	15		LHRU-18-15	728 LHRF-18-15 769
• Base L-Panel RH 18x24	18	24		LHRU-18-24	770 LHRF-18-24 814
Base L-Panel RH 18x30	18	30		LHRU-18-30	825 LHRF-18-30 868
Base L-Panel RH 18x36	18	36		LHRU-18-36	880 LHRF-18-36 923
Base L-Panel RH 24x15	24	15		LHRU-24-15	779 LHRF-24-15 835
Base L-Panel RH 24x24	24	24		LHRU-24-24	815 LHRF-24-24 874
Base L-Panel RH 24x30	24	30		LHRU-24-30	855 LHRF-24-30 909
Base L-Panel RH 24x36	24	36		LHRU-24-36	894 LHRF-24-36 948
Base L-Panel RH 36x15	36	15		LHRU-36-15	826 LHRF-36-15 911
Base L-Panel RH 36x24	36	24		LHRU-36-24	865 LHRF-36-24 952
Base L-Panel RH 36x30	36	30		LHRU-36-30	905 LHRF-36-30 991
Base L-Panel RH 36x36	36	36		LHRU-36-36	944 LHRF-36-36 1029

T-Panel ±	w	d	28.4h	Unfinished Back	Finished Back
Base T-Panel 18x9	18	9		LHTU-18-9	714 LHTF-18-9 757
• Base T-Panel 36x9	36	9		LHTU-36-9	807 LHTF-36-9 894

+ Options/Parametrics:



Width range: 15-36

Depth range: 15-36 (L-Panels); 9-18 (T-Panels)

! Notes:

Units are available LH or RH with finished or unfinished backs.

Modesty Panels



				Product No.	List \$	Product No.	List \$
Fixed ‡	w	1d	28.4h	Unfinished Back		Finished Back	
Modesty-Panel: 18	18			LJU-18	573	LJF-18	602
Modesty-Panel: 24	24			LJU-24	614	LJF-24	654
Modesty-Panel: 30	30			LJU-30	648	LJF-30	705
• Modesty-Panel: 36	36			LJU-36	685	LJF-36	752
Modesty-Panel: 42	42			LJU-42	714	LJF-42	804
Modesty-Panel: 48	48			LJU-48	756	LJF-48	856
Modesty-Panel: 54	54			LJU-54	794	LJF-54	906
Modesty-Panel: 72	72			LJU-72	903	LJF-72	1061

Access/Removable ‡	w	2d	25.9h	Unfinished Back			
Modesty-Access: 18	18			LJR-18	714		
Modesty-Access: 24	24			LJR-24	750		
Modesty-Access: 30	30			LJR-30	788		
• Modesty-Access: 36	36			LJR-36	820		
Modesty-Access: 42	42			LJR-42	859		
Modesty-Access: 48	48			LJR-48	900		
Modesty-Access: 54	54			LJR-54	933		
Modesty-Access: 72	72			LJR-72	1036		

+Options/Parametrics:

Width range: 18-72

! Notes:

Units are exact width with two mounting strips for attachment to L-Panels or Pedestals.

Clearance on Access/Removable Panels is 2.5 inches below work surface and 3 inches from wall.

Bookcases





15d 29.9h Wood1	w	Sections	Unfinished Back		Finished Back	
Bookcase 30	30	1	LKXU-30	3145	LKXF-30	3273
Bookcase 36	36	1	LKXU-36	3281	LKXF-36	3430
Bookcase 48	48	2	LKXU-48	3771	LKXF-48	3965
Bookcase 54	54	2	LKXU-54	3950	LKXF-54	4165
Bookcase 60	60	2	LKXU-60	4098	LKXF-60	4334
• Bookcase 72	72	2	LKXU-72	4290	LKXF-72	4550
Bookcase 81	81	3	LKXU-81	4810	LKXF-81	5111
Bookcase 90	90	3	LKXU-90	4955	LKXF-90	5273
Bookcase 108	108	3	LKXU-108	5410	LKXF-108	5807

! Notes:

Shelf support/dividers have an MRBAS Resin Brushed Aluminum with Steel Tint finish.

Pedestals, Shelving



Shelving	w	d	28.4h	Unfinished Back		Finished Back	
• Ped15: Shelving 18	18	15		LKAU-18-15	1369	LKAF-18-15	1425
• Ped15: Shelving 30	30	15		LKAU-30-15	1663	LKAF-30-15	1762
• Ped15: Shelving 36	36	15		LKAU-36-15	1820	LKAF-36-15	1926
• Ped24: Shelving 18	18	24		LKAU-18-24	1539	LKAF-18-24	1592
• Ped24: Shelving 30	30	24		LKAU-30-24	1892	LKAF-30-24	1982
• Ped24: Shelving 36	36	24		LKAU-36-24	2079	LKAF-36-24	2187
Ped30: Shelving 18	18	30		LKAU-18-30	1662	LKAF-18-30	1716
Ped30: Shelving 30	30	30		LKAU-30-30	2039	LKAF-30-30	2134
Ped30: Shelving 36	36	30		LKAU-36-30	2246	LKAF-36-30	2353
Ped36: Shelving 18	18	36		LKAU-18-36	1785	LKAF-18-36	1838
Ped36: Shelving 30	30	36		LKAU-30-36	2207	LKAF-30-36	2304
Ped36: Shelving 36	36	36		LKAU-36-36	2423	LKAF-36-36	2536

+Options/Parametrics:

Width range: 12-36

Depth range: 15-36

Finish variables are back (full units only) and shelf.

! Notes:

Units include one adjustable, removable shelf.

Units over 18 wide have inlaid bands on shelf for additional strength.

For additional flat shelves, see listing on opposite page.



TUOHY

Specify: Product Number
Quantity
Tagging
Wood Finish

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

Pedestals, Cabinet



				Product No.	List \$	Product No.	List \$
LH Cabinet →	w	d	28.4h	Unfinished Back		Finished Back	
• Ped24: Cabinet LH 12	12	24		LKBU-12-24	2085	LKBF-12-24	2139
Ped30: Cabinet LH 12	12	30		LKBU-12-30	2258	LKBF-12-30	2312
Ped36: Cabinet LH 12	12	36		LKBU-12-36	2408	LKBF-12-36	2460
• Ped15: Cabinet LH 18	18	15		LKBU-18-15	1908	LKBF-18-15	1961
Ped24: Cabinet LH 18	18	24		LKBU-18-24	2039	LKBF-18-24	2091
Ped30: Cabinet LH 18	18	30		LKBU-18-30	2134	LKBF-18-30	2186
Ped36: Cabinet LH 18	18	36		LKBU-18-36	2229	LKBF-18-36	2284
• Ped15: Cabinet LH 24	24	15		LKBU-24-15	2108	LKBF-24-15	2177
• Ped24: Cabinet LH 24	24	24		LKBU-24-24	2272	LKBF-24-24	2340
Ped30: Cabinet LH 24	24	30		LKBU-24-30	2376	LKBF-24-30	2447
Ped36: Cabinet LH 24	24	36		LKBU-24-36	2487	LKBF-24-36	2559

RH Cabinet →	w	d	28.4h	Unfinished Back		Finished Back	
Ped24: Cabinet RH 12	12	24		LKCU-12-24	2085	LKCF-12-24	2139
Ped30: Cabinet RH 12	12	30		LKCU-12-30	2258	LKCF-12-30	2312
Ped36: Cabinet RH 12	12	36		LKCU-12-36	2408	LKCF-12-36	2460
Ped15: Cabinet RH 18	18	15		LKCU-18-15	1908	LKCF-18-15	1961
Ped24: Cabinet RH 18	18	24		LKCU-18-24	2039	LKCF-18-24	2091
Ped30: Cabinet RH 18	18	30		LKCU-18-30	2134	LKCF-18-30	2186
Ped36: Cabinet RH 18	18	36		LKCU-18-36	2229	LKCF-18-36	2284
Ped15: Cabinet RH 24	24	15		LKCU-24-15	2108	LKCF-24-15	2177
Ped24: Cabinet RH 24	24	24		LKCU-24-24	2272	LKCF-24-24	2340
Ped30: Cabinet RH 24	24	30		LKCU-24-30	2376	LKCF-24-30	2447
Ped36: Cabinet RH 24	24	36		LKCU-24-36	2487	LKCF-24-36	2559

Double Cabinet →	w	d	28.4h	Unfinished Back		Finished Back	
Ped15: DbuCabinet 24	24	15		LKDU-24-15	2251	LKDF-24-15	2328
• Ped15: DbuCabinet 30	30	15		LKDU-30-15	2396	LKDF-30-15	2482
• Ped15: DbuCabinet 36	36	15		LKDU-36-15	2555	LKDF-36-15	2662
Ped24: DbuCabinet 24	24	24		LKDU-24-24	2416	LKDF-24-24	2486
Ped24: DbuCabinet 30	30	24		LKDU-30-24	2574	LKDF-30-24	2662
• Ped24: DbuCabinet 36	36	24		LKDU-36-24	2759	LKDF-36-24	2865
Ped30: DbuCabinet 24	24	30		LKDU-24-30	2517	LKDF-24-30	2594
Ped30: DbuCabinet 30	30	30		LKDU-30-30	2685	LKDF-30-30	2771
Ped30: DbuCabinet 36	36	30		LKDU-36-30	2889	LKDF-36-30	2990
Ped36: DbuCabinet 24	24	36		LKDU-24-36	2632	LKDF-24-36	2706
Ped36: DbuCabinet 30	30	36		LKDU-30-36	2812	LKDF-30-36	2895
Ped36: DbuCabinet 36	36	36		LKDU-36-36	3012	LKDF-36-36	3116

+Options/Parametrics:

Width range: 12-24 on Cabinets, 24-36 on Double Cabinets.

Depth range: 15-36

Finish variables are back, shelf, face.

For ventilation cutout, specify Option VS; add \$372.



! Notes:

Locks are included on all pedestals.

Units include one adjustable, removable shelf.

Units over 18 wide have inlaid bands on shelf for additional strength.

Additional Flat Shelves



Open Shelves→	15d		24d		30d		36d	
Flat Shelf 12w	LKAS-12-15	273	LKAS-12-24	300	LKAS-12-30	318	LKAS-12-36	333
Flat Shelf 18w	LKAS-18-15	296	LKAS-18-24	333	LKAS-18-30	360	LKAS-18-36	390
Flat Shelf 24w	LKAS-24-15	318	LKAS-24-24	371	LKAS-24-30	403	LKAS-24-36	441
Flat Shelf 30w	LKAS-30-15	338	LKAS-30-24	403	LKAS-30-30	448	LKAS-36-36	492
Flat Shelf 36w	LKAS-36-15	360	LKAS-36-24	441	LKAS-36-30	492	LKAS-36-36	544






+Options/Parametrics:

For use in Cabinet units, change the 3rd digit from A to D; no price change.

! Notes:

Be sure to identify which shelving or cabinet pedestals are to receive these shelves.

Pedestals, Drawer



		Product No.	List \$	Product No.	List \$
18d ~	w 18d 28.4h	Unfinished Back		Finished Back	
• Ped18: 2F 18	18	LKEU-18-18	2370	LKEF-18-18	2478
• Ped18: 2BF 18	18	LKFU-18-18	2516	LKFF-18-18	2628
• Ped18: 4B 18	18	LKGU-18-18	2804	LKGF-18-18	2916
• Ped18: 2LatF 30	30	LKEU-30-18	2711	LKEF-30-18	2875
• Ped18: 2LatB/LatF 30	30	LKFU-30-18	2973	LKFF-30-18	3170
• Ped18: 2LatB/LatF 36	36	LKFU-36-18	3137	LKFF-36-18	3340

24d ~	w 24d 28.4h	Unfinished Back		Finished Back	
• Ped24: 2F 18	18	LKEU-18-24	2416	LKEF-18-24	2522
• Ped24: 2BF 18	18	LKFU-18-24	2597	LKFF-18-24	2707
• Ped24: 4B 18	18	LKGU-18-24	2895	LKGF-18-24	3007
• Ped24: Trash/Recycle 18	18	LKLU-18-24	2690	LKLF-18-24	2891
• Ped24: 2LatF 30	30	LKEU-30-24	2802	LKEF-30-24	2961
• Ped24: 2LatF 36	36	LKEU-36-24	2965	LKEF-36-24	3165
• Ped24: 2LatB/LatF 30	30	LKFU-30-24	3068	LKFF-30-24	3264
• Ped24: 2LatB/LatF 36	36	LKFU-36-24	3245	LKFF-36-24	3447

30d ~	w 30d 28.4h	Unfinished Back		Finished Back	
• Ped30: 2F 18	18	LKEU-18-30	2505	LKEF-18-30	2618
• Ped30: 2BF 18	18	LKFU-18-30	2697	LKFF-18-30	2806
• Ped30: 4B 18	18	LKGU-18-30	3007	LKGF-18-30	3121
Ped30: 2LatF 30	30	LKEU-30-30	2913	LKEF-30-30	3073
Ped30: 2LatF 36	36	LKEU-36-30	3081	LKEF-36-30	3282
• Ped30: 2LatB/LatF 30	30	LKFU-30-30	3188	LKFF-30-30	3382
• Ped30: 2LatB/LatF 36	36	LKFU-36-30	3372	LKFF-36-30	3570

36d ~	w 36d 28.4h	Unfinished Back		Finished Back	
Ped36: 2F 18	18	LKEU-18-36	2883	LKEF-18-36	2996
Ped36: 2BF 18	18	LKFU-18-36	3105	LKFF-18-36	3216
Ped36: 4B 18	18	LKGU-18-36	3466	LKGF-18-36	3582

+Options/Parametrics:

Widths 18, 30 and 36 only.

Depth range: 18-36 (18w units); 18-30 (30, 36w units)

Finish variables are back, face.

! Notes:

Locks are included on all pedestals.

Drawers are 0.5 Birch with dovetailed corners.

Drawer bottoms are 0.25 inch thick dadoed into drawer sides.

Slides are ball bearing full extension.

Box drawers include drawer dividers.


File drawers include Pendaflex file hanging system.

Units through 22 deep have a 15 deep drawer with front to back filing only.

Units 22.1 through 32.9 deep have a 20 deep drawer.

Units 33 deep and more have a 30 deep drawer.

Pedestals, Mobile



	Product No.	List \$	Product No.	List \$
Mobile ~	18w d 27.2h		Finished Back	
PedMobile18: 2BF 18	18d		LKFM-18-18	2868
PedMobile24: 2BF 18	24d		LKFM-18-24	2952
PedMobile30: 2BF 18	30d		LKFM-18-30	3048

+Options/Parametrics:

Widths: 18 only.

Depth range: 18-30

Finish variables are face and back.

! Notes:

Locks are included on all pedestals.

Drawers are 0.5 Birch with dovetailed corners.

Drawer bottoms are 0.25 inch thick dadoed into drawer sides.

Slides are ball bearing full extension.


Box drawers include drawer dividers.

File drawers include Pendaflex file hanging system.

Units under 22 deep have a 15 deep drawer with front to back filing only.

Units over 22 deep and under 33 deep have a 20 deep drawer.


Pedestals, Drawer/Cabinet



Lateral Box/ Double Cabinet ~	w	d	28.4h	Unfinished Back	Finished Back
Ped18: LatB/DblCab 30	30	18		LKHU-30-18 2812	LKHF-30-18 2895
Ped18: LatB/DblCab 36	36	18		LKHU-36-18 3045	LKHF-36-18 3152
• Ped24: LatB/DblCab 30	30	24		LKHU-30-24 2948	LKHF-30-24 3033
• Ped24: LatB/DblCab 36	36	24		LKHU-36-24 3206	LKHF-36-24 3310
Ped30: LatB/DblCab 30	30	30		LKHU-30-30 3075	LKHF-30-30 3163
Ped30: LatB/DblCab 36	36	30		LKHU-36-30 3356	LKHF-36-30 3457

Options/Parametrics and Notes: See below.

Pedestals42, Drawer



Files, Top Required ~	w	d	42h	Unfinished Back
• Ped18: 3F 18	18	18		LKJU-18-18 3239
Ped18: 3LatF 30	30	18		LKJU-30-18 3755
Ped18: 3LatF 36	36	18		LKJU-36-18 3994
Ped24: 3F 18	18	24		LKJU-18-24 3300
• Ped24: 3LatF 30	30	24		LKJU-30-24 3890
Ped24: 3LatF 36	36	24		LKJU-36-24 4138
Ped30: 3F 18	18	30		LKJU-18-30 3447
Ped30: 3LatF 30	30	30		LKJU-30-30 4053
• Ped30: 3LatF 36	36	30		LKJU-36-30 4310
Ped36: 3F 18	18	36		LKJU-18-36 4013

+Options/Parametrics:

Widths as listed only.

Depth range: 18-36 (18w units); 18-30 (30, 36w units).

Finish variables are back, face, shelf on units with cabinet doors, otherwise face only.

To include Anti-Tilt Mechanisms, specify Option AT; add \$667.

! Notes:

Drawer Pedestals42 must be secured on location to the wall; otherwise, specify Option AT above.

Locks are included on all pedestals.

Drawers are 0.5 Birch with dovetailed corners.

Drawer bottoms are 0.25 inch thick dadoed into drawer sides.

Slides are ball bearing full extension.

Box drawers include drawer dividers.


File drawers include Pendaflex file hanging system.

Units through 22 deep have a 15 deep drawer with front-to-back filing only.

Units 22.1 through 32.9 deep have a 20 deep drawer.

Units 33 deep or more have a 30 deep drawer.

Hutches, Wood Shelving1



				Product No.	List \$	Product No.	List \$
42.1h (72h installed)	w	15d	Shv COM	Fabric Back Panel		Wood Back Panel	
•Hutch72: WoodShelving1 18	18		1\0 1.3	LLAF-18-15-72	2730	LLAW-18-15-72	2087
•Hutch72: WoodShelving1 36	36		0\1 1.8	LLAF-36-15-72	3152	LLAW-36-15-72	2461
•Hutch72: WoodShelving1 54	54		1\1 2	LLAF-54-15-72	3850	LLAW-54-15-72	3121
•Hutch72: WoodShelving1 72	72		0\2 2.3	LLAF-72-15-72	4352	LLAW-72-15-72	3581
•Hutch72: WoodShelving1 90	90		1\2 2.8	LLAF-90-15-72	4848	LLAW-90-15-72	4028
•Hutch72: WoodShelving1 108	108		0\3 3.2	LLAF-108-15-72	5380	LLAW-108-15-72	4527

+Options/Parametrics:

Width range: 18-108

Depth range: 15-18; for depths over 15 add \$2 per inch of width (Ex: LLAW-108-15-72 = \$4742).

Height range: 36.1-42.1 (66-72 installed)

! Notes:

Units under 42.1h (72h installed) have an A grade top surface.

Units at 42.1h (72h installed) have a 3 grade top surface.

The shelving area opening remains constant at 14.6 high.

Units have an unfinished back and are designed to go up against a wall.

Fabric/Wood Back Panels are removable for wire access and management.

The back of the units have a cord access cutout located 2.5 up from the bottom.


The removable back panel has 0.5 clearance at the bottom and 0.75 clearance at the top.

Dividers: None through 36w; one at 36.1-72w; two at 72.1w or more.

Finish variables are back, removable back.

Fabric Panels on units over 96w are produced in two sections.

Hutches, Wood Shelving Full Height



26.1h (56h installed)	w	15d	Shv	Wood Back Panel	
•Hutch56: WoodShelving2 18	18		2\0	LLJ-18-15-56	1529
•Hutch56: WoodShelving2 36	36		0\2	LLJ-36-15-56	1781

42.1h (72h installed)	w	15d	Shv	Wood Back Panel	
•Hutch72: WoodShelving3 18	18		3\0	LLJ-18-15-72	1855
•Hutch72: WoodShelving3 36	36		0\3	LLJ-36-15-72	2385

55.1h (85h installed)	w	15d	Shv	Wood Back Panel	
•Hutch85: WoodShelving4 18	18		4\0	LLJ-18-15-85	2111
•Hutch85: WoodShelving4 36	36		0\4	LLJ-36-15-85	2867

+Options/Parametrics:

Width range: 18-36

Depth range: 15-18; for depths over 15 add \$3 per inch of width (Ex: LLJ-36-15-85 = \$2958).

Height range: 24.1-55.1 (54-85 installed)

Finish variables are back, shelves.

! Notes:

Units under 42.1h (72h installed) have an A grade top surface.

Units 42.1h (72h installed) and higher have a 3 grade top surface.

Units have an unfinished back and are designed to go up against a wall.

Number of adjustable shelves varies approximately on 14 inch openings.

Fabric Panels on units over 96w are produced in two sections.

Shipping address for COM/COL materials and memo samples:

TUOHY Furniture Corporation, P1 Upholstery Receiving, 42 Saint Albans Place, Chatfield, MN 55923




TUOHY

Specify: Product Number
Quantity
Tagging
Wood Finish

• Denotes Item is illustrated.

Prices listed in Wood1 Finishes.

Hutches, Cabinet1



	42.1h (72h installed)	w	15d	Shv	COM	Fabric Back Panel	Wood Back Panel
•Hutch72: Cabinet1 24	24	24	0\1	1.8	LLBF-24-15-72	3367	LLBW-24-15-72 2711
•Hutch72: Cabinet1 36	36	36	0\1	1.8	LLBF-36-15-72	3672	LLBW-36-15-72 2990
•Hutch72: Cabinet1 54	54	54	1\1	2	LLBF-54-15-72	4583	LLBW-54-15-72 3860
•Hutch72: Cabinet1 72	72	72	0\2	2.3	LLBF-72-15-72	5294	LLBW-72-15-72 4529
•Hutch72: Cabinet1 90	90	90	1\2	2.8	LLBF-90-15-72	5994	LLBW-90-15-72 5184
•Hutch72: Cabinet1 108	108	108	0\3	3.2	LLBF-108-15-72	6738	LLBW-108-15-72 5888

+Options/Parametrics:

Width range: 24-108

Depth range: 15-18; for depths over 15 add \$2 per inch of width (Ex: LLBW-108-15-72 = \$6103).

Height range: 30.1-42.1h (60-72 installed)

Finish variables are back, removable back, face.

! Notes:

Units under 42.1h (72h installed) have an A grade top surface.

Units 42.1h (72h installed) have a 3 grade top surface.

Units have an unfinished back and are designed to go up against a wall.

The shelving area opening remains constant at 14.6 high.

Units are available with either a COM fabric panel or wood panel. These panels are removable and are used to cover cord access.

The back of the units have a cord access cutout located 2.5 up from the bottom.

The removable back panel has 0.5 clearance at the bottom and 0.75 clearance at the top.

Units 24 through 42 wide have two doors.

Units 42.1 through 60 wide have three doors.


Units 60.1 through 78 wide have four doors.

Units 78.1 through 90 wide have five doors.

Units over 90 wide have six doors.

Fabric Panels on units over 96w are produced in two sections.

Hutches, Cabinet2



	55.1h (85 installed)	w	15d	Shv	COM	Fabric Back Panel	Wood Back Panel
•Hutch85: Cabinet2 24	24	24	0\2	1.8	LLHF-24-15-85	3607	LLHW-24-15-85 2955
•Hutch85: Cabinet2 36	36	36	0\2	1.8	LLHF-36-15-85	4130	LLHW-36-15-85 3451
•Hutch85: Cabinet2 54	54	54	2\2	2	LLHF-54-15-85	4908	LLHW-54-15-85 4190
•Hutch85: Cabinet2 72	72	72	0\4	2.3	LLHF-72-15-85	5691	LLHW-72-15-85 4926
•Hutch85: Cabinet2 90	90	90	2\4	2.8	LLHF-90-15-85	6467	LLHW-90-15-85 5662

+Options/Parametrics:

Width range: 24-90

Depth range: 15-18; for depths over 15 add \$3 per inch of width (Ex: LLHW-90-15-85 = \$5964).

Height range: 50.1-55.1h (80-85 installed)

Finish variables are back, removable back, face.

! Notes:

Units have a 3 grade top surface.

Units have an unfinished back and are designed to go up against a wall.

The shelving area opening remains constant at 29.2 high.

Units are available with either a COM fabric panel or wood panel. These panels are removable and are used to cover cord access.

The back of the units have a cord access cutout located 2.5 up from the bottom.

The removable back panel has 0.5 clearance at the bottom and 0.75 clearance at the top.

Units 24 through 42 wide have two doors.

Units 42.1 through 60 wide have three doors.

Units 60.1 through 78 wide have four doors.

Units 78.1 through 90 wide have five doors.

Shipping address for COM/COL materials and memo samples:

TUOHY Furniture Corporation, P1 Upholstery Receiving, 42 Saint Albans Place, Chatfield, MN 55923




TUOHY

Specify: Product Number
Quantity
Tagging
Wood Finish

• Denotes Item is illustrated.

Prices listed in Wood1 Finishes.

Hutches, Full Height Cabinet




				Product No.	List \$
26.1h (56 installed)	w	15d	Shv	Wood Back Panel	
Hutch56: Cabinet2 LH 18	18		2\0	LLK-18-15-56	1964
•Hutch56: Cabinet2 RH 18	18		2\0	LLL-18-15-56	1964
Hutch56: Cabinet2 36	36		0\2	LLM-36-15-56	2559
42.1h (72 installed)	w	15d	Shv	Wood Back Panel	
Hutch72: Cabinet3 LH 18	18		3\0	LLK-18-15-72	2354
•Hutch72: Cabinet3 RH 18	18		3\0	LLL-18-15-72	2354
•Hutch72: Cabinet3 36	36		0\3	LLM-36-15-72	3239
55.1h (85 installed)	w	15d	Shv	Wood Back Panel	
Hutch85: Cabinet4 LH 18	18		4\0	LLK-18-15-85	2670
•Hutch85: Cabinet4 RH 18	18		4\0	LLL-18-15-85	2670
•Hutch85: Cabinet4 36	36		0\4	LLM-36-15-85	3836

+Options/Parametrics:
Width range: 18-36
Depth range: 15-18; for depths over 15 add \$3 per inch of width (Ex: LLM-36-15-85 = \$3934).
Height range: 24.1-55.1 (54-85 installed)
Finish variables are back, face.

! Notes:
Units under 42.1h (72h installed) have an A grade top surface.
Units 42.1h (72h installed) and higher have a 3 grade top surface.
Units have an unfinished back and are designed to go up against a wall.
Number of adjustable shelves varies approximately on 14 inch openings.

Wall Hutches, Shelving & Cabinet



18h (Wall Cleat Included)	w	15d	Sgl\Tbl Shelf	Wall Hutch	Product No.	List \$
•WallHutch: WoodShelf1 18	18		1\0		LMA-18-15-18	1496
•WallHutch: WoodShelf1 36	36		0\1		LMA-36-15-18	1861
•WallHutch: WoodShelf1 72	72		0\2		LMA-72-15-18	2947
•WallHutch: WoodShelf1 90	90		0\3		LMA-90-15-18	3427
•WallHutch: WoodShelf1 108	108		0\3		LMA-108-15-18	4020
30.6h (Wall Cleat Included)	w	15d	Sgl\Tbl Shelf	Wall Hutch	Product No.	List \$
•WallHutch: WoodShelf2 18	18		2\0		LME-18-15-30.6	1887
•WallHutch: WoodShelf2 36	36		0\2		LME-36-15-30.6	2371
WallHutch: WoodShelf2 72	72		0\4		LME-72-15-30.6	3655
WallHutch: WoodShelf2 90	90		0\6		LME-90-15-30.6	42972

+Options/Parametrics:

Width range: 18-108 for WoodShelf1, 18-90 for WoodShelf2

Depth range: 15-18; for depths over 15 add \$3 per inch of width (Ex: LME-90-15-30.6 = \$4543).

Heights are fixed at 18 or 30.6


Finish variable is the back.

! Notes:

Units have a 2 grade top surface.

Dividers: None through 36w; one at 36.1-72w; two at 72.1w or more.

Wall-mount cleats are included for field installation; wall hutches must be screwed through the back into the wall cleat.



18h (Wall Cleat Included)	w	15d	Sgl\Tbl Shelf	Wall Hutch	Product No.	List \$
WallHutch: Cabinet1 LH 18	18		1\0		LMC-18-15-18	1693
•WallHutch: Cabinet1 RH 18	18		1\0		LMD-18-15-18	1693
•WallHutch: Cabinet1 36	36		0\1		LMB-36-15-18	2516
•WallHutch: Cabinet1 54	54		1\1		LMB-54-15-18	3376
•WallHutch: Cabinet1 72	72		0\2		LMB-72-15-18	4075
•WallHutch: Cabinet1 90	90		1\2		LMB-90-15-18	4778
•WallHutch: Cabinet1 108	108		0\3		LMB-108-15-18	5504
30.6h (Wall Cleat Included)	w	15d	Sgl\Tbl Shelf	Wall Hutch	Product No.	List \$
WallHutch: Cabinet2 LH 18	18		2\0		LMF-18-15-30.6	2272
•WallHutch: Cabinet2 RH 18	18		2\0		LMG-18-15-30.6	2272
•WallHutch: Cabinet2 36	36		0\2		LMH-36-15-30.6	3002
WallHutch: Cabinet2 54	54		2\2		LMH-54-15-30.6	4027
WallHutch: Cabinet2 72	72		0\4		LMH-72-15-30.6	4917
WallHutch: Cabinet2 90	90		2\4		LMH-90-15-30.6	5800

+Options/Parametrics:

Width range: 18-108 for Cabinet 1, 18-90 for Cabinet 2.

Depth range: 15-18; for depths over 15 add \$3 per inch of width (Ex: LMH-90-15-30.6 = \$6046).

Heights are fixed at 18 and 30.6.

Finish variables are back, removable back, face.

! Notes:

Units have a 2 grade top surface.

Wall-mount cleats are included for field installation; hutches must be screwed through the back into the wall cleat.

Units 24 through 42 have two doors.


Units 42.1 through 60 have three doors.

Units 60.1 through 78 have four doors.

Units 78.1 through 90 have five doors.

Units over 90 wide have six doors.

Hutches, Sliding Glass Doors 72/1



42.1h (72h installed)	w	15d	Shv	COM	Fabric Back Panel	Wood Back Panel
• Hutch72: Sliding1 36 2 Doors	36		1x1	1.8	LLNF-36-15-72 4645	LLNW-36-15-72 3956
• Hutch72: Sliding1 54 2 Doors	54		1x2	2	LLNF-54-15-72 6199	LLNW-54-15-72 5467
• Hutch72: Sliding1 72 2 Doors	72		1x2	2.3	LLNF-72-15-72 6992	LLNW-72-15-72 6215
• Hutch72: Sliding1 72 4 Doors	72		1x2	2.3	LLPF-72-15-72 7329	LLPW-72-15-72 6557
• Hutch72: Sliding1 90 2 Doors	90		1x2	2.8	LLNF-90-15-72 7778	LLNW-90-15-72 6963
• Hutch72: Sliding1 90 4 Doors	90		1x2	2.8	LLPF-90-15-72 8118	LLPW-90-15-72 7295

+Options/Parametrics:

Width range: 30-90

Depth range: 15-18; for depths over 15 add \$3 per inch of width (Ex: LLPW-90-15-72 = \$7541).

Height range: 30.1-42.1h (60-72 installed)

Finish variables are back, removable back.

! Notes:

Sliding doors are frosted glass.

Satin anodized aluminum finish on hardware and apron.

Units under 42.1h (72h installed) have an A grade top surface.

Units 42.1h (72h installed) have a 3 grade top surface.

Units have an unfinished back and are designed to go up against a wall.


The shelving area opening remains constant at 14.6 high.

Units are available with either a COM fabric panel or wood panel. These panels are removable and are used to cover cord access.

The back of the units have a cord access cutout located 2.5 up from the bottom.

The removable back panel has 0.5 clearance at the bottom and 0.75 clearance at the top.

Hutches, Sliding Glass Doors 72/2



42.1h (72h installed)	w	15d	Shv	COM	Fabric Back Panel	Wood Back Panel
• Hutch72: Sliding2 36 2 Doors	36		2x1	1.8	LLQF-36-15-72 5254	LLQW-36-15-72 4564
• Hutch72: Sliding2 54 2 Doors	54		2x2	2	LLQF-54-15-72 7106	LLQW-54-15-72 6380
• Hutch72: Sliding2 72 2 Doors	72		2x2	2.3	LLQF-72-15-72 8201	LLQW-72-15-72 7435
• Hutch72: Sliding2 72 4 Doors	72		2x2	2.3	LLRF-72-15-72 8548	LLRW-72-15-72 7775
• Hutch72: Sliding2 90 2 Doors	90		2x4	2.8	LLQF-90-15-72 9300	LLQW-90-15-72 8482
• Hutch72: Sliding2 90 4 Doors	90		2x4	2.8	LLRF-90-15-72 9635	LLRW-90-15-72 8820

+Options/Parametrics:

Width range: 30-90

Depth range: 15-18; for depths over 15 add \$3 per inch of width (Ex: LLRW-90-15-72 = \$9066).

Height range: 30.1-42.1h (60-72 installed)

Finish variables are back, removable back.

! Notes:

Sliding doors are frosted glass.

Units under 42.1h (72h installed) have an A grade top surface.

Units 42.1h (72h installed) have a 3 grade top surface.

Units have an unfinished back and are designed to go up against a wall.

The shelving area opening remains constant at 29.2 high.

Units are available with either a COM fabric panel or wood panel. These panels are removable and are used to cover cord access.

The back of the units have a cord access cutout located 2.5 up from the bottom.

The removable back panel has 0.5 clearance at the bottom and 0.75 clearance at the top.

Shipping address for COM/COL materials and memo samples:

TUOHY Furniture Corporation, P1 Upholstery Receiving, 42 Saint Albans Place, Chatfield, MN 55923




TUOHY

Specify: Product Number
Quantity
Tagging
Wood Finish

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

Hutches, Sliding Glass Doors 85/2



					Product No.	List \$	Product No.	List \$
55.1h (85 installed)	w	15d	Shv	COM	Fabric Back Panel		Wood Back Panel	
• Hutch85: Sliding2 36 2 Doors	36		2x1	1.8	LLQF-36-15-85	5711	LLQW-36-15-85	5023
• Hutch85: Sliding2 54 2 Doors	54		2x2	2	LLQF-54-15-85	7435	LLQW-54-15-85	6704
• Hutch85: Sliding2 72 2 Doors	72		2x2	2.3	LLQF-72-15-85	8596	LLQW-72-15-85	7828
• Hutch85: Sliding2 72 4 Doors	72		2x2	2.3	LLRF-72-15-85	8950	LLRW-72-15-85	8175
• Hutch85: Sliding2 90 2 Doors	90		2x4	2.8	LLQF-90-15-85	9777	LLQW-90-15-85	8960
• Hutch85: Sliding2 90 4 Doors	90		2x4	2.8	LLRF-90-15-85	10112	LLRW-90-15-85	9298

- +Options/Parametrics:
- Width range: 30-90
- Depth range: 15-18; for depths over 15 add \$3 per inch of width (Ex: LLRW-90-15-85 = \$9544).
- Height range: 50.1-55.1h (80-85 installed)
- Finish variables are back, removable back.
- ! Notes:
- Sliding doors are frosted glass.
- Units have a 3 grade top surface.
- Units have an unfinished back and are designed to go up against a wall.
- The shelving area opening remains constant at 29.2 high.
- Units are available with either a COM fabric panel or wood panel. These panels are removable and are used to cover cord access.
- The back of the units have a cord access cutout located 2.5 up from the bottom.
- The removable back panel has 0.5 clearance at the bottom and 0.75 clearance at the top.

Shipping address for COM/COL materials and memo samples:
TUOHY Furniture Corporation, P1 Upholstery Receiving, 42 Saint Albans Place, Chatfield, MN 55923



Specify: Product Number

Quantity

Tagging


Wood Finish

• Denotes Item is illustrated.

‡ Requires field sub-assembly.


Prices listed in Wood1 Finishes.

Wall Hutches, Sliding Glass Doors



18h (Wall Cleat Included)	w	15d	Shv	Wall Hutch	
•WallHutch Sliding1 36 2 Drs	36		1x1	LMN-36-15-18	3791
•WallHutch Sliding1 54 2 Drs	54		1x2	LMN-54-15-18	5072
•WallHutch Sliding1 72 2 Drs	72		1x2	LMN-72-15-18	5769
•WallHutch Sliding1 72 4 Drs	72		1x2	LMP-72-15-18	6114
•WallHutch Sliding1 90 2 Drs	90		1x2	LMN-90-15-18	6566
•WallHutch Sliding1 90 4 Drs	90		1x2	LMP-90-15-18	6903


+Options/Parametrics:
Width range: 30-90
Depth range: 15-18; for depths over 15 add \$3 per inch of width (Ex: LMP-90-15-18 = \$7149).
Height is fixed at 18.
! Notes:
Sliding doors are frosted glass.
Satin anodized aluminum finish on hardware and apron.
Units have a 2 grade top surface.
Wall-mount cleats are included for field installation; hutches must be screwed through the back into the wall cleat.



30.6h (Wall Cleat Included)	w	15d	Shv	Wall Hutch	
•WallHutch Sliding2 36 2 Drs	36		2x1	LMS-36-15-30.6	4127
•WallHutch Sliding2 54 2 Drs	54		2x2	LMS-54-15-30.6	6220
•WallHutch Sliding2 72 2 Drs	72		2x2	LMS-72-15-30.6	7435
•WallHutch Sliding2 72 4 Drs	72		2x2	LMT-72-15-30.6	7775
•WallHutch Sliding2 90 2 Drs	90		2x4	LMS-90-15-30.6	8634
•WallHutch Sliding2 90 4 Drs	90		2x4	LMT-90-15-30.6	8973

+Options/Parametrics:
Width range: 30-90
Depth range: 15-18; for depths over 15 add \$3 per inch of width (Ex: LMT-90-18-30.6 = \$9243).
Height is fixed at 30.6.
! Notes:
Sliding doors are frosted glass.
Satin anodized aluminum finish on hardware and apron.
Units have a 2 grade top surface.
Wall-mount cleats are included for field installation; hutches must be screwed through the back into the wall cleat.

Hutch Shelves



		Product No.	List \$	Product No.	List \$
Attaches to All Hutches ‡	w 15d 6h	Standard Hutch		Wall Hutch	
Hutch Shelf 36	36	LLWS-36-15	502	LLWW-36-15	502
Hutch Shelf 54	54	LLWS-54-15	706	LLWW-54-15	706
Hutch Shelf 72	72	LLWS-72-15	1110	LLWW-72-15	1110
• Hutch Shelf 90	90	LLWS-90-15	1231	LLWW-90-15	1231
Hutch Shelf 108	108	LLWS-108-15	1442	LLWW-108-15	1442

+Options/Parametrics:

Width range: 18-108


Depth range: 15-18; for depths over 15 add \$1 per inch of width (Ex: LLWW-108-15 = \$1555).

! Notes:

Indicate to which hutch this is to be applied.

Wall Hutches will increase in height by 6 inches.

Fabric Panels, Wall Hung



23.4h (Includes Wall Cleats) ‡	w 23.4h	COM	Wall Hutch		Wall Hutch w Shelf
Fabric Wall Panel: 36	36	1.8	LN-36-23.4	454	LN-36-17.4 454
Fabric Wall Panel: 54	54	2	LN-54-23.4	739	LN-54-17.4 739
Fabric Wall Panel: 72	72	2.3	LN-72-23.4	794	LN-72-17.4 794
• Fabric Wall Panel: 90	90	2.8	LN-90-23.4	888	LN-90-17.4 888
Fabric Wall Panel: 108	108	3.2	LN-108-23.4	964	LN-108-17.4 964

36h (Includes Wall Cleats) ‡	w 36h	COM	Wall Hutch		Wall Hutch w Shelf
Fabric Wall Panel: 36X	36	1.8	LN-36-36	454	LN-30-30 454
Fabric Wall Panel: 54X	54	2	LN-54-36	739	LN-54-30 739
Fabric Wall Panel: 72X	72	2.3	LN-72-36	794	LN-72-30 794
Fabric Wall Panel: 90X	90	2.8	LN-90-36	888	LN-90-30 888
Fabric Wall Panel: 108X	108	3.2	LN-108-36	964	LN-108-30 964

+Options/Parametrics:

Width range: 18-108

Height range: 18-36

! Notes:

Cord management behind Fabric Panels is feasible.

For use with Wall Hung Hutches.

Fabric Panels for Wall Hutches with Shelf Added will be 6 inches shorter in height.

Fabric Panels on units over 96w are produced in two sections.

Shipping address for COM/COL materials and memo samples:

TUOHY Furniture Corporation, P1 Upholstery Receiving, 42 Saint Albans Place, Chatfield, MN 55923




TUOHY

Specify: Product Number
Quantity
Tagging
Wood Finish

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

Wall Panels



	Prod. Prefix	Width Codes and List \$											
Above Credenza/Desk		18	24	30	36	45	48	54	60	72	84	90	108
WallPanel/Cred 42	LWP42D-	1175	1195	1217	1277	1310	1324	1383	1442	1749	2059	2081	2147
WallPanel/Cred 56	LWP56D-	1255	1301	1346	1429	1496	1556	1602	1684	2038	2392	2440	2573
WallPanel/Cred 72	LWP72D-	1338	1406	1474	1619	1720	1755	1825	1927	2331	2731	2798	3005
WallPanel/Cred 85	LWP85D-	1414	1503	1596	1757	1892	1937	2028	2151	2597	3039	3131	3400
Full Height		18	24	30	36	45	48	54	60	72	84	90	108
WallPanel/Full 42	LWP42F-	1388	1456	1566	1636	1744	1780	1888	1998	2403	2810	2844	3098
WallPanel/Full 56	LWP56F-	1468	1560	1693	1790	1931	1978	2109	2241	2693	3143	3199	3521
WallPanel/Full 72	LWP72F-	1553	1667	1825	1943	2117	2176	2331	2483	-	-	-	-
WallPanel/Full 85	LWP85F-	1628	1767	1945	2081	2288	2358	2536	2708	-	-	-	-

> To Specify Wall Panels:

Determine the Product No. for each set by selecting the appropriate Prod. Prefix and appending the desired Width Code.

Order wall panels in L to R order.

Specify wood finish selection, individually or collectively.

! Notes:

All panels are 1.5 inches thick; exposed ends have finished, matching veneers.

Wood veneers shown here are all Wood1 species and solid paint colors; inquire regarding other species/colors.

Use parametrics (see Options below) to reconcile widths with overall width of companion cases and tops.


Customer walls must be adequately constructed to accept wall hung units.

Wall Panels are designed to mount 0.5-in from the floor; avoid use of baseboards or make flush.

+ Options/Parametrics:

Widths: 12-108. Replace item number width code with actual dimension; use next larger std size for pricing.

Wall Panel Shelves



	Prod. Prefix	\$	Prod. Prefix	\$	Prod. Prefix	\$	Prod. Prefix	\$
	Full Width		Indent 3-in Left		Indent 3-in Right		Indent 3-in Both Ends	
Wall Panel Shelf 18	LWS18-	1195	LWS18L-	1184	LWS18R-	1184	LWS18X-	1180
Wall Panel Shelf 24	LWS24-	1210	LWS24L-	1202	LWS24R-	1202	LWS24X-	1195
Wall Panel Shelf 30	LWS30-	1223	LWS30L-	1214	LWS30R-	1214	LWS30X-	1210
Wall Panel Shelf 36	LWS36-	1237	LWS36L-	1232	LWS36R-	1232	LWS36X-	1223
Wall Panel Shelf 45	LWS45-	1356	LWS45L-	1346	LWS45R-	1346	LWS45X-	1340
Wall Panel Shelf 48	LWS48-	1361	LWS48L-	1356	LWS48R-	1356	LWS48X-	1346
Wall Panel Shelf 54	LWS54-	1376	LWS54L-	1367	LWS54R-	1367	LWS54X-	1361
Wall Panel Shelf 60	LWS60-	1465	LWS60L-	1455	LWS60R-	1455	LWS60X-	1448
Wall Panel Shelf 72	LWS72-	1494	LWS72L-	1485	LWS72R-	1485	LWS72X-	1476
Wall Panel Shelf 84	LWS84-	1680	LWS84L-	1672	LWS84R-	1672	LWS84X-	1665
Wall Panel Shelf 90	LWS90-	1693	LWS90L-	1686	LWS90R-	1686	LWS90X-	1680
Wall Panel Shelf 108	LWS108-	1737	LWS108L-	1730	LWS108R-	1730	LWS108X-	1722

> Specify height location by appending height code to item number:

71.4	85
57.6	72
43.7	56
29.8	42
16.0	

! Notes:






All shelves are 11.25d 1.5th with 50 lbs/ft load rating; exposed surfaces have finished veneers.

Wood veneers shown here are all Wood1 species and solid paint colors; inquire regarding other species/colors.

+ Options/Parametrics:

Widths: 12-108. Replace item number width code with actual dimension; use next larger std size for pricing.

Towers, Shelving



Product No. List \$

28 high	w	d	28h	Unfinished Back	
• Tower 28/15: Shelving 18	18	15		LPA-18-15-28	1726
• Tower 28/15: Shelving 30	30	15		LPA-30-15-28	2048
Tower 28/15: Shelving 36	36	15		LPA-36-15-28	2223
Tower 28/24: Shelving 18	18	24		LPA-18-24-28	1910
Tower 28/24: Shelving 30	30	24		LPA-30-24-28	2316
• Tower 28/24: Shelving 36	36	24		LPA-36-24-28	2542

42 high	w	d	42h	Unfinished Back	
• Tower 42/15: Shelving 18	18	15		LPA-18-15-42	2151
• Tower 42/15: Shelving 30	30	15		LPA-30-15-42	2597
Tower 42/15: Shelving 36	36	15		LPA-36-15-42	2827
Tower 42/24: Shelving 18	18	24		LPA-18-24-42	2443
Tower 42/24: Shelving 30	30	24		LPA-30-24-42	3005
• Tower 42/24: Shelving 36	36	24		LPA-36-24-42	3300

56 high	w	d	56h	Unfinished Back	
• Tower 56/15: Shelving 18	18	15		LPA-18-15-56	2552
• Tower 56/15: Shelving 30	30	15		LPA-30-15-56	3109
Tower 56/15: Shelving 36	36	15		LPA-36-15-56	3386
Tower 56/24: Shelving 18	18	24		LPA-18-24-56	2933
Tower 56/24: Shelving 30	30	24		LPA-30-24-56	3648
• Tower 56/24: Shelving 36	36	24		LPA-36-24-56	4009

72 high	w	d	72h	Unfinished Back	
• Tower 72/15: Shelving 18	18	15		LPA-18-15-72	3050
• Tower 72/15: Shelving 30	30	15		LPA-30-15-72	3742
Tower 72/15: Shelving 36	36	15		LPA-36-15-72	4054
Tower 72/24: Shelving 18	18	24		LPA-18-24-72	3582
Tower 72/24: Shelving 30	30	24		LPA-30-24-72	4440
• Tower 72/24: Shelving 36	36	24		LPA-36-24-72	4848

85 high	w	d	85h	Unfinished Back	
• Tower 85/15: Shelving 18	18	15		LPA-18-15-85	3540
• Tower 85/15: Shelving 30	30	15		LPA-30-15-85	4354
Tower 85/15: Shelving 36	36	15		LPA-36-15-85	4725
Tower 85/24: Shelving 18	18	24		LPA-18-24-85	4203
Tower 85/24: Shelving 30	30	24		LPA-30-24-85	5225
• Tower 85/24: Shelving 36	36	24		LPA-36-24-85	5708

+Options/Parametrics:

Width range: 18-36

Depth range: 15-24

Height range: 28-85

Finish variables are back, shelves.

! Notes:





Number of shelves varies with height of unit: 3 shlvs @ 56h, 4 shlvs @ 72h, and 5 shlvs @ 85h.

Units under 72h have an A grade top surface.

Units 72h and higher have a 3 grade top surface.

Unfinished backs are standard.

Towers, Cabinet Single Door



				Product No.	List \$
42 high	w	d	42h	Unfinished Back	
Tower 42/15: Cabinet LH 18	18	15		LPB-18-15-42	2442
• Tower 42/15: Cabinet RH 18	18	15		LPC-18-15-42	2442
Tower 42/15: Cabinet LH 24	24	15		LPB-24-15-42	2726
• Tower 42/15: Cabinet RH 24	24	15		LPC-24-15-42	2726
Tower 42/24: Cabinet LH 18	18	24		LPB-18-24-42	2672
• Tower 42/24: Cabinet RH 18	18	24		LPC-18-24-42	2672
Tower 42/24: Cabinet LH 24	24	24		LPB-24-24-42	3040
• Tower 42/24: Cabinet RH 24	24	24		LPC-24-24-42	3040
56 high	w	d	56h	Unfinished Back	
Tower 56/15: Cabinet LH 18	18	15		LPB-18-15-56	2835
• Tower 56/15: Cabinet RH 18	18	15		LPC-18-15-56	2835
Tower 56/15: Cabinet LH 24	24	15		LPB-24-15-56	3206
• Tower 56/15: Cabinet RH 24	24	15		LPC-24-15-56	3206
Tower 56/24: Cabinet LH 18	18	24		LPB-18-24-56	3132
• Tower 56/24: Cabinet RH 18	18	24		LPC-18-24-56	3132
Tower 56/24: Cabinet LH 24	24	24		LPB-24-24-56	3612
• Tower 56/24: Cabinet RH 24	24	24		LPC-24-24-56	3612
72 high	w	d	72h	Unfinished Back	
Tower 72/15: Cabinet LH 18	18	15		LPB-18-15-72	3323
• Tower 72/15: Cabinet RH 18	18	15		LPC-18-15-72	3323
Tower 72/15: Cabinet LH 24	24	15		LPB-24-15-72	3813
• Tower 72/15: Cabinet RH 24	24	15		LPC-24-15-72	3813
Tower 72/24: Cabinet LH 18	18	24		LPB-18-24-72	3725
• Tower 72/24: Cabinet RH 18	18	24		LPC-18-24-72	3725
Tower 72/24: Cabinet LH 24	24	24		LPB-24-24-72	4326
• Tower 72/24: Cabinet RH 24	24	24		LPC-24-24-72	4326
85 high	w	d	85h	Unfinished Back	
Tower 85/15: Cabinet LH 18	18	15		LPB-18-15-85	3797
• Tower 85/15: Cabinet RH 18	18	15		LPC-18-15-85	3797
Tower 85/15: Cabinet LH 24	24	15		LPB-24-15-85	4387
• Tower 85/15: Cabinet RH 24	24	15		LPC-24-15-85	4387
Tower 85/24: Cabinet LH 18	18	24		LPB-18-24-85	4284
• Tower 85/24: Cabinet RH 18	18	24		LPC-18-24-85	4284
Tower 85/24: Cabinet LH 24	24	24		LPB-24-24-85	5015
• Tower 85/24: Cabinet RH 24	24	24		LPC-24-24-85	5015

+Options/Parametrics:

Width range: 18-24

Depth range: 15-24

Height range: 42-85

Finish variables are back, shelves, faces.

For door locks, specify Option LD; add \$195.

! Notes:


Number of shelves varies with height of unit: 3 shlvs @ 56h, 4 shlvs @ 72h, and 5 shlvs @ 85h.

Units under 72 high have an A grade top surface.


Units 72 high or over have 3 grade top surface.

Unfinished backs are standard.


Towers, Cabinet Double Door




	42 high	w	d	42h	Product No.	List \$
•	Tower 42/15: Cabinet DBL 24	24	15		LPD-24-15-42	2954
•	Tower 42/15: Cabinet DBL 36	36	15		LPD-36-15-42	3427
•	Tower 42/24: Cabinet DBL 24	24	24		LPD-24-24-42	3264
•	Tower 42/24: Cabinet DBL 36	36	24		LPD-36-24-42	3850



	56 high	w	d	56h	Product No.	List \$
•	Tower 56/15: Cabinet DBL 24	24	15		LPD-24-15-56	3430
•	Tower 56/15: Cabinet DBL 36	36	15		LPD-36-15-56	4026
•	Tower 56/24: Cabinet DBL 24	24	24		LPD-24-24-56	3838
•	Tower 56/24: Cabinet DBL 36	36	24		LPD-36-24-56	4556



	72 high	w	d	72h	Product No.	List \$
•	Tower 72/15: Cabinet DBL 36	36	15		LPD-36-15-72	4757
•	Tower 72/24: Cabinet DBL 36	36	24		LPD-36-24-72	5413



	85 high	w	d	85h	Product No.	List \$
•	Tower 85/15: Cabinet DBL 36	36	15		LPD-36-15-85	5469
•	Tower 85/24: Cabinet DBL 36	36	24		LPD-36-24-85	6262

+Options/Parametrics:

Width range: 24-36

Depth range: 15-24

Height range: 42-85

Finish variables are back, shelves, faces.

For door locks, specify Option LD; add \$195.

! Notes:




Number of shelves varies with height of unit: 3 shlvs @ 56h, 4 shlvs @ 72h, and 5 shlvs @ 85h.

Units under 72 high have an A grade top surface.




Units 72 high or over have 3 grade top surface.

Unfinished backs are standard.

Towers, Garment



Towers, Garment-Cabinet



Product No. List \$

56 high	w	d	56h	Unfinished Back	
Tower 56/15: Garment LH 18	18	15		LPE-18-15-56	2458
• Tower 56/15: Garment RH 18	18	15		LPF-18-15-56	2458
Tower 56/15: Garment LH 24	24	15		LPE-24-15-56	2895
• Tower 56/15: Garment RH 24	24	15		LPF-24-15-56	2895
Tower 56/24: Garment LH 18	18	24		LPE-18-24-56	2711
• Tower 56/24: Garment RH 18	18	24		LPF-18-24-56	2711
Tower 56/24: Garment LH 24	24	24		LPE-24-24-56	3198
• Tower 56/24: Garment RH 24	24	24		LPF-24-24-56	3198

72 high	w	d	72h	Unfinished Back	
Tower 72/15: Garment LH 18	18	15		LPE-18-15-72	2927
• Tower 72/15: Garment RH 18	18	15		LPF-18-15-72	2927
Tower 72/15: Garment LH 24	24	15		LPE-24-15-72	3435
• Tower 72/15: Garment RH 24	24	15		LPF-24-15-72	3435
Tower 72/24: Garment LH 18	18	24		LPE-18-24-72	3264
• Tower 72/24: Garment RH 18	18	24		LPF-18-24-72	3264
Tower 72/24: Garment LH 24	24	24		LPE-24-24-72	3810
• Tower 72/24: Garment RH 24	24	24		LPF-24-24-72	3810

85 high	w	d	85h	Unfinished Back	
Tower 85/15: Garment LH 18	18	15		LPE-18-15-85	3444
• Tower 85/15: Garment RH 18	18	15		LPF-18-15-85	3444
Tower 85/15: Garment LH 24	24	15		LPE-24-15-85	4072
• Tower 85/15: Garment RH 24	24	15		LPF-24-15-85	4072
Tower 85/24: Garment LH 18	18	24		LPE-18-24-85	3872
• Tower 85/24: Garment RH 18	18	24		LPF-18-24-85	3872
Tower 85/24: Garment LH 24	24	24		LPE-24-24-85	4561
• Tower 85/24: Garment RH 24	24	24		LPF-24-24-85	4561

56h	w	d	56h	Unfinished Back	
• Tower 56/15: Garment:Cab 24	24	15		LPH-24-15-56	3819
Tower 56/15: Cab:Garment 24	24	15		LPG-24-15-56	3819
• Tower 56/15: Garment:Cab 36	36	15		LPH-36-15-56	4432
Tower 56/15: Cab:Garment 36	36	15		LPG-36-15-56	4432
• Tower 56/24: Garment:Cab 24	24	24		LPH-24-24-56	4297
Tower 56/24: Cab:Garment 24	24	24		LPG-24-24-56	4297
• Tower 56/24: Garment:Cab 36	36	24		LPH-36-24-56	5044
Tower 56/24: Cab:Garment 36	36	24		LPG-36-24-56	5044

72h	w	d	72h	Unfinished Back	
• Tower 72/15: Garment:Cab 36	36	15		LPH-36-15-72	5398
Tower 72/15: Cab:Garment 36	36	15		LPG-36-15-72	5398
• Tower 72/24: Garment:Cab 36	36	24		LPH-36-24-72	6165
Tower 72/24: Cab:Garment 36	36	24		LPG-36-24-72	6165

85h	w	d	85h	Unfinished Back	
• Tower 85/15: Garment:Cab 36	36	15		LPH-36-15-85	6325
Tower 85/15: Cab:Garment 36	36	15		LPG-36-15-85	6325
• Tower 85/24: Garment:Cab 36	36	24		LPH-36-24-85	7242
Tower 85/24: Cab:Garment 36	36	24		LPG-36-24-85	7242

+Options/Parametrics (all listings this page):

Width range: 18-24 (Garment) and 24-36 (Garment-Cabinet)

Depth range: 15-24 Height range: 54-85

Finish variables are back, shelves, faces.

For door locks, specify Option LD; add \$195.

! Notes:

Number of shelves varies with height of unit: 3 shlvs @ 56h, 4 shlvs @ 70h, and 5 shlvs @ 85h.



Units over 80 high get an adjustable shelf above the coat rod.

Units less than 22 deep get a coat hook instead of a coat rod.

Units under 72 high have an A grade top surface.

Units 72 high or over have 3 grade top surface.



Towers, Cabinet/Drawer



				Product No.	List \$
56h	w	d	56h	Unfinished Back	
• Tower 56/18: Cab/LatF 30	30	18		LPJ-30-18-56	4030
Tower 56/18: Cab/LatB/LatF 30	30	18		LPK-30-18-56	4228
• Tower 56/18: Cab/LatF 36	36	18		LPJ-36-18-56	5225
Tower 56/18: Cab/LatB/LatF 36	36	18		LPK-36-18-56	5552
Tower 56/24: Cab/LatF 30	30	24		LPJ-30-24-56	4309
Tower 56/24: Cab/LatB/LatF 30	30	24		LPK-30-24-56	4499
Tower 56/24: Cab/LatF 36	36	24		LPJ-36-24-56	5555
• Tower 56/24: Cab/LatB/LatF 36	36	24		LPK-36-24-56	5880
72h	w	d	72h	Unfinished Back	
• Tower 72/18: Cab/LatF 30	30	18		LPJ-30-18-72	4763
Tower 72/18: Cab/LatB/LatF 30	30	18		LPK-30-18-72	4961
• Tower 72/18: Cab/LatF 36	36	18		LPJ-36-18-72	6020
Tower 72/18: Cab/LatB/LatF 36	36	18		LPK-36-18-72	6344
Tower 72/24: Cab/LatF 30	30	24		LPJ-30-24-72	5118
Tower 72/24: Cab/LatB/LatF 30	30	24		LPK-30-24-72	5315
Tower 72/24: Cab/LatF 36	36	24		LPJ-36-24-72	6433
• Tower 72/24: Cab/LatB/LatF 36	36	24		LPK-36-24-72	6760

+Options/Parametrics:
Width range: 30, 36 only
Depth range: 18-24
Height range: 56-72
Finish variables are back, shelves, faces.
For Cabinet/Door Locks, specify Option LD; add \$195.
For Drawer Gang Locks, specify Option LG; add \$270.
! Notes:
Units under 72 high have an A grade top surface.
Units 72 high or over have 3 grade top surface.
Unfinished backs are standard.

Towers, Drawer



				Product No.	List \$
42h (3-Drawer)	w	d	42h	Unfinished Back	
• Tower18: 3F 18	18	18		LPL-18-18-42	3127
Tower18: 3LatF 30	30	18		LPL-30-18-42	3642
Tower18: 3LatF 36	36	18		LPL-36-18-42	3879
Tower24: 3F 18	18	24		LPL-18-24-42	3191
• Tower24: 3LatF 30	30	24		LPL-30-24-42	3778
Tower24: 3LatF 36	36	24		LPL-36-24-42	4022
Tower30: 3F 18	18	30		LPL-18-30-42	3327
Tower30: 3LatF 30	30	30		LPL-30-30-42	3939
• Tower30: 3LatF 36	36	30		LPL-36-30-42	4195
Tower36: 3F 18	18	36		LPL-18-36-42	3897
56h (4-Drawer)	w	d	56h	Unfinished Back	
• Tower18: 4F 18	18	18		LPM-18-18-56	3995
Tower18: 4LatF 30	30	18		LPM-30-18-56	4688
Tower18: 4LatF 36	36	18		LPM-36-18-56	5005
Tower24: 4F 18	18	24		LPM-18-24-56	4079
• Tower24: 4LatF 30	30	24		LPM-30-24-56	4859
Tower24: 4LatF 36	36	24		LPM-36-24-56	5190
Tower30: 4F 18	18	30		LPM-18-30-56	4268
Tower30: 4LatF 30	30	30		LPM-30-30-56	5084
• Tower30: 4LatF 36	36	30		LPM-36-30-56	5422
Tower36: 4F 18	18	36		LPM-18-36-56	5020

+Options/Parametrics:

Widths 18, 30 and 36 only.

Depth range: 18-36 (18w units); 18-30 (30, 36w units).

Finish variable is face.

To include Anti-Tilt Mechanisms, specify Option AT; add \$698.

! Notes:

Drawer Towers must be secured on location to the wall; otherwise, specify Option AT above.

For Drawer Gang Locks, specify Option LG; add \$270.

Units listed above have finished tops.

Drawers are 0.5 Birch with dovetailed corners.

Drawer bottoms are 0.25 inch thick dadoed into drawer sides.

Slides are ball bearing type, full extension, and side-mounted.


File drawers include Pendaflex file hanging system.

Units 18-21.9d have a 16d drawer.


Units 22-32.9d have a 20d drawer.

Units 33d or more have a 27d drawer.


Gallery Modules 25d



		Product No.	List \$
Gallery Shell 25d	w 25d 42h		
Gallery Shell: 42x25	42	LSA-4224-	2412
Gallery Shell: 48x25	48	LSA-4824-	2553
Gallery Shell: 54x25	54	LSA-5424-	2685
Gallery Shell: 60x25	60	LSA-6024-	2819
Gallery Shell: 66x25	66	LSA-6624-	2955
• Gallery Shell: 72x25	72	LSA-7224-	3098
Gallery Shell: 78x25	78	LSA-7824-	3228
Gallery Shell: 84x25	84	LSA-8424-	3379
Gallery Shell: 90x25	90	LSA-9024-	3511



• Gallery End Panel 25d x 42h	+1	↑ Z	↑ 622
Modules (¬ where applicable):	24d 28.4h		
• End Panel	1	A	437
Shelving 15	15	B	1234
Shelving 18	18	C	1302
Shelving 30	30	E	1578
Shelving 36	36	F	1725
Cabinet-LH 15	15	N	1768
Cabinet-LH 18	18	P	1810
Cabinet-RH 15	15	R	1768
Cabinet-RH 18	18	S	1810
Double Cabinet 30	30	U	2280
Double Cabinet 36	36	V	2429



• 2File 18	18	W	2293
• 2Box/File 18	18	Y	2470
4Box 18	18	0	2751
2LatFile 30	30	2	2662
2LatFile 36	36	3	2816
2LatB/LatFile 30	30	6	2916
2LatB/LatFile 36	36	7	3081

Open Kneespace (#) —
= inches required

Ordering Gallery Modules:

Choose the Gallery Shell size desired from each of the listings above and on the opposite page; a shell is comprised of a top and a 42h panel. Note the ProductNo and List \$ that correspond to the depth and base treatment desired. Follow the ProductNo column down until you have located the first (left-most) end panel or pedestal desired, then append the letter/number code to the original item number and add the price to the original price. Continue adding modules in this manner until your unit is complete.

The overall unit width will be the accumulated widths of all modules chosen; this dimension cannot be greater than your shell width. The overall price will be the accumulated prices and the final item number will be the original number plus all of the letter codes for the pedestals added.


Gallery Module Sample Order



Gallery Shell: 72x25	LSA-7224-	3098
Gallery End Panel	Z	622
2File 18w	W	2293
Open Kneespace—36 inches	(36)	0
2Box/File 18w	Y	2470
Gallery End Panel	Z	622

List Price: \$9105

LSA-7224-ZW(36)YZ






TUOHY

Specify: Product No. & Quantity
Tagging
Hardware Finish
Edge Detail
Wood Finish

• Denotes Item is illustrated.
¬ Includes locks.
‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

Gallery Modules 31d



Gallery Shell 31d	w	31d	42h	Product No.	List \$
Gallery Shell: 42x31	42			LSA-4230-	2490
Gallery Shell: 48x31	48			LSA-4830-	2644
Gallery Shell: 54x31	54			LSA-5430-	2779
Gallery Shell: 60x31	60			LSA-6030-	2924
Gallery Shell: 66x31	66			LSA-6630-	3066
• Gallery Shell: 72x31	72			LSA-7230-	3221
Gallery Shell: 78x31	78			LSA-7830-	3357
Gallery Shell: 84x31	84			LSA-8430-	3521
Gallery Shell: 90x31	90			LSA-9030-	3657

- Gallery End Panel 31d x 42h

+1



Z



680

Modules:

30d 28.4h

- Pedestal End Panel 30 1
- 2File 18 18
- 2Box/File 18 18
- 4Box 18 18
- Open Kneespace

A

475

W

2381

Y

2564

O



2860

(#)

—

= inches required

Gallery Modules 37d



Gallery Shell 37d	w	37d	42h	Product No.	List \$
• Gallery Shell: 72x37	72			LSA-7236-	3339
Gallery Shell: 78x37	78			LSA-7836-	3484
Gallery Shell: 84x37	84			LSA-8436-	3667
Gallery Shell: 90x37	90			LSA-9036-	3807

- Gallery End Panel 37d x 42h

+1



Z



739

Modules:

36d 28.4h

- Pedestal End Panel 36 1
- 2File 18 18
- 2Box/File 18 18
- 4Box 18 18
- Open Kneespace

A

513

W

2738

Y

2952

O






3293

(#)

—

= inches required

Gallery Added Elements



Product No. List \$

Document Manager	11.7w	d	12.1h		
Document Manager 24	24			LSDM-24	1686
• Document Manager 30	30			LSDM-30	1957
Document Manager 36	36			LSDM-36	2087

Fabric Panel (COM)	w	1d	12.1h	COM	
Fabric Panel 24	24		0.8	LSFP-24	373
Fabric Panel 30	30		1.0	LSFP-30	403
Fabric Panel 36	36		1.2	LSFP-36	434
Fabric Panel 42	42		1.3	LSFP-42	525
Fabric Panel 48	48		1.5	LSFP-48	615
Fabric Panel 54	54		1.7	LSFP-54	705
Fabric Panel 60	60		1.8	LSFP-60	721
Fabric Panel 66	66		2.0	LSFP-66	738
Fabric Panel 72	72		2.2	LSFP-72	752
Fabric Panel 78	78		2.3	LSFP-78	793
Fabric Panel 84	84		2.5	LSFP-84	821
Fabric Panel 90	90		2.7	LSFP-90	862

Cubby Manager	w	11d	6.75h		
Cubby Manager 48	48			LSCM-48	1951
• Cubby Manager 54	54			LSCM-54	1992
Cubby Manager 60	60			LSCM-60	2030
Cubby Manager 66	66			LSCM-66	2075
Cubby Manager 72	72			LSCM-72	2117
Cubby Manager 78	78			LSCM-78	2146
Cubby Manager 84	84			LSCM-84	2170
Cubby Manager 90	90			LSCM-90	2287

Transaction Top	w	12d	1.5h	Wood	
• GalleryTop 36	36			LSTT-36	1214
GalleryTop 42	42			LSTT-42	1261
GalleryTop 48	48			LSTT-48	1301
GalleryTop 54	54			LSTT-54	1341
GalleryTop 60	60			LSTT-60	1388
GalleryTop 66	66			LSTT-66	1429
GalleryTop 72	72			LSTT-72	1467
GalleryTop 78	78			LSTT-78	1496
GalleryTop 84	84			LSTT-84	1517
GalleryTop 90	90			LSTT-90	1625

For Gallery Tops ready for customer-supplied stone, specify Option ST.

Gallery Front Panel	w	1d	42h	Wood	
Gallery Front 36	36			LSTP-36	1006
Gallery Front 42	42			LSTP-42	1069
Gallery Front 48	48			LSTP-48	1135
• Gallery Front 54	54			LSTP-54	1208
Gallery Front 60	60			LSTP-60	1269
Gallery Front 66	66			LSTP-66	1384
Gallery Front 72	72			LSTP-72	1455
Gallery Front 78	78			LSTP-78	1537
Gallery Front 84	84			LSTP-84	1636
Gallery Front 90	90			LSTP-90	1720

For COM materials applied to a front panel, specify Option COM, price is determined per request.

Shipping address for COM/COL materials and memo samples:
TUOHY Furniture Corporation, P1 Upholstery Receiving, 42 Saint Albans Place, Chatfield, MN 55923



TUOHY



Specify: Product No. & Quantity
Tagging
Hardware Finish
Edge Detail
Wood Finish

• Denotes Item is illustrated.
⌋ Includes locks.
‡ Requires field sub-assembly.



Prices listed in Wood1 Finishes.

Adjustable Height

Double Pedestal Desks



Singl



Product No. List \$ Product No. List \$


29.9-48h	30d		36d	
Desk 60w	LAA?AH-60-30	9013	LAA?AH-60-36	9391
Desk 66w	LAA?AH-66-30	9121	LAA?AH-66-36	9509
Desk 72w	LAA?AH-72-30	9251	LAA?AH-72-36	9657
Desk 78w	LAA?AH-78-30	9352	LAA?AH-78-36	9781

? Specify configuration (user's left-right) by modifying the Product Number:
For 2BF-2BF, change the 4th digit from ? to A
For 2F-2F, change the 4th digit from ? to B
For 2BF-2F, change the 4th digit from ? to C
For 2F-2BF, change the 4th digit from ? to D


Desk 60w	LAA?AH-60-30	7764	LAA?AH-60-36	8106
Desk 66w	LAA?AH-66-30	7866	LAA?AH-66-36	8223
Desk 72w	LAA?AH-72-30	7993	LAA?AH-72-36	8364
Desk 78w	LAA?AH-78-30	8099	LAA?AH-78-36	8484

? Specify configuration (user's left-right) by modifying the Product Number:
For L base-2BF, change the 4th digit from ? to E
For L base-2F, change the 4th digit from ? to F
For 2BF-L base, change the 4th digit from ? to G
For 2F-L base, change the 4th digit from ? to H

Inquire with Customer Service about adding lift shrouds and modesty panels that follow the top.




Runoffs/2BF-Modesty




Product No.	List \$	Product No.	List \$	Product No.	List \$
29.9-48h		30d		36d	
Runoff LH 42w		LBFAH-42-30	7124	LBFAH-42-36	7383
Runoff LH 48w		LBFAH-48-30	7249	LBFAH-48-36	7558
Runoff LH 54w		LBFAH-54-30	7375	LBFAH-54-36	7742
Runoff LH 60w		LBFAH-60-30	7500	LBFAH-60-36	7923
Runoff RH 42w		LBGAH-42-30	7124	LBGAH-42-36	7383
Runoff RH 48w		LBGAH-48-30	7249	LBGAH-48-36	7558
Runoff RH 54w		LBGAH-54-30	7375	LBGAH-54-36	7742
Runoff RH 60w		LBGAH-60-30	7500	LBGAH-60-36	7923

Runoffs/2F-Modesty




29.9-48h		30d		36d	
Runoff LH 42w		LBHAH-42-30	7035	LBHAH-42-36	7311
Runoff LH 48w		LBHAH-48-30	7187	LBHAH-48-36	7438
Runoff LH 54w		LBHAH-54-30	7307	LBHAH-54-36	7606
Runoff LH 60w		LBHAH-60-30	7438	LBHAH-60-36	7862
Runoff RH 42w		LBJAH-42-30	7035	LBJAH-42-36	7311
Runoff RH 48w		LBJAH-48-30	7187	LBJAH-48-36	7438
Runoff RH 54w		LBJAH-54-30	7307	LBJAH-54-36	7606
Runoff RH 60w		LBJAH-60-30	7438	LBJAH-60-36	7862

Runoffs/Plinth -Modesty



29.9-48h	24d		30d		36d	
Runoff LH 42w	LBKAH-42-24	6449	LBKAH-42-30	6707	LBKAH-42-36	6966
Runoff LH 48w	LBKAH-48-24	6587	LBKAH-48-30	6792	LBKAH-48-36	7053
Runoff LH 54w	LBKAH-54-24	6684	LBKAH-54-30	6905	LBKAH-54-36	7163
Runoff LH 60w	LBKAH-60-24	6836	LBKAH-60-30	7036	LBKAH-60-36	7295
Runoff RH 42w	LBLAH-42-24	6449	LBLAH-42-30	6707	LBLAH-42-36	6966
Runoff RH 48w	LBLAH-48-24	6587	LBLAH-48-30	6792	LBLAH-48-36	7053
Runoff RH 54w	LBLAH-54-24	6684	LBLAH-54-30	6905	LBLAH-54-36	7163
Runoff RH 60w	LBLAH-60-24	6836	LBLAH-60-30	7036	LBLAH-60-36	7295

Bridges/Modesty



29.9-48h	Finished Back				
Bridge 36w 9d	LCFAH-36-24	7722			
Bridge 42w 9d	LCFAH-42-24	8142			
Bridge 48w 9d	LCFAH-48-24	8534			
Bridge 54w 9d	LCFAH-54-24	8903			

Tops



	Product No.	List \$	Product No.	List \$	Product No.	List \$
1.5th	24d		30d		36d	
Top 42w	LFAAH-42-24	1474	LFAAH-42-30	1574	LFAAH-42-36	1680
Top 48w	LFAAH-48-24	1550	LFAAH-48-30	1671	LFAAH-48-36	1786
Top 54w	LFAAH-54-24	1612	LFAAH-54-30	1748	LFAAH-54-36	1886
Top 60w	LFAAH-60-24	1716	LFAAH-60-30	1822	LFAAH-60-36	2017
Top 72w	LFAAH-72-24	1850	LFAAH-72-30	2030	LFAAH-72-36	2223
Top 78w	LFAAH-78-24	1917	LFAAH-78-30	2135	LFAAH-78-36	2327

Modesty Panels



27.4h	Finished Back				
Modesty Panel 24w	LJFAH-24	654			
Modesty Panel 36w	LJFAH-36	752			
Modesty Panel 42w	LJFAH-42	804			
Modesty Panel 48w	LJFAH-48	856			
Modesty Panel 54w	LJFAH-54	906			
Modesty Panel 60w	LJFAH-60	1108			
Modesty Panel 66w	LJFAH-66	1174			
Modesty Panel 72w	LJFAH-72	1240			
Modesty Panel 78w	LJFAH-78	1293			

File/File



27.4h	30d	36d
File/File 18w	LKEFAH-18-30 3789	LKEFAH-18-36 4167

Box/Box/File



27.4h	30d	36d
Box/Box/File 18w	LKFFAH-18-30 3976	LKFFAH-18-36 4390

Plinths




	Product No.	List \$	Product No.	List \$	Product No.	List \$
27.4h						
Plinth 9w 9d	LTPAH-9-9	3429				
Plinth 9w 14d	LTPAH-9-14	3523				
Plinth 9w 18d	LTPAH-9-18	3581				
Plinth 9w 24d	LTPAH-9-24	3695				
Plinth 9w 30d	LTPAH-9-30	3783				
Plinth 9w 36d	LTPAH-9-36	3888				

Plinths Extended End



	27.4h	30d	36d
Plinth Extended End 18w LH		LTPEAHL-18-30 5119	LTPEAHL-18-36 5274
Plinth Extended End 18w RH		LTPEAHR-18-30 5119	LTPEAHR-18-36 5274

Wall Hung Plinths



	29.9-48h	Unfinished Back
Wall Hung Plinth 54w 9d	LTPWAH-54-9	7647
Wall Hung Plinth 60w 9d	LTPWAH-60-9	7992
Wall Hung Plinth 66w 9d	LTPWAH-66-9	8299
Wall Hung Plinth 72w 9d	LTPWAH-72-9	8616
Wall Hung Plinth 78w 9d	LTPWAH-78-9	8925

! Notes:

Tops for Bridges or Wall Hung units must be ordered separately; maximum depth is 24 inches.

Short plinth must be attached to adjacent credenza for support.

2 short plinths cannot be used on one desk.

All worksurfaces have 1" space to adjacent surfaces for pinch point.

48" maximum worksurface height.

Tops are 1.5" thick, specify any Xpect edge detail.

Inquire with Customer Service regarding widths over 78w.

Default leg color is Black.

Each top is designed to accept 30lbs. of added weight for computers and user items.

Wall Hung unit has accessory power supplied with unit (1 Duplex, 2 USB Power).

Units come with 120" soft plug power cord.

Face locks are included as standard except where noted.

Locks not available on bridge and wall hung units.

Desk tops have flush-cut ends. Runoff/Bridge and Credenza tops have flush-cut ends/back.

All units have finished backs unless otherwise noted.

+ Options:

For shrouds over legs, specify Option SH; add \$570.

For shrouds and modesty, specify Option SHM; add \$570 plus cost of modesty from above.

Inquire with Customer Service regarding alternate leg color options (White or Silver).

