

PRICING & SPECIFICATION GUIDE
Zi Collection

May 1, 2023

TUOHY



Design:
TUOHY Design Team

Concealed & Exposed Tops	CZ3
Benches	CZ5
Bench Cushions	CZ6
Low Credenzas	CZ10
Credenzas	CZ11
Credenzas, Wall Hung	CZ12
Buffets	CZ14
Buffets, Wall Hung	CZ16
Tops	CZ18
Mediawalls	CZ19
Wall Panels 1.25d	CZ20
Wall Panels 3.5d	CZ22
Wall Panels 6d	CZ23
Presenter's Podium	CZ24
Lectern	CZ24
Training Tables	CZ25

CONCEALED & EXPOSED TOPS

Casework in the Zi Collection is available in two formats:


- Concealed Top versions have no pull hardware and have drawer and door faces extending over a 0.75-inch top.
- Exposed Top formats have 1.5-inch thick tops that extend over doors and drawer faces; pulls or knobs are required (see below).

Hardware Placement Notes

Drawer knobs and pulls will be centered on all drawer fronts, except as follows:

- 830 Pulls will be mounted RIGHT on drawers faces 18-inches wide or less.

0.75th CONCEALED TOP (no pull hardware)



1.5th EXPOSED TOP (pull/knob selection required)



100 Recessed Wood

820 Resin Stainless

830 Resin Stainless



840 Resin Stainless

851 Chrome Polished
856 Stainless Steel


900 Resin Stainless

Top edges on all Zi tops are square-cut with a matching wood species and finish, as shown in the images above.


CASEWORK OVERVIEW

Design requirements for space utilization, budget and user activity cause casework and storage to be multi-functional and adaptative to a wide variety of workplace applications.

Zi offers storage for all levels of conference and collaboration, including lounge/bench seating. Companion wall panels are compatible with these pieces and also serve various functions.



Benches 16.5h





		Product No.		List \$	Product No.		List \$
Unfinished Back; Top/Cushion Required		18d			24d		
Bench (Concealed Top/Cushion)		XJA18C		338	XJA24C		338
Bench (Exposed Top/Cushion)		XJA18E		338	XJA24E		338
		w d		Spec Code		Spec Code	
Open Shelving 18	18	17.25, 23.25		A18	1609	A18	1642
Open Shelving 24	24	17.25, 23.25		A24	1650	A24	1717
Open Shelving 30	30	17.25, 23.25		A30	1737	A30	1818
Open Shelving 36	36	17.25, 23.25		A36	1833	A36	1930
Open Shelving 54	54	17.25, 23.25		A54	2108	A54	2249
Open Shelving 60	60	17.25, 23.25		A60	2207	A60	2359
Open Shelving 72	72	17.25, 23.25		A72	2390	A72	2572
Cabinet: Shelves 18 LH	18	18, 24		C18L	2227	C18L	2502
Cabinet: Shelves 18 RH	18	18, 24		C18R	2227	C18R	2502
Cabinet: Shelves 30 DBL	30	18, 24		C30	2916	C30	3056
Cabinet: Shelves 36 DBL	36	18, 24		C36	3086	C36	3258
2Box Drawer 18	18	18, 24		D18	2482	D18	2506
2Box Drawer 24	24	18, 24		D24	2504	D24	2574
2Box Drawer 30	30	18, 24		D30	2689	D30	2771
2Box Drawer 36	36	18, 24		D36	2803	D36	3004
StorageBin Drawer 18	18	18, 24		S18	2356	S18	2416
StorageBin Drawer 24	24	18, 24		S24	2400	S24	2562
StorageBin Drawer 30	30	18, 24		S30	2615	S30	2669
StorageBin Drawer 36	36	18, 24		S36	2807	S36	2819
TrashRecycle 1 and 2-Bin Drawer 18	18	18, 24		T18	2409	T18	2495
TrashRecycle 2-Bin Drawer 24	24	18, 24		T24	2614	T24	2646

! Notes:
To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.
The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.
Cushions must be ordered separately and may be alternated or replaced with Tops.
Tops must be ordered separately and are available up to a maximum width of 120-in.
Locks are not included on conference storage modules; see option below to order.

+ Options:
For door/drawer locks, specify Option LD; add \$193.
For a secondary species/color on a door or drawer front, specify Option SND; add \$207.



Bench Cushions-Concealed18



Product No.	Dimensions	Fabric List \$							Leather List \$			
XFC1818C	18w 17.3d 0.75th 0.6 yd 4.3 sf	COM	467	F6	538	F12	607	COL	537	L6	666	
		F1	507	F7	546	F13	624	L1	593	L7	688	
		F2	512	F8	556	F14	642	L2	602	L8	713	
		F3	517	F9	567	F15	663	L3	614	L9	748	
		F4	523	F10	579	F16	687	L4	627	L10	786	
		F5	530	F11	592	F17	714	L5	645	L11	829	
XFC1824C	24w 0d w 0.6 yd 5.4 sf	COM	476	F6	547	F12	616	COL	547	L6	709	
		F1	516	F7	555	F13	633	L1	617	L7	736	
		F2	521	F8	565	F14	651	L2	628	L8	768	
		F3	526	F9	576	F15	672	L3	644	L9	812	
		F4	532	F10	588	F16	696	L4	660	L10	860	
		F5	539	F11	601	F17	723	L5	682	L11	914	
XFC1830C	30w 0d w 0.6 yd 6.6 sf	COM	486	F6	557	F12	626	COL	559	L6	757	
		F1	526	F7	565	F13	643	L1	645	L7	790	
		F2	531	F8	575	F14	661	L2	658	L8	830	
		F3	536	F9	586	F15	682	L3	678	L9	882	
		F4	542	F10	598	F16	706	L4	698	L10	942	
		F5	549	F11	611	F17	733	L5	724	L11	1008	
XFC1836C	36w 0d w 0.6 yd 7.7 sf	COM	571	F6	642	F12	711	COL	657	L6	888	
		F1	611	F7	650	F13	728	L1	757	L7	927	
		F2	616	F8	660	F14	746	L2	773	L8	973	
		F3	621	F9	671	F15	767	L3	796	L9	1034	
		F4	627	F10	683	F16	791	L4	819	L10	1104	
		F5	634	F11	696	F17	818	L5	850	L11	1181	
XFC1842C	42w 0d w 0.6 yd 8.9 sf	COM	585	F6	656	F12	725	COL	673	L6	940	
		F1	625	F7	664	F13	742	L1	789	L7	985	
		F2	630	F8	674	F14	760	L2	807	L8	1038	
		F3	635	F9	685	F15	781	L3	833	L9	1109	
		F4	641	F10	697	F16	805	L4	860	L10	1189	
		F5	648	F11	710	F17	832	L5	896	L11	1278	
XFC1848C	48w 0d w 0.6 yd 10 sf	COM	694	F6	765	F12	834	COL	798	L6	1098	
		F1	734	F7	773	F13	851	L1	928	L7	1148	
		F2	739	F8	783	F14	869	L2	948	L8	1208	
		F3	744	F9	794	F15	890	L3	978	L9	1288	
		F4	750	F10	806	F16	914	L4	1008	L10	1378	
		F5	757	F11	819	F17	941	L5	1048	L11	1478	
XFC1854C (Railroaded)	54w 0d w 1.8 yds 11.2 sf	COM	719	F6	931	F12	1138	COL	827	L6	1163	
		F1	840	F7	957	F13	1189	L1	973	L7	1219	
		F2	854	F8	985	F14	1245	L2	995	L8	1286	
		F3	870	F9	1018	F15	1308	L3	1029	L9	1376	
		F4	888	F10	1054	F16	1380	L4	1062	L10	1477	
		F5	908	F11	1093	F17	1459	L5	1107	L11	1589	
XFC1860C (Railroaded)	60w 0d w 1.9 yds 12.3 sf	COM	770	F6	994	F12	1213	COL	886	L6	1255	
		F1	897	F7	1021	F13	1266	L1	1046	L7	1317	
		F2	913	F8	1051	F14	1325	L2	1071	L8	1390	
		F3	930	F9	1085	F15	1391	L3	1107	L9	1489	
		F4	949	F10	1123	F16	1467	L4	1144	L10	1599	
		F5	970	F11	1165	F17	1551	L5	1194	L11	1722	
XFC1866C (Railroaded)	66w 0d w 2 yds 13.5 sf	COM	816	F6	1052	F12	1282	COL	938	L6	1343	
		F1	950	F7	1080	F13	1338	L1	1114	L7	1411	
		F2	966	F8	1112	F14	1400	L2	1141	L8	1492	
		F3	984	F9	1148	F15	1470	L3	1181	L9	1600	
		F4	1004	F10	1188	F16	1550	L4	1222	L10	1721	
		F5	1026	F11	1232	F17	1638	L5	1276	L11	1856	
XFC1872C (Railroaded)	72w 0d w 2.1 yds 14.6 sf	COM	827	F6	1075	F12	1316	COL	951	L6	1389	
		F1	968	F7	1104	F13	1375	L1	1141	L7	1462	
		F2	985	F8	1138	F14	1440	L2	1170	L8	1550	
		F3	1003	F9	1176	F15	1514	L3	1214	L9	1666	
		F4	1024	F10	1218	F16	1598	L4	1258	L10	1798	
		F5	1048	F11	1264	F17	1690	L5	1316	L11	1944	

! Notes:

Identify which bench pedestal is to receive the cushion.

Specify by Product No. and the starting location from the left end, expressed in inches.

Cushions 52-in or more in width require fabric to be railroaded; use multiple cushions to avoid railroaded.

Leather footage requires a usable area of at least 20% greater than the width and depth shown above.

+ Options:

To use with 1.25d Wall Panels, append letter code A to the Product Number.

TUOHY



Specify: Product Number
Quantity
Color/Finish
Tagging• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Woods listed at Wood1 level

CZ6

Ship COM/COL materials and memo samples to:
TUOHY Furniture Corporation
P1 Upholstery Receiving
42 Saint Albans Place
Chatfield, MN 55923

Bench Cushions-Concealed24



Product No.	Dimensions	Fabric List \$							Leather List \$			
XFC2418C	18w 23.3d 0.75th 1 yds 5.5 sf	COM	472	F6	590	F12	705	COL	543	L6	708	
		F1	539	F7	604	F13	733	L1	615	L7	736	
		F2	547	F8	620	F14	764	L2	626	L8	769	
		F3	556	F9	638	F15	799	L3	642	L9	813	
		F4	566	F10	658	F16	839	L4	659	L10	862	
		F5	577	F11	680	F17	883	L5	681	L11	917	
XFC2424C	24w 0d 54w 1 yds 6.9 sf	COM	490	F6	608	F12	723	COL	564	L6	771	
		F1	557	F7	622	F13	751	L1	654	L7	806	
		F2	565	F8	638	F14	782	L2	668	L8	847	
		F3	574	F9	656	F15	817	L3	688	L9	902	
		F4	584	F10	676	F16	857	L4	709	L10	964	
		F5	595	F11	698	F17	901	L5	737	L11	1033	
XFC2430C	30w 0d 54w 1 yds 8.4 sf	COM	510	F6	628	F12	743	COL	587	L6	839	
		F1	577	F7	642	F13	771	L1	696	L7	881	
		F2	585	F8	658	F14	802	L2	713	L8	931	
		F3	594	F9	676	F15	837	L3	738	L9	999	
		F4	604	F10	696	F16	877	L4	763	L10	1074	
		F5	615	F11	718	F17	921	L5	797	L11	1158	
XFC2436C	36w 0d 54w 1 yds 9.9 sf	COM	601	F6	719	F12	834	COL	691	L6	988	
		F1	668	F7	733	F13	862	L1	820	L7	1038	
		F2	676	F8	749	F14	893	L2	840	L8	1097	
		F3	685	F9	767	F15	928	L3	869	L9	1176	
		F4	695	F10	787	F16	968	L4	899	L10	1265	
		F5	706	F11	809	F17	1012	L5	939	L11	1364	
XFC2442C	42w 0d 54w 1 yds 11.4 sf	COM	612	F6	730	F12	845	COL	704	L6	1046	
		F1	679	F7	744	F13	873	L1	852	L7	1103	
		F2	687	F8	760	F14	904	L2	875	L8	1171	
		F3	696	F9	778	F15	939	L3	909	L9	1263	
		F4	706	F10	798	F16	979	L4	943	L10	1365	
		F5	717	F11	820	F17	1023	L5	989	L11	1479	
XFC2448C	48w 0d 54w 1 yds 12.8 sf	COM	732	F6	850	F12	965	COL	842	L6	1226	
		F1	799	F7	864	F13	993	L1	1008	L7	1290	
		F2	807	F8	880	F14	1024	L2	1034	L8	1367	
		F3	816	F9	898	F15	1059	L3	1072	L9	1469	
		F4	826	F10	918	F16	1099	L4	1111	L10	1584	
		F5	837	F11	940	F17	1143	L5	1162	L11	1712	
XFC2454C (Railroaded)	54w 0d 54w 1.8 yds 14.3 sf	COM	780	F6	992	F12	1199	COL	897	L6	1326	
		F1	901	F7	1018	F13	1250	L1	1083	L7	1398	
		F2	915	F8	1046	F14	1306	L2	1112	L8	1483	
		F3	931	F9	1079	F15	1369	L3	1154	L9	1598	
		F4	949	F10	1115	F16	1441	L4	1197	L10	1726	
		F5	969	F11	1154	F17	1520	L5	1255	L11	1869	
XFC2460C (Railroaded)	60w 0d 54w 1.8 yds 15.8 sf	COM	848	F6	1060	F12	1267	COL	975	L6	1449	
		F1	969	F7	1086	F13	1318	L1	1180	L7	1528	
		F2	983	F8	1114	F14	1374	L2	1212	L8	1623	
		F3	999	F9	1147	F15	1437	L3	1259	L9	1749	
		F4	1017	F10	1183	F16	1509	L4	1307	L10	1891	
		F5	1037	F11	1222	F17	1588	L5	1370	L11	2049	
XFC2466C (Railroaded)	66w 0d 54w 2 yds 17.3 sf	COM	879	F6	1115	F12	1345	COL	1011	L6	1530	
		F1	1013	F7	1143	F13	1401	L1	1236	L7	1617	
		F2	1029	F8	1175	F14	1463	L2	1271	L8	1720	
		F3	1047	F9	1211	F15	1533	L3	1322	L9	1859	
		F4	1067	F10	1251	F16	1613	L4	1374	L10	2014	
		F5	1089	F11	1295	F17	1701	L5	1444	L11	2187	
XFC2472C (Railroaded)	72w 0d 54w 2.3 yds 18.7 sf	COM	908	F6	1179	F12	1444	COL	1044	L6	1605	
		F1	1062	F7	1212	F13	1508	L1	1287	L7	1699	
		F2	1081	F8	1248	F14	1580	L2	1325	L8	1811	
		F3	1101	F9	1290	F15	1660	L3	1381	L9	1960	
		F4	1124	F10	1336	F16	1752	L4	1437	L10	2129	
		F5	1150	F11	1386	F17	1853	L5	1512	L11	2316	

! Notes:

Identify which bench pedestal is to receive the cushion.

Specify by Product No. and the starting location from the left end, expressed in inches.

Cushions 52-in or more in width require fabric to be railroaded; use multiple cushions to avoid railroaded.

Leather footage requires a usable area of at least 20% greater than the width and depth shown above.

+ Options:

To use with 1.25d Wall Panels, append letter code A to the Product Number.

TUOHY

Specify: Product Number
Quantity
Color/Finish
Tagging

- Denotes Item is illustrated.
- ‡ Requires field sub-assembly.


Woods listed at Wood1 level

CZ7

Ship COM/COL materials and memo samples to:
TUOHY Furniture Corporation
P1 Upholstery Receiving
42 Saint Albans Place
Chatfield, MN 55923



Bench Cushions-Exposed18



Product No.	Dimensions	Fabric List \$							Leather List \$			
XFC1818E	18w	COM	467	F6	538	F12	607	COL	537	L6	666	
	18d	F1	507	F7	546	F13	624	L1	593	L7	688	
	1.5th	F2	512	F8	556	F14	642	L2	602	L8	713	
	0.6 yd	F3	517	F9	567	F15	663	L3	614	L9	748	
	4.3 sf	F4	523	F10	579	F16	687	L4	627	L10	786	
		F5	530	F11	592	F17	714	L5	645	L11	829	
XFC1824E	24w	COM	476	F6	547	F12	616	COL	547	L6	709	
	0d	F1	516	F7	555	F13	633	L1	617	L7	736	
	54w	F2	521	F8	565	F14	651	L2	628	L8	768	
	0.6 yd	F3	526	F9	576	F15	672	L3	644	L9	812	
	5.4 sf	F4	532	F10	588	F16	696	L4	660	L10	860	
		F5	539	F11	601	F17	723	L5	682	L11	914	
XFC1830E	30w	COM	486	F6	557	F12	626	COL	559	L6	757	
	0d	F1	526	F7	565	F13	643	L1	645	L7	790	
	54w	F2	531	F8	575	F14	661	L2	658	L8	830	
	0.6 yd	F3	536	F9	586	F15	682	L3	678	L9	882	
	6.6 sf	F4	542	F10	598	F16	706	L4	698	L10	942	
		F5	549	F11	611	F17	733	L5	724	L11	1008	
XFC1836E	36w	COM	571	F6	642	F12	711	COL	657	L6	888	
	0d	F1	611	F7	650	F13	728	L1	757	L7	927	
	54w	F2	616	F8	660	F14	746	L2	773	L8	973	
	0.6 yd	F3	621	F9	671	F15	767	L3	796	L9	1034	
	7.7 sf	F4	627	F10	683	F16	791	L4	819	L10	1104	
		F5	634	F11	696	F17	818	L5	850	L11	1181	
XFC1842E	42w	COM	585	F6	656	F12	725	COL	673	L6	940	
	0d	F1	625	F7	664	F13	742	L1	789	L7	985	
	54w	F2	630	F8	674	F14	760	L2	807	L8	1038	
	0.6 yd	F3	635	F9	685	F15	781	L3	833	L9	1109	
	8.9 sf	F4	641	F10	697	F16	805	L4	860	L10	1189	
		F5	648	F11	710	F17	832	L5	896	L11	1278	
XFC1848E	48w	COM	694	F6	765	F12	834	COL	798	L6	1098	
	0d	F1	734	F7	773	F13	851	L1	928	L7	1148	
	54w	F2	739	F8	783	F14	869	L2	948	L8	1208	
	0.6 yd	F3	744	F9	794	F15	890	L3	978	L9	1288	
	10 sf	F4	750	F10	806	F16	914	L4	1008	L10	1378	
		F5	757	F11	819	F17	941	L5	1048	L11	1478	
XFC1854E (Railroaded)	54w	COM	719	F6	931	F12	1138	COL	827	L6	1163	
	0d	F1	840	F7	957	F13	1189	L1	973	L7	1219	
	54w	F2	854	F8	985	F14	1245	L2	995	L8	1286	
	1.8 yds	F3	870	F9	1018	F15	1308	L3	1029	L9	1376	
	11.2 sf	F4	888	F10	1054	F16	1380	L4	1062	L10	1477	
		F5	908	F11	1093	F17	1459	L5	1107	L11	1589	
XFC1860E (Railroaded)	60w	COM	770	F6	994	F12	1213	COL	886	L6	1255	
	0d	F1	897	F7	1021	F13	1266	L1	1046	L7	1317	
	54w	F2	913	F8	1051	F14	1325	L2	1071	L8	1390	
	1.9 yds	F3	930	F9	1085	F15	1391	L3	1107	L9	1489	
	12.3 sf	F4	949	F10	1123	F16	1467	L4	1144	L10	1599	
		F5	970	F11	1165	F17	1551	L5	1194	L11	1722	
XFC1866E (Railroaded)	66w	COM	816	F6	1052	F12	1282	COL	938	L6	1343	
	0d	F1	950	F7	1080	F13	1338	L1	1114	L7	1411	
	54w	F2	966	F8	1112	F14	1400	L2	1141	L8	1492	
	2 yds	F3	984	F9	1148	F15	1470	L3	1181	L9	1600	
	13.5 sf	F4	1004	F10	1188	F16	1550	L4	1222	L10	1721	
		F5	1026	F11	1232	F17	1638	L5	1276	L11	1856	
XFC1872E (Railroaded)	72w	COM	827	F6	1075	F12	1316	COL	951	L6	1389	
	0d	F1	968	F7	1104	F13	1375	L1	1141	L7	1462	
	54w	F2	985	F8	1138	F14	1440	L2	1170	L8	1550	
	2.1 yds	F3	1003	F9	1176	F15	1514	L3	1214	L9	1666	
	14.6 sf	F4	1024	F10	1218	F16	1598	L4	1258	L10	1798	
		F5	1048	F11	1264	F17	1690	L5	1316	L11	1944	

! Notes:

Identify which bench pedestal is to receive the cushion.

Specify by Product No. and the starting location from the left end, expressed in inches.

Cushions 52-in or more in width require fabric to be railroaded; use multiple cushions to avoid railroaded.

Leather footage requires a usable area of at least 20% greater than the width and depth shown above.

+ Options:

To use with 1.25d Wall Panels, append letter code A to the Product Number.

TUOHY

Specify: Product Number
Quantity
Color/Finish
Tagging

• Denotes Item is illustrated.
‡ Requires field sub-assembly.


Woods listed at Wood1 level

CZ8

Ship COM/COL materials and memo samples to:
TUOHY Furniture Corporation
P1 Upholstery Receiving
42 Saint Albans Place
Chatfield, MN 55923



Bench Cushions-Exposed24



Product No.	Dimensions	Fabric List \$							Leather List \$			
XFC2418E	18w 24d 1.5th 1 yds 5.5 sf	COM	472	F6	590	F12	705	COL	543	L6	708	
		F1	539	F7	604	F13	733	L1	615	L7	736	
		F2	547	F8	620	F14	764	L2	626	L8	769	
		F3	556	F9	638	F15	799	L3	642	L9	813	
		F4	566	F10	658	F16	839	L4	659	L10	862	
		F5	577	F11	680	F17	883	L5	681	L11	917	
XFC2424E	24w 0d 54w 1 yds 6.9 sf	COM	490	F6	608	F12	723	COL	564	L6	771	
		F1	557	F7	622	F13	751	L1	654	L7	806	
		F2	565	F8	638	F14	782	L2	668	L8	847	
		F3	574	F9	656	F15	817	L3	688	L9	902	
		F4	584	F10	676	F16	857	L4	709	L10	964	
		F5	595	F11	698	F17	901	L5	737	L11	1033	
XFC2430E	30w 0d 54w 1 yds 8.4 sf	COM	510	F6	628	F12	743	COL	587	L6	839	
		F1	577	F7	642	F13	771	L1	696	L7	881	
		F2	585	F8	658	F14	802	L2	713	L8	931	
		F3	594	F9	676	F15	837	L3	738	L9	999	
		F4	604	F10	696	F16	877	L4	763	L10	1074	
		F5	615	F11	718	F17	921	L5	797	L11	1158	
XFC2436E	36w 0d 54w 1 yds 9.9 sf	COM	601	F6	719	F12	834	COL	691	L6	988	
		F1	668	F7	733	F13	862	L1	820	L7	1038	
		F2	676	F8	749	F14	893	L2	840	L8	1097	
		F3	685	F9	767	F15	928	L3	869	L9	1176	
		F4	695	F10	787	F16	968	L4	899	L10	1265	
		F5	706	F11	809	F17	1012	L5	939	L11	1364	
XFC2442E	42w 0d 54w 1 yds 11.4 sf	COM	612	F6	730	F12	845	COL	704	L6	1046	
		F1	679	F7	744	F13	873	L1	852	L7	1103	
		F2	687	F8	760	F14	904	L2	875	L8	1171	
		F3	696	F9	778	F15	939	L3	909	L9	1263	
		F4	706	F10	798	F16	979	L4	943	L10	1365	
		F5	717	F11	820	F17	1023	L5	989	L11	1479	
XFC2448E	48w 0d 54w 1 yds 12.8 sf	COM	732	F6	850	F12	965	COL	842	L6	1226	
		F1	799	F7	864	F13	993	L1	1008	L7	1290	
		F2	807	F8	880	F14	1024	L2	1034	L8	1367	
		F3	816	F9	898	F15	1059	L3	1072	L9	1469	
		F4	826	F10	918	F16	1099	L4	1111	L10	1584	
		F5	837	F11	940	F17	1143	L5	1162	L11	1712	
XFC2454E (Railroaded)	54w 0d 54w 1.8 yds 14.3 sf	COM	780	F6	992	F12	1199	COL	897	L6	1326	
		F1	901	F7	1018	F13	1250	L1	1083	L7	1398	
		F2	915	F8	1046	F14	1306	L2	1112	L8	1483	
		F3	931	F9	1079	F15	1369	L3	1154	L9	1598	
		F4	949	F10	1115	F16	1441	L4	1197	L10	1726	
		F5	969	F11	1154	F17	1520	L5	1255	L11	1869	
XFC2460E (Railroaded)	60w 0d 54w 1.8 yds 15.8 sf	COM	848	F6	1060	F12	1267	COL	975	L6	1449	
		F1	969	F7	1086	F13	1318	L1	1180	L7	1528	
		F2	983	F8	1114	F14	1374	L2	1212	L8	1623	
		F3	999	F9	1147	F15	1437	L3	1259	L9	1749	
		F4	1017	F10	1183	F16	1509	L4	1307	L10	1891	
		F5	1037	F11	1222	F17	1588	L5	1370	L11	2049	
XFC2466E (Railroaded)	66w 0d 54w 2 yds 17.3 sf	COM	879	F6	1115	F12	1345	COL	1011	L6	1530	
		F1	1013	F7	1143	F13	1401	L1	1236	L7	1617	
		F2	1029	F8	1175	F14	1463	L2	1271	L8	1720	
		F3	1047	F9	1211	F15	1533	L3	1322	L9	1859	
		F4	1067	F10	1251	F16	1613	L4	1374	L10	2014	
		F5	1089	F11	1295	F17	1701	L5	1444	L11	2187	
XFC2472E (Railroaded)	72w 0d 54w 2.3 yds 18.7 sf	COM	908	F6	1179	F12	1444	COL	1044	L6	1605	
		F1	1062	F7	1212	F13	1508	L1	1287	L7	1699	
		F2	1081	F8	1248	F14	1580	L2	1325	L8	1811	
		F3	1101	F9	1290	F15	1660	L3	1381	L9	1960	
		F4	1124	F10	1336	F16	1752	L4	1437	L10	2129	
		F5	1150	F11	1386	F17	1853	L5	1512	L11	2316	

! Notes:

Identify which bench pedestal is to receive the cushion.

Specify by Product No. and the starting location from the left end, expressed in inches.

Cushions 52-in or more in width require fabric to be railroaded; use multiple cushions to avoid railroaded.

Leather footage requires a usable area of at least 20% greater than the width and depth shown above.

+Options:

To use with 1.25d Wall Panels, append letter code A to the Product Number.

TUOHY


Specify: Product Number
Quantity
Color/Finish
Tagging• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Woods listed at Wood1 level

CZ9

Ship COM/COL materials and memo samples to:
TUOHY Furniture Corporation
P1 Upholstery Receiving
42 Saint Albans Place
Chatfield, MN 55923

Low Credenzas 22.5h




		Product No.		List \$	Product No.		List \$
Unfinished Back; Top Required		18d			24d		
Low Credenza (Concealed Top)		XJB18C		338	XJB24C		338
Low Credenza (Exposed Top)		XJB18E		338	XJB24E		338
		w	d	Spec Code		Spec Code	
Open Shelving 18	18	17.25, 23.25	A18	1665	A18	1737	
Open Shelving 24	24	17.25, 23.25	A24	1711	A24	1868	
Open Shelving 30	30	17.25, 23.25	A30	1811	A30	1997	
Open Shelving 36	36	17.25, 23.25	A36	1915	A36	2136	
Cabinet: Shelves 18 LH	18	18, 24	C18L	2384	C18L	2457	
Cabinet: Shelves 18 RH	18	18, 24	C18R	2384	C18R	2457	
Cabinet: Shelves 24 LH	24	18, 24	C24L	2476	C24L	2504	
Cabinet: Shelves 24 RH	24	18, 24	C24R	2476	C24R	2504	
Cabinet: Shelves 30 DBL	30	18, 24	C30	2824	C30	2877	
Cabinet: Shelves 36 DBL	36	18, 24	C36	2883	C36	2927	
Box/StorageBin 18	18	18, 24	M18	2592	M18	2834	
Box/StorageBin 24	24	18, 24	M24	2701	M24	2967	
Box/StorageBin 30	30	18, 24	M30	2911	M30	3025	
Box/StorageBin 36	36	18, 24	M36	3084	M36	3159	
TrashRecycle 1 and 2-Bin Drawer 18	18	18, 24	T18	2614	T18	2701	
TrashRecycle 2-Bin Drawer 24	24	18, 24	T24	2825	T24	2899	
Utility Drawer 18	18	18, 24	U18	2373	U18	2486	
Utility Drawer 24	24	18, 24	U24	2571	U24	2691	

! Notes:
To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.
The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.
Tops must be ordered separately and are available up to a maximum width of 120-in.
Locks are not included on conference storage modules; see option below to order.
Utility Drawers include a vent/cord exit in the rear panel.

+Options:
For door/drawer locks, specify Option LD; add \$218.



Credenzas 28.5h



Unfinished Back; Top Required

Credenza (Concealed Top)

Credenza (Exposed Top)

Product No.

List \$

Product No.

List \$

18d

24d

XJC18C

452

XJC24C

452

XJC18E

452

XJC24E

452

	w	d	Spec Code		Spec Code	
Open Shelving 15	15	17.25, 23.25	A15	1659	A15	1745
Open Shelving 18	18	17.25, 23.25	A18	1725	A18	1815
Open Shelving 24	24	17.25, 23.25	A24	1779	A24	1953
Open Shelving 30	30	17.25, 23.25	A30	1887	A30	2088
Open Shelving 36	36	17.25, 23.25	A36	1998	A36	2234
Cabinet: Shelves 15 LH	15	18, 24	C15L	2383	C15L	2468
Cabinet: Shelves 15 RH	15	18, 24	C15R	2383	C15R	2468
Cabinet: Shelves 18 LH	18	18, 24	C18L	2477	C18L	2568
Cabinet: Shelves 18 RH	18	18, 24	C18R	2477	C18R	2568
Cabinet: Shelves 24 LH	24	18, 24	C24L	2589	C24L	2762
Cabinet: Shelves 24 RH	24	18, 24	C24R	2589	C24R	2762
Cabinet: Shelves 30 DBL	30	18, 24	C30	2936	C30	2969
Cabinet: Shelves 36 DBL	36	18, 24	C36	3112	C36	3173
Cabinet: 4Box 18 LH	18	18, 24	J18L	3326	J18L	3868
Cabinet: 4Box 18 RH	18	18, 24	J18R	3326	J18R	3868
Cabinet: 4Box 24 LH	24	18, 24	J24L	3470	J24L	4392
Cabinet: 4Box 24 RH	24	18, 24	J24R	3470	J24R	4392
Cabinet: 2Box/StorageBin 18 LH	18	18, 24	E18L	2827	E18L	2942
Cabinet: 2Box/StorageBin 18 RH	18	18, 24	E18R	2827	E18R	2942
Cabinet: 2Box/StorageBin 24 LH	24	18, 24	E24L	3067	E24L	3200
Cabinet: 2Box/StorageBin 24 RH	24	18, 24	E24R	3067	E24R	3200
Cabinet: 2StorageBin 18 LH	18	18, 24	F18L	2791	F18L	2927
Cabinet: 2StorageBin 18 RH	18	18, 24	F18R	2791	F18R	2927
Cabinet: 2StorageBin 24 LH	24	18, 24	F24L	3122	F24L	3263
Cabinet: 2StorageBin 24 RH	24	18, 24	F24R	3122	F24R	3263
Cabinet: Technology Rack 24 LH	24	24	-		P24L	5687
Cabinet: Technology Rack 24 RH	24	24	-		P24R	5687
Cabinet: Appliance 24 LH	24	24	-		Q24L	2762
Cabinet: Appliance 24 RH	24	24	-		Q24R	2762
Cabinet: Refrigerator 24 LH	24	24	-		R24L	3503
Cabinet: Refrigerator 24 RH	24	24	-		R24R	3503
TrashRecycle 1 and 2-Bin Drawer 18	18	18, 24	T18	2800	T18	2911
TrashRecycle 2 and 4-Bin Drawer 24	24	18, 24	T24	3008	T24	4044
Utility Drawer 18	18	18, 24	U18	2469	U18	2574
Utility Drawer 24	24	18, 24	U24	2683	U24	2819

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

Tops must be ordered separately and are available up to a maximum width of 120-in.

Locks are not included on conference storage modules; see option below to order.



Utility Drawers, Technology Rack, Appliance and Refrigerators include a vent/cord exit in the rear panel.

+Options:

For door/drawer locks, specify Option LD; add \$218.

For ventilation cutout (where not included), specify Option VS; add \$440.

Credenzas, Wall Hung 28.5h



18d 16.5h Top Required

Wall Credenza (Concealed Top)
Wall Credenza (Exposed Top)

Product No.	List \$	Product No.	List \$
Wood1 Doors		BPGlass Doors	
XJD18CW	338	XJD18CG	338
XJD18EW	338	XJD18EG	338


	Spec Code		Spec Code	
Open Shelving 18	A18	2203		
Open Shelving 24	A24	2246		
Open Shelving 30	A30	2334		
Open Shelving 36	A36	2426		
Cabinet: Shelves 18 LH	C18L	2824	C18L	3082
Cabinet: Shelves 18 RH	C18R	2824	C18R	3082
Cabinet: Shelves 30 DBL	C30	3515	C30	3936
Cabinet: Shelves 36 DBL	C36	3684	C36	4204
2Box Drawer 18	D18	3099	D18	3359
2Box Drawer 24	D24	3116	D24	3478
StorageBin Drawer 18	S18	2969	S18	3231
StorageBin Drawer 24	S24	2996	S24	3359
TrashRecycle 1-Bin Drawer 18	T18	2409	T18	2668
TrashRecycle 2-Bin Drawer 24	T24	2614	T24	2977

! Notes:
To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.
The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.
Tops must be ordered separately and are available up to a maximum width of 120-in.
Side panels are finished.
Wall-mount cleats are included for field installation.
Back-Painted Glass (BPGlass) available in four standard colors; match colors available on special request.
Metal trim on BPGlass doors has an MBN Brushed Nickel finish.

+ Options:
For door/drawer locks, specify Option LD; add \$218.



Credenzas, WHung/SlidingDr 28.5h



		Product No.	List \$	Product No.	List \$
18d 16.5h ConcealedTop Included	w	Wood1 Doors		BPGlass Doors	
WCred: Sliding/Concealed 36	36	XJE36CW	4720	XJE36CG	4980
WCred: Sliding/Concealed 54	54	XJE54CW	5550	XJE54CG	5890
WCred: Sliding/Concealed 60	60	XJE60CW	6334	XJE60CG	6712
WCred: Sliding/Concealed 72	72	XJE72CW	6918	XJE72CG	7472
WCred: Sliding/Concealed 90	90	XJE90CW	8289	XJE90CG	8963
WCred: Sliding/Concealed 108	108	XJE108CW	9664	XJE108CG	10498
18d 16.5h ExposedTop Included	w	Wood1 Doors		BPGlass Doors	
WCred: Sliding/Exposed 36	36	XJE36EW	5084	XJE36EG	5345
WCred: Sliding/Exposed 54	54	XJE54EW	5744	XJE54EG	6082
WCred: Sliding/Exposed 60	60	XJE60EW	6472	XJE60EG	6850
WCred: Sliding/Exposed 72	72	XJE72EW	6971	XJE72EG	7528
WCred: Sliding/Exposed 90	90	XJE90EW	8356	XJE90EG	9030
WCred: Sliding/Exposed 108	108	XJE108EW	9770	XJE108EG	10604

! Notes:

Tops are included. See Option Codes below for use with panels.

Units under 90w have one door; units 90 and over have two doors.

Wall-mount cleats are included for field installation.

Back-Painted Glass (BPGlass) available in four standard colors; match colors available on special request.

Metal trim on BPGlass doors has an MBN Brushed Nickel finish.

Side panels are finished.

Locks are not available on sliding door units.


+Options:

For use below 1.25d Wall Panels, append letter code A after the Product Number.

For use below 3.5d MediaWall Marker or Projection Panels, append letter code M after the Product Number.

For use below 6d MediaWall Video Panels, append letter code V after the Product Number.

Buffets 34.5h



Unfinished Back; Top Required

	Product No.	List \$	Product No.	List \$
Buffet (Concealed Top)	XJF18C	452	XJF24C	452
Buffet (Exposed Top)	XJF18E	452	XJF24E	452

	w	d	Spec Code		Spec Code	
Open Shelving 15	15	17.25, 23.25	A15	1838	A15	1947
Open Shelving 18	18	17.25, 23.25	A18	1929	A18	2046
Open Shelving 24	24	17.25, 23.25	A24	1998	A24	2235
Open Shelving 30	30	17.25, 23.25	A30	2148	A30	2423
Open Shelving 36	36	17.25, 23.25	A36	2297	A36	2624
Cabinet: Shelves 15 LH	15	18, 24	C15L	2591	C15L	2699
Cabinet: Shelves 15 RH	15	18, 24	C15R	2591	C15R	2699
Cabinet: Shelves 18 LH	18	18, 24	C18L	2712	C18L	2830
Cabinet: Shelves 18 RH	18	18, 24	C18R	2712	C18R	2830
Cabinet: Shelves 24 LH	24	18, 24	C24L	2856	C24L	3093
Cabinet: Shelves 24 RH	24	18, 24	C24R	2856	C24R	3093
Cabinet: Shelves 30 DBL	30	18, 24	C30	3272	C30	3548
Cabinet: Shelves 36 DBL	36	18, 24	C36	3487	C36	3812
Cabinet: 5Box 18 LH	18	18, 24	L18L	3971	L18L	4091
Cabinet: 5Box 18 RH	18	18, 24	L18R	3971	L18R	4091
Cabinet: 3Box/StorageBin 18 LH	18	18, 24	H18L	3843	H18L	3982
Cabinet: 3Box/StorageBin 18 RH	18	18, 24	H18R	3843	H18R	3982
Cabinet: 3Box/StorageBin 24 LH	24	18, 24	H24L	4007	H24L	4267
Cabinet: 3Box/StorageBin 24 RH	24	18, 24	H24R	4007	H24R	4267
Cabinet: Box/2StorageBin 18 LH	18	18, 24	N18L	3715	N18L	3872
Cabinet: Box/2StorageBin 18 RH	18	18, 24	N18R	3715	N18R	3872
Cabinet: Box/2StorageBin 24 LH	24	18, 24	N24L	3899	N24L	4239
Cabinet: Box/2StorageBin 24 RH	24	18, 24	N24R	3899	N24R	4239
Cabinet: Technology Rack 24 LH	24	24	-		P24L	5828
Cabinet: Technology Rack 24 RH	24	24	-		P24R	5828
Cabinet: Appliance 24 LH	24	24	-		Q24L	3045
Cabinet: Appliance 24 RH	24	24	-		Q24R	3045
Cabinet: Refrigerator 24 LH	24	24	-		R24L	4306
Cabinet: Refrigerator 24 RH	24	24	-		R24R	4306
Trash/Recycle 1 and 2-Bin Drawer 18	18	18, 24	T18	3076	T18	3121
Trash/Recycle 2 and 4-Bin Drawer 24	24	18, 24	T24	3282	T24	4277
Utility Drawer 18	18	18, 24	U18	2688	U18	2849
Utility Drawer 24	24	18, 24	U24	2912	U24	3114

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

Tops must be ordered separately and are available up to a maximum width of 120-in.

Utility Drawers, Technology Rack, Appliance and Refrigerators include a vent/cord exit in the rear panel.

Locks are not included on conference storage modules; see option below to order.


Side panels are finished.

+Options:

For door/drawer locks, specify Option LD; add \$218.

For ventilation cutout (where not included), specify Option VS; add \$440.

Buffets, Wall Hung 34.5h



	Product No.	List \$	Product No.	List \$
18d 22.5h; Top Required	Wood1 Doors		BPGlass Doors	
Wall Buffet (Concealed Top)	XJG18CW	452	XJG18CG	452
Wall Buffet (Exposed Top)	XJG18EW	452	XJG18EG	452
	Spec Code		Spec Code	
Open Shelving 18	A18	2263		
Open Shelving 24	A24	2307		
Open Shelving 30	A30	2410		
Open Shelving 36	A36	2513		
Cabinet: Shelves 18 LH	C18L	2982	C18L	3315
Cabinet: Shelves 18 RH	C18R	2982	C18R	3315
Cabinet: Shelves 24 LH	C24L	3073	C24L	3489
Cabinet: Shelves 24 RH	C24R	3073	C24R	3489
Cabinet: Shelves 30 DBL	C30	3422	C30	3922
Cabinet: Shelves 36 DBL	C36	3571	C36	4156
Box/StorageBin Drawer 18	M18	3187	M18	3521
Box/StorageBin Drawer 24	M24	3298	M24	3715
TrashRecycle 1-Bin Drawer 18	T18	3092	T18	3426
TrashRecycle 2-Bin Drawer 24	T24	3282	T24	3699

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

Tops must be ordered separately and are available up to a maximum width of 120-in.

Wall-mount cleats are included for field installation.

Back-Painted Glass (BPGlass) available in four standard colors; match colors available on special request.


Metal trim on BPGlass doors has an MBN Brushed Nickel finish.

Side panels are finished.

+ Options:

For door/drawer locks, specify Option LD; add \$218.


Buffets, WHung/SlidingDr 35.25h



	Product No.	List \$	Product No.	List \$
18d 23.3h ConcealedTop Included	Wood1 Doors		BPGlass Doors	
WBuffet: Sliding/Concealed 36	XJH36CW	5218	XJH36CG	6481
WBuffet: Sliding/Concealed 54	XJH54CW	6050	XJH54CG	7391
WBuffet: Sliding/Concealed 60	XJH60CW	5591	XJH60CG	8212
WBuffet: Sliding/Concealed 72	XJH72CW	7415	XJH72CG	8974
WBuffet: Sliding/Concealed 90	XJH90CW	8788	XJH90CG	10464
18d 23.3h ExposedTop Included	Wood1 Doors		BPGlass Doors	
WBuffet: Sliding/Concealed 36	XJH36EW	5218	XJH36EG	6481
WBuffet: Sliding/Concealed 54	XJH54EW	6050	XJH54EG	7391
WBuffet: Sliding/Concealed 60	XJH60EW	5591	XJH60EG	8212
WBuffet: Sliding/Concealed 72	XJH72EW	7415	XJH72EG	8974
WBuffet: Sliding/Concealed 90	XJH90EW	8788	XJH90EG	10464



- ! Notes:
- Tops are included. See Option Codes below for use with panels.
 - Units under 90w have one door; units 90 and over have two doors.
 - Wall-mount cleats are included for field installation.
 - Back-Painted Glass (BPGlass) available in four standard colors; match colors available on special request.
 - Metal trim on BPGlass doors has an MBN Brushed Nickel finish.
 - Side panels are finished.
 - Locks are not available on sliding door units.
- + Options:
- For use below 1.25d Wall Panels, append letter code A after the Product Number.
 - For use below 3.5d MediaWall Marker or Projection Panels, append letter code M after the Product Number.
 - For use below 6d MediaWall Video Panels, append letter code V after the Product Number.

Tops



Product No. List \$

		0.75th Concealed Top-----				1.5th Exposed Top-----			
		Full 17.25	WallP 16	Mark/Proj 13.25	Video 10.75	Full 18	WallP 16.75	Mark/Proj 14	Video 11.5
For 18d Units		C	CA	CM	CV	E	EA	EM	EV
Top 18w	XFT1818-	708	707	696	692	1218	1210	1204	1186
Top 24w	XFT1824-	745	743	731	726	1228	1215	1206	1187
Top 30w	XFT1830-	828	827	807	804	1247	1239	1230	1206
Top 36w	XFT1836-	909	908	889	885	1273	1263	1247	1223
Top 42w	XFT1842-	994	991	968	961	1302	1290	1270	1238
Top 48w	XFT1848-	1078	1075	1048	1041	1330	1309	1294	1259
Top 54w	XFT1854-	1161	1160	1126	1116	1356	1335	1315	1277
Top 60w	XFT1860-	1243	1239	1208	1199	1380	1361	1336	1293
Top 66w	XFT1866-	1325	1324	1290	1277	1403	1379	1360	1313
Top 72w	XFT1872-	1375	1372	1335	1325	1432	1405	1380	1330
Top 78w	XFT1878-	1399	1392	1349	1336	1459	1430	1400	1342
Top 84w	XFT1884-	1421	1411	1367	1356	1487	1453	1423	1361
Top 90w	XFT1890-	1443	1434	1388	1372	1511	1478	1445	1378
Top 96w	XFT1896-	1475	1465	1416	1399	1549	1514	1476	1403
Top 102w	XFT18102-	1494	1488	1432	1411	1592	1554	1515	1435
Top 108w	XFT18108-	1515	1505	1447	1429	1621	1580	1537	1458
Top 114w	XFT18114-	1537	1530	1465	1448	1647	1606	1562	1475
Top 120w	XFT18120-	1561	1549	1487	1464	1676	1630	1581	1488



		0.75th Concealed Top-----				1.5th Exposed Top-----			
		Full 23.25	WallP 22	Mark/Proj 19.25	Video 16.75	Full 24	WallP 22.75	Mark/Proj 20	Video 17.5
For 24d Units		C	CA	CM	CV	E	EA	EM	EV
Top 18w	XFT2418-	721	720	716	708	1228	1223	1220	1218
Top 24w	XFT2424-	780	776	774	745	1261	1251	1242	1228
Top 30w	XFT2430-	870	866	860	828	1294	1279	1271	1247
Top 36w	XFT2436-	962	958	955	909	1330	1315	1301	1273
Top 42w	XFT2442-	1052	1046	1041	994	1363	1348	1333	1302
Top 48w	XFT2448-	1144	1136	1131	1078	1400	1384	1366	1330
Top 54w	XFT2454-	1233	1228	1218	1161	1432	1411	1393	1356
Top 60w	XFT2460-	1323	1314	1307	1243	1465	1445	1423	1380
Top 66w	XFT2466-	1411	1405	1400	1325	1503	1478	1457	1403
Top 72w	XFT2472-	1472	1464	1458	1375	1537	1511	1487	1432
Top 78w	XFT2478-	1500	1491	1482	1399	1572	1544	1515	1459
Top 84w	XFT2484-	1527	1519	1509	1421	1608	1576	1547	1487
Top 90w	XFT2490-	1557	1548	1538	1443	1642	1610	1576	1511
Top 96w	XFT2496-	1593	1583	1575	1475	1693	1658	1622	1549
Top 102w	XFT24102-	1622	1611	1603	1494	1749	1710	1672	1592
Top 108w	XFT24108-	1647	1639	1629	1515	1786	1745	1703	1621
Top 114w	XFT24114-	1677	1669	1658	1537	1822	1780	1736	1647
Top 120w	XFT24120-	1707	1699	1689	1561	1863	1815	1767	1676

! Notes:

Determine Product Number by appending the Depth Code to the Product Prefix; use corresponding price.
Standard edge profile on all tops is square-cut.


TUOHY

Specify: Product Number
Quantity
Color/Finish
Tagging

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Woods listed at Wood1 level

MediaWalls



	Product No.	List \$	Product No.	List \$	Product No.	List \$
35.7h	Marker 3.5d		Projection 3.5d		Video Display 6d	
70/Buffer 72	XWM3572	4692	XWP3572	4451	XWV3572	4371
70/Buffer 96	XWM3596	5155	XWP3596	4779	XWV3596	4580
70/Buffer 120	XWM35120	6241	XWP35120	5763	XWV35120	5446
70/Buffer 144	XWM35144	6688	XWP35144	6074	XWV35144	5638
41.8h	Marker 3.5d		Projection 3.5d		Video Display 6d	
70/Credenza 72	XWM4172	4925	XWP4172	4616	XWV4172	4474
70/Credenza 96	XWM4196	5447	XWP4196	4985	XWV4196	4703
70/Credenza 120	XWM41120	6610	XWP41120	6018	XWV41120	5603
70/Credenza 144	XWM41144	7143	XWP41144	6393	XWV41144	5844
47.7h	Marker 3.5d		Projection 3.5d		Video Display 6d	
70/LowCredenza 72	XWM4772	5281	XWP4772	4913	XWV4772	4715
70/LowCredenza 96	XWM4796	5881	XWP4796	5255	XWV4796	4976
70/LowCredenza 120	XWM47120	7118	XWP47120	6421	XWV47120	5908
70/LowCredenza 144	XWM47144	7726	XWP47144	6850	XWV47144	6180
49.6h	Marker 3.5d		Projection 3.5d		Video Display 6d	
84/Buffer 72	XWM4972	5412	XWP4972	5025	XWV4972	4805
84/Buffer 96	XWM4996	6058	XWP4996	5479	XWV4996	5098
84/Buffer 120	XWM49120	7353	XWP49120	6623	XWV49120	6078
84/Buffer 144	XWM49144	7995	XWP49144	7079	XWV49144	6368
55.7h	Marker 3.5d		Projection 3.5d		Video Display 6d	
84/Credenza 72	XWM5572	5770	XWP5572	5320	XWV5572	5045
84/Credenza 96	XWM5596	6488	XWP5596	5829	XWV5596	5369
84/Credenza 120	XWM55120	7849	XWP55120	7012	XWV55120	6368
84/Credenza 144	XWM55144	8580	XWP55144	7530	XWV55144	6707
61.6h	Marker 3.5d		Projection 3.5d		Video Display 6d	
84/LowCredenza 72	XWM6172	6114	XWP6172	5602	XWV6172	5268
84/LowCredenza 96	XWM6196	6922	XWP6196	6177	XWV6196	5638
84/LowCredenza 120	XWM61120	8356	XWP61120	7412	XWV61120	6675
84/LowCredenza 144	XWM61144	9140	XWP61144	7964	XWV61144	7021

! Notes:


Sliding door widths are one-fourth the overall width of the unit.

All exterior surfaces are standard with Wood1 species and finishes.

Video Display units must be wired through the wall; there is no cord path behind the back panel.



Wall Panels 1.25d




Product Prefix Width Code/List \$

Wood1 1.25d ‡		18	24	30	36	45	48	54	60	72	84	90	96	108
70/Buffer	XXAW35.7-	1106	1204	1243	1285	1307	1335	1388	1438	1543	1646	1699	1750	1855
70/Credenza	XXAW41.8-	1179	1231	1277	1330	1373	1403	1464	1525	1646	1767	1829	1893	2009
70/LowCredenza	XXAW47.7-	1204	1261	1314	1374	1438	1473	1543	1611	1750	1893	1960	2029	2167
70/Bench	XXAW53.7-	1680	1745	1810	1874	1963	2000	2078	2159	2312	2470	2547	2627	2783
70/FlankWH	XXAW57.8-	1703	1775	1844	1915	2005	2047	2131	2216	2383	2549	2634	2718	2886
70/FullHt	XXAW69.7-	1745	1834	1915	2000	2136	2187	2288	2390	-	-	-	-	-
84/Buffer	XXAW49.6-	1671	1733	1803	1865	1919	1957	2027	2098	2245	2390	2461	2534	2677
84/Credenza	XXAW55.7-	1694	1763	1835	1906	1983	2025	2106	2187	2348	2510	2592	2672	2834
84/LowCredenza	XXAW61.6-	1723	1805	1878	1947	2048	2094	2184	2274					
84/Bench	XXAW67.6-	1733	1834	1906	1992	2113	2162	2260	2360					
84/FlankWH	XXAW71.7-	1795	1882	1968	2053	2159	2210	2312	2417					
84/FullHt	XXAW83.6-	1839	1938	2037	2137	2288	2348	2470	2592					

Wood1/Magnet 1.25d ‡		18	24	30	36	45	48	54	60	72	84	90	96
70/Buffer	XXAW35.7M-	1424	1547	1590	1630	1754	1780	1834	1884	1991	2093	2145	2197
70/Credenza	XXAW41.8M-	1524	1574	1623	1675	1820	1848	1910	1972	2093	2215	2276	2336
70/LowCredenza	XXAW47.7M-	1547	1603	1662	1720	1884	1919	1991	2059	2197	2336	2408	-
70/Bench	XXAW53.7M-	2092	2155	2221	2282	2475	2512						
70/FlankWH	XXAW57.8M-	2113	2184	2255	2328	2517	2561						
70/FullHt	XXAW69.7M-	2155	2244	2328	2438	2646	2698						
84/Buffer	XXAW49.6M-	2080	2142	2211	2275	2432	2469						
84/Credenza	XXAW55.7M-	2113	2173	2245	2317	2498	2498						
84/LowCredenza	XXAW61.6M-	2132	2215	2293	2359	2562	2605						
84/Bench	XXAW67.6M-	2142	2244	2317	2400	2627	2674						
84/FlankWH	XXAW71.7M-	2205	2295	2380	2488	2669	2722						
84/FullHt	XXAW83.6M-	2275	2373	2474	2572	2800	2861						

84/Buffer (49.6h)	84/Credenza (55.7h)	84/LowCredenza (61.6h)	84/Bench (67.6h)	84/FlankWH (71.7h)	84/Full Height (83.6h)
70/Buffer (35.7h)	70/Credenza (41.8h)	70/LowCredenza (47.7h)	70/Bench (53.7h)	70/FlankWH (57.8h)	70/Full Height (69.7h)
Buffer WH Buffer	Credenza WH Credenza	Low Credenza	Bench	Flank WH	Full Height

Wall Panels 1.25d
(continued)

	Product Prefix	Width Code/List \$										
BPGlass 1.25d ‡		18	24	30	36	45	48	54	60	72	84	90
70/Buffer	XXAG35.7-	1675	1933	2113	2294	2625	2718	2909	3095	3478	3855	4046
70/Credenza	XXAG41.8-	1841	2053	2263	2475	2861	2971	3191	3412	3855	4299	4521
70/LowCredenza	XXAG47.7-	1944	2173	2414	2657	3095	3224	3478	3728	4236	4743	4994
70/Bench	XXAG53.7-	2498	2817	3091	3359	3860	4001	4286	4573	5139	5709	5993
70/FlankWH	XXAG57.8-	2613	2906	3201	3496	4016	4170	4474	4779	5392	6004	6311
70/FullHt	XXAG69.7-	2794	3149	3503	3878	4491	4673	5046	5413	-	-	-
84/Buffer	XXAG49.6-	2502	2755	3014	3267	3699	3835	4096	4359	4886	5413	5678
84/Credenza	XXAG55.7-	2592	2892	3164	3450	3940	4086	4382	4673	3940	3940	3940
84/LowCredenza	XXAG61.6-	2680	2997	3312	3626	4175	4340	4666	4992			
84/Bench	XXAG67.6-	2771	3121	3463	3808	4413	4592	4950	5306			
84/FlankWH	XXAG71.7-	2869	3233	3594	3974	4573	4759	5139	5518			
84/FullHt	XXAG83.6-	3075	3496	3914	4334	5046	5266	5709	6150			

BPGlass/Magnet 1.25d ‡		18	24	30	36	45	48	54	60	72	84	90
70/Buffer	XXAG35.7M-	1839	2096	2277	2455	2789	2881	3073	3263	3641	4017	4211
70/Credenza	XXAG41.8M-	2005	2216	2425	2638	3025	3136	3355	3578	4017	4462	4685
70/LowCredenza	XXAG47.7M-	2096	2337	2577	2821	3263	3388	3641	3896	4399	4904	5158
70/Bench	XXAG53.7M-	2662	2979	3255	3522	4025	4166	4448	4733	5303	5873	6157
70/FlankWH	XXAG57.8M-	2777	3073	3365	3659	4181	4332	4638	4945	5557	6168	6475
70/FullHt	XXAG69.7M-	2958	3312	3666	4042	4658	4838	5209	5578	-	-	-
84/Buffer	XXAG49.6M-	2664	2921	3177	3430	3866	3999	4260	4523	5049	5578	5842
84/Credenza	XXAG55.7M-	2656	3039	3326	3653	4102	4248	4545	4838	5429	6020	6315
84/LowCredenza	XXAG61.6M-	2843	3164	3478	3790	4340	4503	4831	5156			
84/Bench	XXAG67.6M-	2935	3282	3627	3971	4576	4756	5113	5471			
84/FlankWH	XXAG71.7M-	3030	3396	3756	4140	4733	4925	5303	5682			
84/FullHt	XXAG83.6M-	3238	3659	4077	4501	5209	5429	5873	6315			

! Notes:

Wood1 includes all Wood1 veneer species/colors and solid paint colors; inquire regarding other species/colors.
 BPGlass (back-painted glass) colors are S.BLK Black and S.BWT White; color matching available. Frame is MBN Br Nickel.
 Customer walls must be adequately constructed to accept wall hung units.
 Wall Panels are designed to mount 0.5-in from the floor; avoid use of baseboards or make flush.

> To Specify Wall Panels:


Order wall panels in sets, specifying each panel in L to R order.
 Determine the Product Number for each set by selecting a Product Prefix and appending the desired Width Code.
 Determine the total price of each set by adding each panel's price to the nominal price for the set.
 Panel finish selection may be made individually or collectively.

+ Options/Parametrics:

Widths: 12-108 (90 BPGlass). Replace Width Code with actual dimension; use next larger std size for pricing.



Wall Panels 3.5d



Product Prefix Width Code/List \$

Wood1 3.5d ‡		18	24	30	36	45	48
70/Buffer	XXMW35.7-	2080	2124	2263	2316	2441	2468
70/Credenza	XXMW41.8-	2096	2159	2306	2367	2595	2625
70/LowCredenza	XXMW47.7-	2124	2192	2350	2420	2658	2693
70/FlankWH	XXMW57.8-	2282	2275	2529	2605	2724	2764
70/FullHt	XXMW69.7-	2354	2453	2642	2743	2898	2947
84/Buffer	XXMW49.6-	2179	2338	2500	2571	2680	2715
84/Credenza	XXMW55.7-	2294	2373	2542	2625	2743	2784
84/LowCredenza	XXMW61.6-	2322	2409	2585	2675	2808	2855
84/FlankWH	XXMW71.7-	2362	2468	2658	2764	2916	2969
84/FullHt	XXMW83.6-	2414	2536	2743	2865	3049	3110

Wood1/Magnet 3.5d ‡		18	25	32	38	47	50
70/Buffer	XXMW35.7M-	2269	2337	2476	2529	2741	2767
70/Credenza	XXMW41.8M-	2310	2370	2519	2580	2806	2836
70/LowCredenza	XXMW47.7M-	2337	2408	2564	2633	2872	2906
70/FlankWH	XXMW57.8M-	2499	2576	2741	2821	2936	2973
70/FullHt	XXMW69.7M-	2567	2668	2856	2984	3136	3183
84/Buffer	XXMW49.6M-	2479	2553	2712	2784	2893	2930
84/Credenza	XXMW55.7M-	2506	2585	2757	2836	2959	2997
84/LowCredenza	XXMW61.6M-	2534	2624	2800	2887	3049	3093
84/FlankWH	XXMW71.7M-	2576	2680	2898	2999	3157	3208
84/FullHt	XXMW83.6M-	2628	2772	2984	3106	3287	3346

BPGlass 3.5d ‡		19	25	32	38	47	50
70/Buffer	XXMG35.7-	2535	2724	3000	3190	3611	3704
70/Credenza	XXMG41.8-	2631	2800	3158	3379	3845	3958
70/LowCredenza	XXMG47.7-	2724	2976	3316	3570	4085	4211
70/FlankWH	XXMG57.8-	2955	3237	3611	3896	4322	4462
70/FullHt	XXMG69.7-	3206	3575	4031	4425	4979	5162
84/Buffer	XXMG49.6-	2891	3153	3505	3769	4163	4295
84/Credenza	XXMG55.7-	2985	3279	3661	3958	4399	4547
84/LowCredenza	XXMG61.6-	3080	3406	3771	4147	4662	4825
84/FlankWH	XXMG71.7-	3237	3618	4110	4489	5056	5246
84/FullHt	XXMG83.6-	3427	3821	4425	4868	5533	5753

BPGlass/Magnet 3.5d ‡		18	25	32	38	47	50
70/Buffer	XXMG35.7M-	2698	2887	3166	3354	3775	3869
70/Credenza	XXMG41.8M-	2794	2965	3324	3544	4011	4122
70/LowCredenza	XXMG47.7M-	2887	3140	3481	3735	4247	4375
70/FlankWH	XXMG57.8M-	3116	2576	3775	4059	4484	4629
70/FullHt	XXMG69.7M-	3370	3740	4196	4588	5142	5328
84/Buffer	XXMG49.6M-	3054	3316	3667	3931	4327	4458
84/Credenza	XXMG55.7M-	3148	3442	3825	4122	4563	4711
84/LowCredenza	XXMG61.6M-	3243	3570	3935	4311	4829	4989
84/FlankWH	XXMG71.7M-	3401	3781	4272	4649	5218	5410
84/FullHt	XXMG83.6M-	3593	3983	4588	5031	5696	5914

! Notes:

Align with MediaWall Marker/Projection panels.

BPGlass (back-painted glass) colors are S.BLK Black and S.BWT White; color matching available. Frame is MBN Br Nickel.

Wood1 includes all Wood1 veneer species/colors and solid paint colors; inquire regarding other species/colors.

Customer walls must be adequately constructed to accept wall hung units.

Full (height) Wall Panels are designed to mount 0.5-in from the floor; avoid use of baseboards or make flush.

> To Specify Wall Panels:

Order wall panels in sets, specifying each panel in L to R order.

Determine the Product Number for each set by selecting a Product Prefix and appending the desired Width Code.


Determine the total price of each set by adding each panel's price to the nominal price for the set.

Panel finish selection may be made individually or collectively.

+ Options/Parametrics:

Widths: 12-48. Replace Width Code with actual dimension; use next larger std size for pricing.

Wall Panels 6d



Product Prefix Width Code/List \$

Wood1 6d ‡		18	24	30	36	45	48
70/Buffer	XXVW35.7-	2094	2137	2277	2330	2542	2568
70/Credenza	XXVW41.8-	2111	2172	2323	2382	2607	2638
70/LowCredenza	XXVW47.7-	2137	2207	2364	2434	2672	2706
70/FlankWH	XXVW57.8-	2298	2377	2542	2620	2737	2776
70/FullHt	XXVW69.7-	2367	2470	2658	2761	2911	2962
84/Buffer	XXVW49.6-	2280	2354	2512	2585	2695	2729
84/Credenza	XXVW55.7-	2307	2389	2555	2638	2761	2800
84/LowCredenza	XXVW61.6-	2332	2422	2600	2691	2825	2870
84/FlankWH	XXVW71.7-	2377	2480	2672	2776	2934	2985
84/FullHt	XXVW83.6-	2426	2548	2761	2881	3063	3123

Wood1/Magnet 6d ‡		19	25	32	38	47	50
70/Buffer	XXVW35.7M-	2275	2352	2490	2542	2755	2782
70/Credenza	XXVW41.8M-	2325	2336	2535	2596	2821	2851
70/LowCredenza	XXVW47.7M-	2352	2421	2577	2645	2883	2921
70/FlankWH	XXVW57.8M-	2510	2591	2755	2833	2952	2991
70/FullHt	XXVW69.7M-	2580	2682	2872	2996	3148	3201
84/Buffer	XXVW49.6M-	2495	2567	2727	2797	2906	2942
84/Credenza	XXVW55.7M-	2519	2602	2770	2851	2972	3014
84/LowCredenza	XXVW61.6M-	2546	2635	2764	2904	3062	3107
84/FlankWH	XXVW71.7M-	2591	2695	2910	3015	3171	3224
84/FullHt	XXVW83.6M-	2640	2712	2996	3118	3300	3364

BPGlass 6d ‡		19	25	32	38	47	50
70/Buffer	XXVG35.7-	2547	2737	3015	3206	3625	3717
70/Credenza	XXVG41.8-	2642	2815	3173	3396	3862	3972
70/LowCredenza	XXVG47.7-	2737	2992	3333	3583	4097	4226
70/FlankWH	XXVG57.8-	2966	3245	3625	3909	4333	4477
70/FullHt	XXVG69.7-	3220	3591	4044	4441	4992	5178
84/Buffer	XXVG49.6-	2904	3167	3517	3782	4176	4310
84/Credenza	XXVG55.7-	2997	3294	3679	3972	4414	4562
84/LowCredenza	XXVG61.6-	3093	3422	3784	4162	4676	4840
84/FlankWH	XXVG71.7-	3250	3630	4123	4503	5073	5264
84/FullHt	XXVG83.6-	3441	3836	4441	4882	5545	5768

BPGlass/Magnet 6d ‡		18	25	32	38	47	50
70/Buffer	XXVG35.7M-	2711	2903	3178	3369	3787	3881
70/Credenza	XXVG41.8M-	2806	2977	3337	3560	4026	4138
70/LowCredenza	XXVG47.7M-	2903	3154	3496	3747	4261	4388
70/FlankWH	XXVG57.8M-	3130	3591	3787	4072	4501	4641
70/FullHt	XXVG69.7M-	3382	3752	4208	4604	5157	5340
84/Buffer	XXVG49.6M-	3068	3333	3682	3945	4341	4473
84/Credenza	XXVG55.7M-	3164	3457	3841	4138	4577	4726
84/LowCredenza	XXVG61.6M-	3258	3583	3947	4326	4840	5003
84/FlankWH	XXVG71.7M-	3413	3795	4286	4667	5236	5427
84/FullHt	XXVG83.6M-	3604	3999	4604	5046	5709	5932

! Notes:

Align with MediaWall Marker/Projection panels.

BPGlass (back-painted glass) colors are S.BLK Black and S.BWT White; color matching available. Frame is MBN Br Nickel.

Wood1 includes all Wood1 veneer species/colors and solid paint colors; inquire regarding other species/colors.

Customer walls must be adequately constructed to accept wall hung units.

Full (height) Wall Panels are designed to mount 0.5-in from the floor; avoid use of baseboards or make flush.

> To Specify Wall Panels:

Order wall panels in sets, specifying each panel in L to R order.

Determine the Product Number for each set by selecting a Product Prefix and appending the desired Width Code.


Determine the total price of each set by adding each panel's price to the nominal price for the set.

Panel finish selection may be made individually or collectively.

+ Options/Parametrics:

Widths: 12-48. Replace Width Code with actual dimension; use next larger std size for pricing.

Presenter's Podium



	30w	19.8d	45h	Product No.	List \$	Product No.	List \$
				Wood1		Wood1 Two-Tone	
• Podium				XP30	7495	XP301	7495
• Podium with Microphone				XP30M	9512	XP301M	9512
• Podium on Casters				XP30C	8931	XP301C	8931
• Podium on Casters, with Microphone				XP30MC	10948	XP301MC	10948

! Notes:

Front panel and speaker's platform are Wood1.

Wood1 Two-Tone finishes have the front panel and speaker's platform in different Wood1 finishes; specify each.

(See image below for Podium with Microphone in Wood1 Two-Tone finish.)

Rear vertical chase is MSBN Satin Brushed Nickel (~MRBS); base finish is MBSS Brushed Stainless Steel.

Microphone is TUOHY model S2E.Q00.000 with XLR plug and 12-inch gooseneck stem; color is black.



Lectern




No Top Cap/Detal	24w	18d	44.4h	Wood1		
• Lectern				70YPC00	2815	
Lectern with Pre-drill for Microphone				70YPC05	3932	

! Notes:





For Lectern with Pre-drill for Microphone, specify exact hole size and placement if customer's microphone is used. See page 15 of the Terms & Options section for TUOHY's optional microphone listing.

Training Tables



	Product No.		List \$
1.25th Tilt-Top with Casters	w	d	29.9h
Training Table 6024	60	24	Wood1
• Training Table 6030	60	30	XT6024 4299
Training Table 7224	72	24	XT6030 4394
Training Table 7230	72	30	XT7224 4376
Training Table 7236	72	36	XT7230 4480
			XT7236 4586

! Notes:
Standard base finish is MRBS Resin Brushed Steel.
Bases have locking casters.
Gang devices are on underside of top. Ganging tables should always be the same depth; widths can vary.
Base location is 1/2 table depth from the end.



TUOHY

Specify: Product Number
Quantity
Color/Finish
Tagging

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Woods listed at Wood1 level

