


PRICING & SPECIFICATION GUIDE

Zi Collection

May 1, 2023


TUOHY



Design:
TUOHY Design Team

| | |
|--------------------|-----|
| Presenter's Podium | CZ3 |
| Lectern | CZ3 |
| Training Tables | CZ4 |

Presenter's Podium



| | 30w | 19.8d | 45h | Product No. | List \$ | Product No. | List \$ |
|--------------------------------------|-----|-------|-----|-------------|---------|----------------|---------|
| | | | | Wood1 | | Wood1 Two-Tone | |
| • Podium | | | | XP30 | 7495 | XP301 | 7495 |
| • Podium with Microphone | | | | XP30M | 9512 | XP301M | 9512 |
| • Podium on Casters | | | | XP30C | 8931 | XP301C | 8931 |
| • Podium on Casters, with Microphone | | | | XP30MC | 10948 | XP301MC | 10948 |

! Notes:

Front panel and speaker's platform are Wood1.


Wood1 Two-Tone finishes have the front panel and speaker's platform in different Wood1 finishes; specify each. (See image below for Podium with Microphone in Wood1 Two-Tone finish.)

Rear vertical chase is MSBN Satin Brushed Nickel (~MRBS); base finish is MBSS Brushed Stainless Steel.

Microphone is TUOHY model S2E.Q00.000 with XLR plug and 12-inch gooseneck stem; color is black.



Lectern




| | 24w | 18d | 44.4h | Product No. | List \$ |
|---------------------------------------|-----|-----|-------|-------------|---------|
| No Top Cap/Detal | | | | Wood1 | |
| • Lectern | | | | 70YPC00 | 2815 |
| Lectern with Pre-drill for Microphone | | | | 70YPC05 | 3932 |

! Notes:

For Lectern with Pre-drill for Microphone, specify exact hole size and placement if customer's microphone is used. See page 17 of the Terms & Options section for TUOHY's optional microphone listing.

Training Tables



| | w | d | 29.9h | Product No. | List \$ |
|------------------------------|----|----|-------|-------------|---------|
| 1.25th Tilt-Top with Casters | | | | Wood1 | |
| Training Table 6024 | 60 | 24 | | XT6024 | 4299 |
| • Training Table 6030 | 60 | 30 | | XT6030 | 4394 |
| Training Table 7224 | 72 | 24 | | XT7224 | 4376 |
| Training Table 7230 | 72 | 30 | | XT7230 | 4480 |
| Training Table 7236 | 72 | 36 | | XT7236 | 4586 |





! Notes:

Standard base finish is MRBS Resin Brushed Steel.

Bases have locking casters.

Gang devices are on underside of top. Ganging tables should always be the same depth; widths can vary.

Base location is 1/2 table depth from the end.



Specify: Product Number
Quantity
Color/Finish
Tagging

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Woods listed at Wood1 level

A series of horizontal lines for taking notes.