

PRICING & SPECIFICATION GUIDE
Faraday Tables

May 1, 2023

TUOHY











































Contents

Top Edges & Materials	CF2
Base Finishes	CF4
Conventional Core Tops	CF5
Bevel Metal Edge 2th	CF5
Bevel Self Edge 1.5th	CF6
Bevel Self Edge 2th	CF6
Cantilever Self Edge 2th	CF7
Square Metal Edge 1.5th	CF8
Square Metal Edge 2th	CF8
Square Self Edge 1.5th	CF9
Square Self Edge 2th	CF9
Square SolidWd Edge 1.5th	CF10
Square SolidWd Edge 2th	CF10
Structural Core Tops w/ Plinth	CF11
Conference Height 29.5h	CF11
16 Degree Bevel Edge 1.5th	CF11
Square Metal Edge 1.5th	CF12
Square Metal Edge 2th	CF12
Square Self Edge 1.5th	CF13
Square Self Edge 2th	CF13
Collaborative Height 40.0h	CF14
16 Degree Bevel Edge 1.5th	CF14
Square Metal Edge 1.5th	CF15
Square Metal Edge 2th	CF15
Square Self Edge 1.5th	CF16
Square Self Edge 2th	CF16
Structural Core Tops, No Plinth	CF17
Conference Height 29.5h	CF17
16 Degree Bevel Edge 1.5th	CF17
Square Metal Edge 1.5th	CF18
Square Metal Edge 2th	CF18
Square Self Edge 1.5th	CF19
Square Self Edge 2th	CF19
Collaborative Height 40.0h	CF20
16 Degree Bevel Edge 1.5th	CF20
Square Metal Edge 1.5th	CF21
Square Metal Edge 2th	CF21
Square Self Edge 1.5th	CF22
Square Self Edge 2th	CF22

Top Edges & Materials

Bevel Metal Edge 2th		Bevel Self Edge 1.5th		Bevel Self Edge 2th		Cantilever Self Edge 2th	
MRBAS Resin Brushed Aluminum Steel Tint							
Acid-Etched Glass GAB Black, GAW White	FBM2A...	Acid-Etched Glass GAB Black, PT24 subtop GAW White, PT17 subtop	FBS1A...	Acid-Etched Glass GAB Black, PT24 subtop GAW White, PT17 subtop	FBS2A...		
Acid-Etched Laminated Glass	FBM2L...						
Back-Painted Glass S.BLK Black S.BWT White	FBM2B...	Back-Painted Glass S.BLK Black, PT24 subtop S.BWT White, PT17 subtop	FBS1B...	Back-Painted Glass S.BLK Black, PT24 subtop S.BWT White, PT17 subtop	FBS2B...		
Acrylic Solid Surface Avonite® Polaris	FBM2C...	Acrylic Solid Surface Avonite® Polaris	FBS1C...	Acrylic Solid Surface Avonite® Polaris	FBS2C...	Acrylic Solid Surface Avonite® Polaris	FCS2C...
Faux Leather Silex-all colors	FBM2F...						
HPL Formica® 949 White	FBM2H...	HPL Formica® 949 White (PVC as self-edge)	FBS1H...	HPL Formica® 949 White (PVC as self-edge)	FBS2H...	HPL Formica® 949 White (PVC as self-edge)	FCS2H...
Marble Carrara Marble	FBM2M...	Marble Carrara Marble Wood 1 or 2 subtop	FBS1M...	Marble Carrara Marble Wood 1 or 2 subtop	FBS2M...	Marble Carrara Marble	FCS2M...
Quartz Cambria®-all std colors except Matte™ and Luxury Design Series	FBM2Q...	Quartz Cambria®-all std colors except Matte™ & Luxury Design Series, Wd 1 or 2 subtop	FBS1Q...	Quartz Cambria®-all std colors except Matte™ & Luxury Design Series, Wd 1 or 2 subtop	FBS2Q...	Quartz Cambria®-all std colors except Matte™ and Luxury Design Series	FCS2Q...
Wood1 All colors	FBM2W...	Wood Wood1 colors	FBS1W...	Wood Wood1 colors	FBS2W...	Wood Wood1 colors	FCS2W...

Specify Shape by Edge Code
58 59 67 68 7V
Square

Top Edges & Materials (cont.)											
Square Metal Edge 1.5th		Square Metal Edge 2th		Square Self Edge 1.5th		Square Self Edge 2th		Solid Wood Edge 1.5th		Solid Wood Edge 2th	
MRBAS Resin Brushed Aluminum Steel Tint		MRBAS Resin Brushed Aluminum Steel Tint									
Acid-Etched Glass GAB Black, GAW White	FSM1A...	Acid-Etched Glass GAB Black, GAW White	FSM2A...	Acid-Etched Glass GAB Black, GAW White Wood1 or 2 subtop	FSS1A...	Acid-Etched Glass GAB Black, GAW White Wood1 or 2 subtop	FSS2A...	Acid-Etched Glass GAB Black, GAW White Wood1 solid edges	FSW1A...	Acid-Etched Glass GAB Black, GAW White Wood1 solid edges	FSW2A...
Acid-Etched Laminated Glass	FSM1L...	Acid-Etched Laminated Glass	FSM2L...					Acid-Etched Laminated Glass, Wood1 solid edges	FSW1L...	Acid-Etched Laminated Glass, Wood1 solid edges	FSW2L...
											
Back-Painted Glass S.BLK Black S.BWT White	FSM1B...	Back-Painted Glass S.BLK Black S.BWT White	FSM2B...	Back-Painted Glass S.BLK Black, S.BWT White Wood1 or 2 subtop	FSS1B...	Back-Painted Glass S.BLK Black, S.BWT White Wood1 or 2 subtop	FSS2B...	Back-Painted Glass S.BLK Black, S.BWT White Wood1 solid edges	FSW1B...	Back-Painted Glass S.BLK Black, S.BWT White Wood1 solid edges	FSW2B...
											
Acrylic Solid Surface Avonite® Polaris	FSM1C...	Acrylic Solid Surface Avonite® Polaris	FSM2C...	Acrylic Solid Surface Avonite® Polaris	FSS1C...	Acrylic Solid Surface Avonite® Polaris	FSS2C...	Acrylic Solid Surface Avonite® Polaris, Wood1 solid edges	FSW1C...	Acrylic Solid Surface Avonite® Polaris, Wood1 solid edges	FSW2C...
											
Faux Leather Silex-all colors	FSM1F...	Faux Leather Silex-all colors	FSM2F...					Faux Leather Silex-all colors, Wood1 solid edges	FSW1F...	Faux Leather Silex-all colors, Wood1 solid edges	FSW2F...
											
HPL Formica® 949 White	FSM1H...	HPL Formica® 949 White	FSM2H...	HPL Formica® 949 White	FSS1H...	HPL Formica® 949 White (PVC as self edge)	FSS2H...	HPL Formica® 949 White, Wood1 solid edges	FSW1H...	HPL Formica® 949 White, Wood1 solid edges	FSW2H...
											
Marble Carrara Marble	FSM1M...	Marble Carrara Marble	FSM2M...	Marble Carrara Marble	FSS1M...	Marble Carrara Marble	FSS2M...	Marble Carrara Marble, Wood1 solid edges	FSW1M...	Marble Carrara Marble, Wood1 solid edges	FSW2M...
											
Quartz Cambria®-all std colors except Matte™ and Luxury Design Series	FSM1Q...	Quartz Cambria®-all std colors except Matte™ and Luxury Design Series	FSM2Q...	Quartz Cambria®-all std colors except Matte™ and Luxury Design Series	FSS1Q...	Quartz Cambria®-all std colors except Matte™ and Luxury Design Series	FSS2Q...	Quartz Cambria®-all std colors except Matte™ & Luxury Design Series, Wd 1 or 2 subtop	FSW1Q...	Quartz Cambria®-all std colors except Matte™ & Luxury Design Series, Wd 1 or 2 subtop	FSW2Q...
											
Wood1 All colors	FSM1W...	Wood1 All colors	FSM2W...	Wood1 Wood1 colors	FSS1W...	Wood1 Wood1 colors	FSS2W...	Wood1 Wood1 veneer top and solid edges	FSW1W...	Wood1 Wood1 veneer top and solid edges	FSW2W...
											

Top & Edge Materials

This program of top materials paired with edge shapes and details demonstrates the considerable latitude in design solutions available to you through TUOHY’s table programs. Identify your top and edge materials on this page and coordinate them with the edge profiles shown on pages that follow.

Wood1

Veneers & Solid Colors

AS22

MP61

MP57

AN89

CH45

WL79

WL35

SOX6

SSX2

WL16

WL20

WO21

WO4

PT07

PT17

Images Coming Soon

Resin Solid Colors

Standard Colors (custom colors on a project basis)

MRSA

MRTG

MRBZ

MRB

MRBM

MRW

Wood2

Veneer

BS28

FWX9

FS10

BS30

FG11

FB14

CH49

MH95

SP73

CH53

MH97

WL33

WO38

WL31

WN13

Images Coming Soon

AEGlass

Acid-Etched

GAB

GAW

ALGlass

A-Etch/Laminated

(all colors)

BPGlass

Back-Painted

S.BLK

S.BWT

AcrylicSS

(Solid Surface)

Avonite® Polaris

HPL

White (PVC edge)

Formica® 949

Faux Leather

Silex

(all colors)

Marble

Carrara

Quartz

Cambria®

(all std colors)*

Metal

(Edges only)

MRBAS

* Quote required for Cambria Matte™ & Luxury Design Series

Conference: **Faraday**
Conventional Core Tops
Center Plinth included in price

May 1, 2023

Conference Height 29.5h

Bevel Metal Edge 2th

MRBAS Resin Brushed Aluminum Steel Tint

Prefix/Size	Top Material/Code								
	AEGlass	AELGlass	BPGlass	AcrylicSS	FauxLthr	HPL	Marble	Quartz	Wood1

Shape	sections	pcs	w	d	seats	FBM2...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
Rectangle	1	1	72	36	4-6	...R3...	18131	20181	17369	15131	13462	13248	20181	18039	13404
		1	78	39	6-8	...R4...	19302	21705	18403	15827	13820	13572	21705	19192	13754
		1	84	42	6-8	...R5...	20767	23558	19731	16784	14409	14123	23558	20639	14334
		1	90	48	6-8	...R6...	22987	26405	21717	18175	15206	14854	26405	22833	15109
		1	96	48	6-12	...R7...	24075	27720	22721	18949	15776	15398	27720	23911	15672
		1	108	48	8-12	...R8...	26615	30714	25089	20863	17274	16851	30714	26427	17158
		1	120	52	8-14	...R9...	29831	34767	27996	22958	18591	18083	34767	29607	18449
		2	132	52	8-14	...R10 ...	35299	40726	33281	27750	22935	22373	40726	35050	22781
			144	52	10-16	...R11 ...	37946	43869	35745	29725	24458	23848	43869	37679	24290
			156	56	10-18	...R12 ...	42034	48940	39463	32475	26295	25582	48940	41719	26099
			168	56	10-18	...R13 ...	44270	51711	41503	33988	27322	26554	51711	43931	27110
			180	56	12-20	...R14 ...	46744	54716	43778	35739	28586	27763	54716	46383	28360
			192	60	12-20	...R15 ...	52176	61285	48785	39634	31424	30483	61285	51762	31165
			204	60	12-20	...R16 ...	54529	64208	50928	41212	32481	31480	64208	54089	32205
			216	60	14-22	...R17 ...	56883	67132	53070	42791	33536	32477	67132	56417	33245
			240	60	16-26	...R18 ...	61642	73028	57403	46006	35700	34523	73028	61122	35376

Top Edges & Materials

- ... A

Acid-Etched Glass
GAB Black, GAW White
- ... L

Acid-Etched Laminated Glass
- ... B

Back-Painted Glass
S.BLK Black
S.BWT White
- ... C

Acrylic Solid Surface
Avonite® Polaris
- ... F

Faux Leather
Silex-all colors
- ... H

HPL
Formica® 949 White
- ... M

Marble
Carrara Marble
- ... Q

Quartz
Cambria®-all standard colors except
Matte™ and Luxury Design Series
- ... W

Wood1
All colors

NOTES:

Tables 36" & 39" deep have 16" deep frame, 9" deep plinth.
Tables 42" deep have 18" deep frame, 9" deep plinth.
Tables 48" & 56" deep have 22"d frame, 11" deep plinth.
Tables 60" deep have 28" deep frame, 11" deep plinth.
Electrical Options:
All Perimeter Power-Data.
All Surface Power-Data EXCLUDING:
Single and Double Slide Units
Power-Comm Troughs, Dual
For Power-Comm Troughs (Single), Power-Comm Recessed Consoles, and TAS units – cutout width needs to be parallel to the width of the table.

! IMPORTANT:

Wood grain direction is along the width dimension (w) on 1-section tops and depth dimension (d) on 2-section tops.
All top sizes are nominal; actual size may vary by +/-2%.
See the Terms & Options section at the front of the price list for POWER-DATA solutions.
Tables will be in multiple sections depending on size; tops may further be in multiple pieces. See listings above.
Tables require field assembly.

Specify: Product No. & Qty
Edge Shape
Tagging
Wood Finish

Specify base finish from
TUOHY Resin Solid Color (SC) Offerings:
MRB, MRBM, MRBZ, MRSA, MRTG, MRW

TUOHY

Conference: **Faraday**
Conventional Core Tops
Center Plinth included in price

May 1, 2023

Conference Height 29.5h

Bevel Self Edge 1.5th

Bevel Self Edge 1.5th			Prefix/Size			Top Material/Code										
						AEGlass	AELGlass	BPGlass	AcrylicSS	FauxLthr	HPL	Marble	Quartz	Wood1		
Shape	sections	pcs	w	d	seats	FBS1...	...A	...L	...B	...C	...F	...H	...M	...Q	...W	
	1	1	72	36	4-6	...R3 ...	13035	-	12273	10506	-	8156	15084	12942	8334	
		1	78	39	6-8	...R4 ...	14186	-	13289	11215	-	8456	16588	14075	8654	
		1	84	42	6-8	...R5 ...	15423	-	14385	11978	-	8778	18212	15294	8999	
		1	90	48	6-8	...R6 ...	17405	-	16134	13188	-	9269	20820	17248	9519	
		1	96	48	6-12	...R7 ...	18160	-	16804	13664	-	9484	21803	17993	9743	
		1	108	48	8-12	...R8 ...	19614	-	18090	14558	-	9856	23717	19431	10142	
		1	120	52	8-14	...R9 ...	22242	-	20406	16152	-	10492	27177	22018	10816	
		2	2	132	52	8-14	...R10 ...	23816	-	21797	17118	-	10892	29242	23569	11238
			2	144	52	10-16	...R11 ...	25390	-	23186	18083	-	11288	31310	25121	11663
			2	156	56	10-18	...R12 ...	28484	-	25914	19958	-	12032	35392	28170	12447
	2		168	56	10-18	...R13 ...	30175	-	27407	20994	-	12458	37615	29837	12901	
	2		180	56	12-20	...R14 ...	31866	-	28900	22028	-	12884	39836	31504	13349	
	2		192	60	12-20	...R15 ...	35428	-	32037	24184	-	13732	44538	35013	14250	
	2		204	60	12-20	...R16 ...	37235	-	33634	25289	-	14186	46913	36794	14730	
	2		216	60	14-22	...R17 ...	39042	-	35229	26393	-	14638	49291	38575	15207	
	4	240	60	16-26	...R18 ...	42605	-	38369	28552	-	15488	53992	42088	16108		

Conference Height 30h

Bevel Self Edge 2th

Shape	sections	pcs	w	d	seats	FBS2...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
Rectangle	1	1	72	36	4-6	...R3 ...	13300	-	12538	10769	-	8417	15348	13209	8571
		1	78	39	6-8	...R4 ...	14495	-	13600	11527	-	8767	16902	14387	8948
		1	84	42	6-8	...R5 ...	15783	-	14743	12339	-	9139	18573	15655	9347
		1	90	48	6-8	...R6 ...	17847	-	16577	13630	-	9713	21261	17692	9968
		1	96	48	6-12	...R7 ...	18629	-	17275	14134	-	9952	22275	18463	10226
		1	108	48	8-12	...R8 ...	20147	-	18620	15087	-	10383	24244	19960	10691
		1	120	52	8-14	...R9 ...	22880	-	21042	16789	-	11128	27813	22657	11499
	2	2	132	52	8-14	...R10 ...	24516	-	22498	17818	-	11591	29945	24271	11999
		2	144	52	10-16	...R11 ...	26155	-	23952	18847	-	12053	32076	25885	12496
		2	156	56	10-18	...R12 ...	29377	-	26807	20850	-	12926	36286	29064	13441
		2	168	56	10-18	...R13 ...	31136	-	28366	21955	-	13418	38575	30798	13977
		2	180	56	12-20	...R14 ...	32895	-	29929	23059	-	13913	40863	32533	14510
		2	192	60	12-20	...R15 ...	36605	-	33215	25362	-	14910	45715	36190	15594
		2	204	60	12-20	...R16 ...	38485	-	34884	26539	-	15434	48165	38045	16162
		2	216	60	14-22	...R17 ...	40365	-	36552	27718	-	15959	50616	39901	16728
		4	240	60	16-26	...R18 ...	44074	-	39840	30022	-	16960	55462	43559	17814

NOTES:

Tables 36" & 39" deep have 16" deep frame, 9" deep plinth.
Tables 42" deep have 18" deep frame, 9" deep plinth.
Tables 48" & 56" deep have 22"d frame, 11" deep plinth.
Tables 60" deep have 28" deep frame, 11" deep plinth.

Electrical Options:

All Perimeter Power-Data.
All Surface Power-Data EXCLUDING:
Single and Double Slide Units
Power-Comm Troughs, Dual

For Power-Comm Troughs (Single), Power-Comm Recessed Consoles, and TAS units – cutout width needs to be parallel to the width of the table.

! IMPORTANT:

Wood grain direction is along the width dimension (w) on 1-section tops and depth dimension (d) on 2-section tops.
All top sizes are nominal; actual size may vary by +/-2%.
See the Terms & Options section at the front of the price list for POWER-DATA solutions.
Tables will be in multiple sections depending on size; tops may further be in multiple pieces. See listings above.
Tables require field assembly.

Specify: Product No. & Qty
Edge Shape
Tagging
Wood Finish

Specify base finish from
TUOHY Resin Solid Color (SC) Offerings:
MRB, MRBM, MRBZ, MRSA, MRTG, MRW

TUOHY

Top Edges & Materials

... A Acid-Etched Glass
GAB Black, PT24 subtop
GAW White, PT17 subtop

... B Back-Painted Glass
S.BLK Black, PT24 subtop
S.BWT White, PT17 subtop

... C Acrylic Solid Surface
Avonite® Polaris

... H HPL
Formica® 949 White (PVC as self-edge)

... M Marble
Carrara Marble
Wood 1 or 2 subtop

... Q Quartz
Cambria®-all standard colors except
Matte™ and Luxury Design Series
Wood 1 or 2 subtop

... W Wood
Wood1 colors

Conference: **Faraday**
Conventional Core Tops
Center Plinth included in price

May 1, 2023

Conference Height 30h
Cantilever Self Edge 2th

Cantilever Self Edge 2th						Prefix/Size	Top Material/Code									
							AEGlass	AELGlass	BPGlass	AcrylicSS	FauxLthr	HPL	Marble	Quartz	Wood1	
Shape	sections	pcs	w	d	seats	FCS2...	...A	...L	...B	...C	...F	...H	...M	...Q	...W	
Rectangle	1	1	72	36	4-6	...R3 ...	-	-	-	10401	-	8047	14978	12834	8201	
		1	78	39	6-8	...R4 ...	-	-	-	11093	-	8331	16466	13950	8512	
		1	84	42	6-8	...R5 ...	-	-	-	11835	-	8633	18069	15151	8841	
		1	90	48	6-8	...R6 ...	-	-	-	13012	-	9093	20644	17072	9348	
		1	96	48	6-12	...R7 ...	-	-	-	13473	-	9293	21615	17803	9566	
		1	108	48	8-12	...R8 ...	-	-	-	14344	-	9642	23504	19218	9949	
		1	120	52	8-14	...R9 ...	-	-	-	15897	-	10237	26923	21763	10607	
		2	2	132	52	8-14	...R10 ...	-	-	-	16838	-	10609	28965	23289	11016
			2	144	52	10-16	...R11 ...	-	-	-	17778	-	10983	31004	24815	11426
2	156		56	10-18	...R12 ...	-	-	-	19602	-	11676	35035	27812	12194		
2	168		56	10-18	...R13 ...	-	-	-	20610	-	12073	37229	29453	12631		
2	180		56	12-20	...R14 ...	-	-	-	21615	-	12471	39426	31089	13069		
2	192		60	12-20	...R15 ...	-	-	-	23715	-	13263	44067	34541	13947		
2	204		60	12-20	...R16 ...	-	-	-	24790	-	13685	46415	36293	14410		
2	216		60	14-22	...R17 ...	-	-	-	25865	-	14106	48760	38046	14876		
2	240		60	16-26	...R18 ...	-	-	-	27963	-	14900	53405	41496	15753		

Top Edges & Materials

... C

Acrylic Solid Surface
Avonite® Polaris



... H

HPL
Formica® 949 White (PVC as self-edge)



... M

Marble
Carrara Marble



... Q

Quartz
Cambria®-all standard colors*



... W

Wood
Wood1 colors



NOTES:

Tables 36" & 39" deep have 16" deep frame, 9" deep plinth.
Tables 42" deep have 18" deep frame, 9" deep plinth.
Tables 48" & 56" deep have 22"d frame, 11"deep plinth.
Tables 60" deep have 28" deep frame, 11" deep plinth.

Electrical Options:

 All Perimeter Power-Data.
 All Surface Power-Data EXCLUDING:
 Single and Double Slide Units
 Power-Comm Troughs, Dual

 For Power-Comm Troughs (Single), Power-Comm Recessed Consoles, and TAS units – cutout width needs to be parallel to the width of the table.

! IMPORTANT:

Wood grain direction is along the width dimension (w) on 1-section tops and depth dimension (d) on 2-section tops.
All top sizes are nominal; actual size may vary by +/-2%.
See the Terms & Options section at the front of the price list for POWER-DATA solutions.
Tables will be in multiple sections depending on size; tops may further be in multiple pieces. See listings above.
Tables require field assembly.

Specify: Product No. & Qty
Edge Shape
Tagging
Wood Finish

Specify base finish from
TUOHY Resin Solid Color (SC) Offerings:
MRB, MRBM, MRBZ, MRSA, MRTG, MRW

TUOHY

Conference Height 29.5h

Square Metal Edge 1.5th

MRBAS Resin Brushed Aluminum Steel Tint

Square Metal Edge 1.5th						Prefix/Size	Top Material/Code								
MRBAS Resin Brushed Aluminum Steel Tint							AEGlass	AELGlass	BPGlass	AcrylicSS	FauxLthr	HPL	Marble	Quartz	Wood1
Shape	sections	pcs	w	d	seats	FSM1...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
Rectangle	1	1	72	36	4-6	...R3 ...	15116	18307	17163	12585	10445	10234	17163	15022	10388
		1	78	39	6-8	...R4 ...	16256	19956	18662	13287	10776	10525	18662	16147	10686
	2	1	84	42	6-8	...R5 ...	17483	21727	20272	14040	11127	10839	20272	17356	11002
		1	90	48	6-8	...R6 ...	19450	24582	22867	15236	11668	11314	22867	19294	11480
		1	96	48	6-12	...R7 ...	20283	25748	23927	15787	11982	11607	23927	20120	11778
		1	108	48	8-12	...R8 ...	21901	28026	25999	16841	12558	12138	25999	21713	12320
		1	120	52	8-14	...R9 ...	24674	31997	29610	18586	13434	12925	29610	24451	13120
		2	132	52	8-14	...R10 ...	26407	34445	31833	19706	14041	13481	31833	26160	13690
		2	144	52	10-16	...R11 ...	28139	36895	34060	20830	14647	14037	34060	27868	14257
		2	156	56	10-18	...R12 ...	31462	41637	38372	22937	15726	15013	38372	31147	15249
		2	168	56	10-18	...R13 ...	33309	44251	40748	24128	16363	15594	40748	32973	15841
		2	180	56	12-20	...R14 ...	35160	46870	43129	25321	17000	16176	43129	34796	16437
		2	192	60	12-20	...R15 ...	38947	52289	48056	27705	18195	17252	48056	38533	17531
		2	204	60	12-20	...R16 ...	40910	55077	50591	28965	18861	17858	50591	40823	18150
		2	216	60	14-22	...R17 ...	42874	57862	53122	30226	19526	18467	53122	42407	18770
		4	240	60	16-26	...R18 ...	46749	63379	58137	32695	20808	19631	58137	46230	19954

Conference Height 30h

Square Metal Edge 2th

MRBAS Resin Brushed Aluminum Steel Tint

Shape	sections	pcs	w	d	seats	FSM2...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
Rectangle	1	1	72	36	4-6	...R3 ...	15189	17240	14425	12659	10521	10307	17240	15096	10462
		1	78	39	6-8	...R4 ...	16329	18735	15434	13362	10850	10602	18735	16220	10781
		1	84	42	6-8	...R5 ...	17556	20345	16520	14114	11202	10912	20345	17430	11123
		1	90	48	6-8	...R6 ...	19523	22939	18252	15308	11741	11389	22939	19367	11644
		1	96	48	6-12	...R7 ...	20362	24005	19004	15863	12060	11683	24005	20194	11956
		1	108	48	8-12	...R8 ...	21984	26083	20456	16924	12642	12222	26083	21796	12526
		1	120	52	8-14	...R9 ...	24763	29698	22928	18674	13521	13012	29698	24539	13381
	2	2	132	52	8-14	...R10 ...	26500	31929	24481	19802	14135	13574	31929	26254	13980
		2	144	52	10-16	...R11 ...	28237	34160	26033	20931	14747	14136	34160	27968	14582
		2	156	56	10-18	...R12 ...	31572	38482	29000	23045	15835	15121	38482	31257	15637
		2	168	56	10-18	...R13 ...	33424	40863	30657	24243	16478	15708	40863	33085	16266
		2	180	56	12-20	...R14 ...	35279	43247	32312	25442	17122	16296	43247	34917	16894
		2	192	60	12-20	...R15 ...	39075	48184	35686	27833	18323	17381	48184	38662	18064
		2	204	60	12-20	...R16 ...	41045	50725	37443	29100	18996	17996	50725	40605	18721
		2	216	60	14-22	...R17 ...	43015	53263	39202	30368	19667	18609	53263	42549	19377
		4	240	60	16-26	...R18 ...	46900	58287	42665	32848	20960	19784	58287	46382	20638

NOTES:

- Tables 36" & 39" deep have 16" deep frame, 9" deep plinth.
- Tables 42" deep have 18" deep frame, 9" deep plinth.
- Tables 48" & 56" deep have 22"d frame, 11"deep plinth.
- Tables 60" deep have 28" deep frame, 11" deep plinth.

Electrical Options:

- All Perimeter Power-Data.
- All Surface Power-Data EXCLUDING:
 - Single and Double Slide Units
 - Power-Comm Troughs, Dual

For Power-Comm Troughs (Single), Power-Comm Recessed Consoles, and TAS units – cutout width needs to be parallel to the width of the table.

! IMPORTANT:

- Wood grain direction is along the width dimension (w) on 1-section tops and depth dimension (d) on 2-section tops.
- All top sizes are nominal; actual size may vary by +/-2%.
- See the Terms & Options section at the front of the price list for POWER-DATA solutions.
- Tables will be in multiple sections depending on size; tops may further be in multiple pieces. See listings above.
- Tables require field assembly.

Specify: Product No. & Qty
Edge Shape
Tagging
Wood Finish

Specify base finish from
TUOHY Resin Solid Color (SC) Offerings:
MRB, MRBM, MRBZ, MRSA, MRTG, MRW

Top Edges & Materials

... A Acid-Etched Glass
GAB Black, GAW White

... L Acid-Etched Laminated Glass

... B Back-Painted Glass
S.BLK Black
S.BWT White

... C Acrylic Solid Surface
Avonite® Polaris

... F Faux Leather
Silex-all colors

... H HPL
Formica® 949 White

... M Marble
Carrara Marble

... Q Quartz
Cambria®-all standard colors*

... W... Wood1
All colors

Conference: **Faraday**
Conventional Core Tops
Center Plinth included in price

May 1, 2023

Conference Height 29.5h

Square Self Edge 1.5th

Square Self Edge 1.5th						Prefix/Size	Top Material/Code									
							AEGlass	AELGlass	BPGlass	AcrylicSS	FauxLthr	HPL	Marble	Quartz	Wood1	
Shape	sections	pcs	w	d	seats	FSS1...	...A	...L	...B	...C	...F	...H	...M	...Q	...W	
Rectangle	1	1	72	36	4-6	...R3 ...	12928	-	12166	10401	-	8047	14978	12834	8217	
		1	78	39	6-8	...R4 ...	14062	-	13163	11093	-	8331	16466	13950	8518	
		1	84	42	6-8	...R5 ...	15278	-	14241	11835	-	8633	18069	15151	8839	
		1	90	48	6-8	...R6 ...	17227	-	15956	13012	-	9093	20644	17072	9325	
		1	96	48	6-12	...R7 ...	17971	-	16615	13473	-	9293	21615	17803	9538	
		1	108	48	8-12	...R8 ...	19404	-	17878	14344	-	9642	23504	19218	9907	
		1	120	52	8-14	...R9 ...	21989	-	20152	15897	-	10237	26923	21763	10535	
		2	2	132	52	8-14	...R10 ...	23535	-	21515	16838	-	10609	28965	23289	10930
			2	144	52	10-16	...R11 ...	25085	-	22880	17778	-	10983	31004	24815	11323
			2	156	56	10-18	...R12 ...	28127	-	25556	19602	-	11676	35035	27812	12055
2	168		56	10-18	...R13 ...	29791	-	27020	20610	-	12073	37229	29453	12474		
2	180		56	12-20	...R14 ...	31452	-	28488	21615	-	12471	39426	31089	12898		
2	192		60	12-20	...R15 ...	34955	-	31567	23715	-	13263	44067	34541	13733		
2	204		60	12-20	...R16 ...	36734	-	33134	24790	-	13685	46415	36293	14178		
2	216		60	14-22	...R17 ...	38513	-	34700	25865	-	14106	48760	38046	14626		
4	240	60	16-26	...R18 ...	42013	-	37779	27963	-	14900	53405	41496	15462			

Conference Height 30h

Square Self Edge 2th

Shape	sections	pcs	w	d	seats	FSS2...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
	1	1	72	36	4-6	...R3 ...	13192	-	12431	10666	-	8314	15245	13100	8466
		1	78	39	6-8	...R4 ...	14371	-	13475	11401	-	8643	16779	14262	8824
		1	84	42	6-8	...R5 ...	15637	-	14602	12195	-	8993	18428	15511	9203
		1	90	48	6-8	...R6 ...	17671	-	16399	13455	-	9535	21086	17514	9790
		1	96	48	6-12	...R7 ...	18445	-	17087	13947	-	9762	22086	18276	10037
		1	108	48	8-12	...R8 ...	19934	-	18407	14876	-	10172	24033	19748	10479
		1	120	52	8-14	...R9 ...	22626	-	20788	16537	-	10874	27560	22401	11245
		2	2	132	52	8-14	...R10 ...	24238	-	22217	17539	-	11311	29665	23990
	2		144	52	10-16	...R11 ...	25848	-	23645	18542	-	11748	31771	25580	12193
	2		156	56	10-18	...R12 ...	29020	-	26447	20493	-	12569	35929	28707	13088
	2		168	56	10-18	...R13 ...	30753	-	27983	21570	-	13034	38192	30414	13591
	2		180	56	12-20	...R14 ...	32483	-	29516	22645	-	13501	40453	32120	14099
	2		192	60	12-20	...R15 ...	36133	-	32746	24891	-	14440	45242	35718	15122
	2		204	60	12-20	...R16 ...	37985	-	34384	26041	-	14936	47663	37545	15661
	2		216	60	14-22	...R17 ...	39837	-	36024	27190	-	15432	50084	39371	16199
	4		240	60	16-26	...R18 ...	43487	-	39249	29435	-	16369	54876	42968	17222

NOTES:

Tables 36" & 39" deep have 16" deep frame, 9" deep plinth.
Tables 42" deep have 18" deep frame, 9" deep plinth.
Tables 48" & 56" deep have 22"d frame, 11"deep plinth.
Tables 60" deep have 28" deep frame, 11" deep plinth.

Electrical Options:

All Perimeter Power-Data.
All Surface Power-Data EXCLUDING:
Single and Double Slide Units
Power-Comm Troughs, Dual

For Power-Comm Troughs (Single), Power-Comm Recessed Consoles, and TAS units – cutout width needs to be parallel to the width of the table.

! IMPORTANT:

Wood grain direction is along the width dimension (w) on 1-section tops and depth dimension (d) on 2-section tops.
All top sizes are nominal; actual size may vary by +/-2%.
See the Terms & Options section at the front of the price list for POWER-DATA solutions.
Tables will be in multiple sections depending on size; tops may further be in multiple pieces. See listings above.
Tables require field assembly.

Specify: Product No. & Qty
Edge Shape
Tagging
Wood Finish

Specify base finish from
TUOHY Resin Solid Color (SC) Offerings:
MRB, MRBM, MRBZ, MRSA, MRTG, MRW


TUOHY

Top Edges & Materials


... A Acid-Etched Glass
GAB Black, GAW White
Wood1 or 2 subtop




... B Back-Painted Glass
S.BLK Black, S.BWT White
Wood1 or 2 subtop



... C Acrylic Solid Surface
Avonite® Polaris



... H HPL...
Formica® 949 White




... M Marble
Carrara Marble



... Q Quartz
Cambria®-all standard colors*



... W Wood1
Wood1 colors



Conference: **Faraday**
Conventional Core Tops
Center Plinth included in price

May 1, 2023

Conference Height 29.5h
Square SolidWd Edge 1.5th

Square SolidWd Edge 1.5th						Prefix/Size	Top Material/Code									
						AEGlass	AELGlass	BPGlass	AcrylicSS	FauxLthr	HPL	Marble	Quartz	Wood1		
Shape	sections	pcs	w	d	seats	FSW1...	...A	...L	...B	...C	...F	...H	...M	...Q	...W	
	1	1	72	36	4-6	...R3 ...	13139	16323	13511	11744	9605	9393	16323	14180	9336	
		1	78	39	6-8	...R4 ...	14182	17907	14606	12532	10021	9773	17907	15394	9704	
		1	84	42	6-8	...R5 ...	15297	19606	15777	13373	10461	10171	19606	16689	10094	
		1	90	48	6-8	...R6 ...	17046	22300	17612	14669	11104	10748	22300	18731	10651	
		1	96	48	6-12	...R7 ...	17747	23349	18348	15208	11403	11027	23349	19540	10924	
		1	108	48	8-12	...R8 ...	19094	25390	19764	16230	11951	11528	25390	21103	11412	
		1	120	52	8-14	...R9 ...	21562	29126	22355	18101	12951	12440	29126	23965	12300	
		2	2	132	52	8-14	...R10 ...	23008	31321	23873	19194	13529	12968	31321	25645	12813
			2	144	52	10-16	...R11 ...	24454	33519	25392	20290	14106	13493	33519	27325	13324
			2	156	56	10-18	...R12 ...	27056	37601	28122	22169	14958	14244	37601	30381	14045
	2		168	56	10-18	...R13 ...	28599	39951	29743	23330	15564	14795	39951	32175	14583	
	2		180	56	12-20	...R14 ...	30142	42301	31362	24492	16173	15347	42301	33968	15122	
	2		192	60	12-20	...R15 ...	33497	47385	34887	27034	17524	16582	47385	37860	16323	
	2		204	60	12-20	...R16 ...	35137	49890	36608	28265	18160	17160	49890	39770	16886	
	2		216	60	14-22	...R17 ...	36778	52391	38331	29496	18797	17738	52391	41678	17446	
	4	240	60	16-26	...R18 ...	40007	57346	41722	31905	20019	18840	57346	45441	18517		

Conference Height 30h
Square SolidWd Edge 2th

Shape	sections	pcs	w	d	seats	FSW2...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
Rectangle															

NOTES:

Tables 36" & 39" deep have 16" deep frame, 9" deep plinth.
Tables 42" deep have 18" deep frame, 9" deep plinth.
Tables 48" & 56" deep have 22"d frame, 11"deep plinth.
Tables 60" deep have 28" deep frame, 11" deep plinth.

Electrical Options:

All Perimeter Power-Data.
All Surface Power-Data EXCLUDING:
Single and Double Slide Units
Power-Comm Troughs, Dual

For Power-Comm Troughs (Single), Power-Comm Recessed Consoles, and TAS units – cutout width needs to be parallel to the width of the table.

! IMPORTANT:

Wood grain direction is along the width dimension (w) on 1-section tops and depth dimension (d) on 2-section tops.
All top sizes are nominal; actual size may vary by +/-2%.
See the Terms & Options section at the front of the price list for POWER-DATA solutions.
Tables will be in multiple sections depending on size; tops may further be in multiple pieces. See listings above.
Tables require field assembly.

Specify: Product No. & Qty
Edge Shape
Tagging
Wood Finish

Specify base finish from
TUOHY Resin Solid Color (SC) Offerings:
MRB, MRBM, MRBZ, MRSA, MRTG, MRW


TUOHY

Top Edges & Materials

... A Acid-Etched Glass
GAB Black, GAW White
Wood1 solid edges
... L Acid-Etched Laminated Glass
Wood1 solid edges




... B Back-Painted Glass
S.BLK Black, S.BWT White
Wood1 solid edges




... C Acrylic Solid Surface
Avonite® Polaris, Wood1 solid edges



... F Faux Leather
Silex-all colors, Wood1 solid edges




... H HPL
Formica® 949 White, Wood1 solid edges




... M Marble
Carrara Marble, Wood1 solid edges



... Q Quartz
Cambria®-all standard colors except
Matte™ and Luxury Design Series
Wood 1 or 2 subtop




... W Wood1
Wood1 veneer top and solid edges



Specify Shape by Edge Code
58 59 67 68 7V
Square

Conference Height 29.5h
16 Degree Bevel Edge 1.5th

16 Degree Bevel Edge 1.5th						Prefix/Size	Top Material/Code								
							AEGlass	AELGlass	BPGlass	AcrylicSS	FauxLthr	HPL	Marble	Quartz	Wood1
Shape	sections	pcs	w	d	seats	FBS1SB...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
Rectangle	1	1	96	32	6-10	...R19 ...	-	-	-	-	-	10423	-	-	10735
		1	96	48	6-12	...R7 ...	-	-	-	-	-	12595	-	-	12595
		1	120	36	8-12	...R20...	-	-	-	-	-	13195	-	-	13869
		1	120	52	8-14	...R9...	-	-	-	-	-	15416	-	-	16393
		1	144	36	10-14	...R21...	-	-	-	-	-	14767	-	-	16393
		1	144	52	10-16	...R11...	-	-	-	-	-	17467	-	-	18647



Top Edges & Materials

... H

HPL
Formica® 949 White (PVC as self-edge)

... W

Wood
Wood1 colors

NOTES:

Tables 32" & 36" deep have 16" deep frame, 9" deep plinth.
Tables 48" & 52" deep have 22"d frame, 11"deep plinth.
Electrical Options:
 All Perimeter Power-Data.
 All Surface Power-Data EXCLUDING:
 Single and Double Slide Units
 Swivel Pebble or Racetrack Lid
 TAS Units
 Power-Comm Troughs, Dual
For Power-Comm Troughs (Single) – cutout width needs to be parallel to the width of the table.

! IMPORTANT:

Wood grain direction is along the width dimension (w) on 1-section tops.
All structural core top sizes are in 1-section and cannot be sectioned further for handling or logistics purposes.
144w tables in Wood1 and Wood2 are dependent on veneer availability.
Glass surfaces 144w have two-piece construction on a single section subtop, with seam on-center.
Parametric sizing is available, up to -6in. width, -6in depth. Bevel Edge not available with parametric sizing.
See the Terms & Options section at the front of the price list for POWER-DATA solutions.
Tables require field assembly.

Specify: Product No. & Qty
Edge Shape
Tagging
Wood Finish

Specify base finish from
TUOHY Resin Solid Color (SC) Offerings:
MRB, MRBM, MRBZ, MRSA, MRTG, MRW

Conference: **Faraday**

Structural Core One-Piece Tops

Center Plinth included in price

May 1, 2023

Conference Height 29.5h

Square Metal Edge 1.5th

MRBAS Resin Brushed Aluminum Steel Tint

Square Metal Edge 1.5th						Prefix/Size	Top Material/Code									
MRBAS Resin Brushed Aluminum Steel Tint							AEGlass	AELGlass	BPGlass	AcrylicSS	FauxLthr	HPL	Marble	Quartz	Wood1	
Shape	sections	pcs	w	d	seats	FSM1SB...	...A	...L	...B	...C	...F	...H	...M	...Q	...W	
	Rectangle	1	96	32	6-10	...R19 ...	-	-	-	-	-	11896	-	-	12207	
		1	96	48	6-12	...R7...	-	-	-	-	-	14066	-	-	14066	
		1	120	36	8-12	...R20...	-	-	-	-	-	14665	-	-	15340	
		1	120	52	8-14	...R9...	-	-	-	-	-	16888	-	-	17864	
		1	144	36	10-14	...R21...	-	-	-	-	-	17676	-	-	18481	
		1	144	52	10-16	...R11...	-	-	-	-	-	20376	-	-	21556	

Conference Height 30h

Square Metal Edge 2th

MRBAS Resin Brushed Aluminum Steel Tint

Shape	sections	pcs	w	d	seats	FSM2SB...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
	1	1	96	32	6-10	...R19 ...	13073	-	13733	13459	-	-	-	-	-
		1	96	48	6-12	...R7...	18789	-	16279	15721	-	-	-	-	-
		1	120	36	8-12	...R20...	21319	-	20739	17066	-	-	-	-	-
		1	120	52	8-14	...R9...	-	-	-	20147	-	-	-	-	-
		1	144	36	10-14	...R21...	-	-	-	20054	-	-	-	-	-
		1	144	52	10-16	...R11...	-	-	-	23819	-	-	-	-	-

Top Edges & Materials

- ... A
- Acid-Etched Glass
GAB Black, GAW White
- ... B
- Back-Painted Glass
S.BLK Black
S.BWT White

- ... C
- Acrylic Solid Surface
Avonite® Polaris

- ... H
- HPL
Formica® 949 White

- ... W
- Wood1
All colors

NOTES:

Tables 32" & 36" deep have 16" deep frame, 9" deep plinth.
Tables 48" & 52" deep have 22"d frame, 11"deep plinth.
Electrical Options:
All Perimeter Power-Data.
All Surface Power-Data EXCLUDING:
Single and Double Slide Units
Swivel Pebble or Racetrack Lid
TAS Units
Power-Comm Troughs, Dual
For Power-Comm Troughs (Single) – cutout width needs to be parallel to the width of the table.

! IMPORTANT:

Wood grain direction is along the width dimension (w) on 1-section tops.
All structural core top sizes are in 1-section and cannot be sectioned further for handling or logistics purposes.
144w tables in Wood1 and Wood2 are dependent on veneer availability.
Glass surfaces 144w have two-piece construction on a single section subtop, with seam on-center.
Parametric sizing is available, up to -6in. width, -6in depth. Bevel Edge not available with parametric sizing.
See the Terms & Options section at the front of the price list for POWER-DATA solutions.
Tables require field assembly.

TUOHY

Specify: Product No. & Qty
Edge Shape
Tagging
Wood Finish

Specify base finish from
TUOHY Resin Solid Color (SC) Offerings:
MRB, MRBM, MRBZ, MRSA, MRTG, MRW

Conference: **Faraday**
Structural Core One-Piece Tops
Center Plinth included in price

May 1, 2023

Conference Height 29.5h
Square Self Edge 1.5th

Square Self Edge 1.5th						Prefix/Size	Top Material/Code									
							AEGlass	AELGlass	BPGlass	AcrylicSS	FauxLthr	HPL	Marble	Quartz	Wood1	
Shape	sections	pcs	w	d	seats	FSS1SB...	...A	...L	...B	...C	...F	...H	...M	...Q	...W	
Rectangle	1	1	96	32	6-10	...R19 ...	-	-	-	-	-	10423	-	-	10735	
		1	96	48	6-12	...R7...	-	-	-	-	-	12595	-	-	12595	
	1	1	120	36	8-12	...R20...	-	-	-	-	-	13195	-	-	13869	
		1	120	52	8-14	...R9...	-	-	-	-	-	15416	-	-	16393	
		1	144	36	10-14	...R21...	-	-	-	-	-	14767	-	-	16393	
		1	144	52	10-16	...R11...	-	-	-	-	-	17467	-	-	18647	

Conference Height 30h
Square Self Edge 2th

Shape	sections	pcs	w	d	seats	FSS2SB...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
Rectangle	1	1	96	32	6-10	...R19 ...	-	-	-	11928	-	-	-	-	-
	1	1	96	48	6-12	...R7...	-	-	-	14191	-	-	-	-	-
	1	1	120	36	8-12	...R20...	-	-	-	15536	-	-	-	-	-
	1	1	120	52	8-14	...R9...	-	-	-	18616	-	-	-	-	-
	1	1	144	36	10-14	...R21...	-	-	-	17564	-	-	-	-	-
	1	1	144	52	10-16	...R11...	-	-	-	21331	-	-	-	-	-

Top Edges & Materials

... C Acrylic Solid Surface
Avonite® Polaris

... H HPL...
Formica® 949 White

... W Wood1
Wood1 colors

NOTES:

Tables 32" & 36" deep have 16" deep frame, 9" deep plinth.
Tables 48" & 52" deep have 22"d frame, 11"deep plinth.
Electrical Options:
All Perimeter Power-Data.
All Surface Power-Data EXCLUDING:
Single and Double Slide Units
Swivel Pebble or Racetrack Lid
TAS Units
Power-Comm Troughs, Dual
For Power-Comm Troughs (Single) – cutout width needs to be parallel to the width of the table.

! IMPORTANT:

Wood grain direction is along the width dimension (w) on 1-section tops.
All structural core top sizes are in 1-section and cannot be sectioned further for handling or logistics purposes.
144w tables in Wood1 and Wood2 are dependent on veneer availability.
Glass surfaces 144w have two-piece construction on a single section subtop, with seam on-center.
Parametric sizing is available, up to -6in. width, -6in depth. Bevel Edge not available with parametric sizing.
See the Terms & Options section at the front of the price list for POWER-DATA solutions.
Tables require field assembly.

Specify: Product No. & Qty
Edge Shape
Tagging
Wood Finish

Specify base finish from
TUOHY Resin Solid Color (SC) Offerings:
MRB, MRBM, MRBZ, MRSA, MRTG, MRW

TUOHY

Conference: **Faraday**

Structural Core One-Piece Tops


Center Plinth included in price

May 1, 2023



Collaborative Height 40.0h

16 Degree Bevel Edge 1.5th

16 Degree Bevel Edge 1.5th						Prefix/Size	Top Material/Code								
							AEGlass	AELGlass	BPGlass	AcrylicSS	FauxLthr	HPL	Marble	Quartz	Wood1
Shape	sections	pcs	w	d	seats	FBS1SBC...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
	1	1	96	32	6-10	...R19 ...	-	-	-	-	-	10864	-	-	11176
	1	1	96	48	6-12	...R7...	-	-	-	-	-	13035	-	-	13035
	1	1	120	36	8-12	...R20...	-	-	-	-	-	13740	-	-	14415
	1	1	120	52	8-14	...R9...	-	-	-	-	-	15963	-	-	16939
	1	1	144	36	10-14	...R21...	-	-	-	-	-	15420	-	-	16224
	1	1	144	52	10-16	...R11...	-	-	-	-	-	18119	-	-	19299



Top Edges & Materials



NOTES:

Tables 32" & 36" deep have 16" deep frame, 9" deep plinth.

Tables 48" & 52" deep have 22"d frame, 11"deep plinth.

Electrical Options:

- All Perimeter Power-Data.
- All Surface Power-Data EXCLUDING:
 - Single and Double Slide Units
 - Swivel Pebble or Racetrack Lid
 - TAS Units
 - Power-Comm Troughs, Dual

For Power-Comm Troughs (Single) – cutout width needs to be parallel to the width of the table.

! IMPORTANT:

Wood grain direction is along the width dimension (w) on 1-section tops.

All structural core top sizes are in 1-section and cannot be sectioned further for handling or logistics purposes.

144w tables in Wood1 and Wood2 are dependent on veneer availability.

Glass surfaces 144w have two-piece construction on a single section subtop, with seam on-center.

Parametric sizing is available, up to -6in. width, -6in depth. Bevel Edge not available with parametric sizing.

See the Terms & Options section at the front of the price list for POWER-DATA solutions.

Tables require field assembly.

Specify: Product No. & Qty

Edge Shape

Tagging

Wood Finish

Specify base finish from

TUOHY Resin Solid Color (SC) Offerings:

MRB, MRBM, MRBZ, MRSA, MRTG, MRW



Conference: **Faraday**

Structural Core One-Piece Tops

Center Plinth included in price

May 1, 2023

Collaborative Height 40.0h

Square Metal Edge 1.5th

MRBAS Resin Brushed Aluminum Steel Tint

Square Metal Edge 1.5th						Prefix/Size	Top Material/Code									
MRBAS Resin Brushed Aluminum Steel Tint							AEGlass	AELGlass	BPGlass	AcrylicSS	FauxLthr	HPL	Marble	Quartz	Wood1	
Shape	sections	pcs	w	d	seats	FSM1SBC....	...A	...L	...B	...C	...F	...H	...M	...Q	...W	
	Rectangle	1	96	32	6-10	...R19 ...	-	-	-	-	-	12336	-	-	12647	
		1	96	48	6-12	...R7...	-	-	-	-	-	14507	-	-	14507	
		1	120	36	8-12	...R20...	-	-	-	-	-	15212	-	-	15886	
		1	120	52	8-14	...R9...	-	-	-	-	-	17434	-	-	18410	
		1	144	36	10-14	...R21...	-	-	-	-	-	18329	-	-	19132	
		1	144	52	10-16	...R11...	-	-	-	-	-	21028	-	-	22208	

Collaborative Height 40.5h

Square Metal Edge 2th

MRBAS Resin Brushed Aluminum Steel Tint

Shape	sections	pcs	w	d	seats	FSM2SBC...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
	1	1	96	32	6-10	...R19 ...	15952	-	14174	13900	-	-	-	-	-
		1	96	48	6-12	...R7...	19229	-	16719	16160	-	-	-	-	-
		1	120	36	8-12	...R20...	21866	-	21284	17612	-	-	-	-	-
		1	120	52	8-14	...R9...	-	-	-	20693	-	-	-	-	-
		1	144	36	10-14	...R21...	-	-	-	20706	-	-	-	-	-
		1	144	52	10-16	...R11...	-	-	-	24471	-	-	-	-	-

Top Edges & Materials

... A Acid-Etched Glass
GAB Black, GAW White

... B Back-Painted Glass
S.BLK Black
S.BWT White

... C Acrylic Solid Surface
Avonite® Polaris

... H HPL
Formica® 949 White

... W Wood1
All colors

NOTES:

Tables 32" & 36" deep have 16" deep frame, 9" deep plinth.
Tables 48" & 52" deep have 22"d frame, 11"deep plinth.
Electrical Options:
All Perimeter Power-Data.
All Surface Power-Data EXCLUDING:
Single and Double Slide Units
Swivel Pebble or Racetrack Lid
TAS Units
Power-Comm Troughs, Dual
For Power-Comm Troughs (Single) – cutout width needs to be parallel to the width of the table.

! IMPORTANT:

Wood grain direction is along the width dimension (w) on 1-section tops.
All structural core top sizes are in 1-section and cannot be sectioned further for handling or logistics purposes.
144w tables in Wood1 and Wood2 are dependent on veneer availability.
Glass surfaces 144w have two-piece construction on a single section subtop, with seam on-center.
Parametric sizing is available, up to -6in. width, -6in depth. Bevel Edge not available with parametric sizing.
See the Terms & Options section at the front of the price list for POWER-DATA solutions.
Tables require field assembly.

Specify: Product No. & Qty
Edge Shape
Tagging
Wood Finish

Specify base finish from
TUOHY Resin Solid Color (SC) Offerings:
MRB, MRBM, MRBZ, MRSA, MRTG, MRW

TUOHY

Conference: **Faraday**

Structural Core One-Piece Tops

Center Plinth included in price

May 1, 2023

Collaborative Height 40.0h

Square Self Edge 1.5th

Square Self Edge 1.5th						Prefix/Size	Top Material/Code													
							AEGlass	AELGlass	BPGlass	AcrylicSS	FauxLthr	HPL	Marble	Quartz	Wood1					
Shape	sections	pcs	w	d	seats	FSS1SBC...	...A	...L	...B	...C	...F	...H	...M	...Q	...W					
	Rectangle	1	96	32	6-10	...R19 ...	-	-	-	-	-	10864	-	-	11176					
		1	96	48	6-12	...R7...	-	-	-	-	-	13035	-	-	13035					
		1	120	36	8-12	...R20...	-	-	-	-	-	13740	-	-	14415					
		1	120	52	8-14	...R9...	-	-	-	-	-	15963	-	-	16939					
		1	144	36	10-14	...R21...	-	-	-	-	-	15420	-	-	16224					
		1	144	52	10-16	...R11...	-	-	-	-	-	18119	-	-	19299					

Collaborative Height 40.5h

Square Self Edge 2th

Shape	sections	pcs	w	d	seats	FSS2SBC...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
Rectangle	1	1	96	32	6-10	...R19 ...	-	-	-	12369	-	-	-	-	-
		1	96	48	6-12	...R7...	-	-	-	14632	-	-	-	-	-
		1	120	36	8-12	...R20...	-	-	-	16081	-	-	-	-	-
		1	120	52	8-14	...R9...	-	-	-	19162	-	-	-	-	-
		1	144	36	10-14	...R21...	-	-	-	18217	-	-	-	-	-
		1	144	52	10-16	...R11...	-	-	-	21982	-	-	-	-	-

Top Edges & Materials

... C Acrylic Solid Surface
Avonite® Polaris

... H HPL...
Formica® 949 White

... W Wood1
Wood1 colors

NOTES:

Tables 32" & 36" deep have 16" deep frame, 9" deep plinth.
Tables 48" & 52" deep have 22"d frame, 11"deep plinth.
Electrical Options:
All Perimeter Power-Data.
All Surface Power-Data EXCLUDING:
Single and Double Slide Units
Swivel Pebble or Racetrack Lid
TAS Units
Power-Comm Troughs, Dual
For Power-Comm Troughs (Single) – cutout width needs to be parallel to the width of the table.

! IMPORTANT:

Wood grain direction is along the width dimension (w) on 1-section tops.
All structural core top sizes are in 1-section and cannot be sectioned further for handling or logistics purposes.
144w tables in Wood1 and Wood2 are dependent on veneer availability.
Glass surfaces 144w have two-piece construction on a single section subtop, with seam on-center.
Parametric sizing is available, up to -6in. width, -6in depth. Bevel Edge not available with parametric sizing.
See the Terms & Options section at the front of the price list for POWER-DATA solutions.
Tables require field assembly.

Specify: Product No. & Qty
Edge Shape
Tagging
Wood Finish

Specify base finish from
TUOHY Resin Solid Color (SC) Offerings:
MRB, MRBM, MRBZ, MRSA, MRTG, MRW


TUOHY

Conference: **Faraday**
Structural Core One-Piece Tops
No Center Plinth Included

May 1, 2023


Conference Height 29.5h
16 Degree Bevel Edge 1.5th

16 Degree Bevel Edge 1.5th						Prefix/Size	Top Material/Code								
							AEGlass	AELGlass	BPGlass	AcrylicSS	FauxLthr	HPL	Marble	Quartz	Wood1
Shape	sections	pcs	w	d	seats	FBS1S...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
Rectangle	1	1	96	32	6-10	...R19 ...	-	-	-	-	-	8581	-	-	5528
		1	96	48	6-12	...R7 ...	-	-	-	-	-	10708	-	-	10708
	1	1	120	36	8-12	...R20...	-	-	-	-	-	11055	-	-	7614
		1	120	52	8-14	...R9...	-	-	-	-	-	13233	-	-	14209
		1	144	36	10-14	...R21...	-	-	-	-	-	12332	-	-	8963
		1	144	52	10-16	...R11...	-	-	-	-	-	14987	-	-	16167




Top Edges & Materials

... H HPL
Formica® 949 White (PVC as self-edge)



... W Wood
Wood1 colors



NOTES:

Tables 32" & 36" deep have 16" deep frame.
Tables 48" & 52" deep have 22"d frame.
Electrical Options:
 All Perimeter Power-Data.
 All Surface Power-Data EXCLUDING:
 Single and Double Slide Units
 Swivel Pebble or Racetrack Lid
 TAS Units
 Power-Comm Troughs, Dual
For Power-Comm Troughs (Single) – cutout width needs to be parallel to the width of the table.

! IMPORTANT:

Wood grain direction is along the width dimension (w) on 1-section tops.
All structural core top sizes are in 1-section and cannot be sectioned further for handling or logistics purposes.
144w tables in Wood1 and Wood2 are dependent on veneer availability.
Glass surfaces 144w have two-piece construction on a single section subtop, with seam on-center.
Parametric sizing is available, up to -6in. width, -6in depth. Bevel Edge not available with parametric sizing.
See the Terms & Options section at the front of the price list for POWER-DATA solutions.
Tables require field assembly.

Specify: Product No. & Qty
Edge Shape
Tagging
Wood Finish

Specify base finish from
TUOHY Resin Solid Color (SC) Offerings:
MRB, MRBM, MRBZ, MRSA, MRTG, MRW

TUOHY

Conference: **Faraday**

Structural Core One-Piece Tops

No Center Plinth Included

May 1, 2023

Conference Height 29.5h

Sqaure Metal Edge 1.5th

MRBAS Resin Brushed Aluminum Steel Tint

Square Metal Edge 1.5th						Prefix/Size	Top Material/Code									
MRBAS Resin Brushed Aluminum Steel Tint							AEGlass	AELGlass	BPGlass	AcrylicSS	FauxLthr	HPL	Marble	Quartz	Wood1	
Shape	sections	pcs	w	d	seats	FSM1S...	...A	...L	...B	...C	...F	...H	...M	...Q	...W	
	1	1	96	32	6-10	...R19 ...	-	-	-	-	-	10052	-	-	10365	
		1	96	48	6-12	...R7...	-	-	-	-	-	12181	-	-	12181	
		1	120	36	8-12	...R20...	-	-	-	-	-	12527	-	-	13201	
		1	120	52	8-14	...R9...	-	-	-	-	-	14705	-	-	15681	
		1	144	36	10-14	...R21...	-	-	-	-	-	15240	-	-	16045	
		1	144	52	10-16	...R11...	-	-	-	-	-	17896	-	-	19077	

Conference Height 30h

Sqaure Metal Edge 2th

MRBAS Resin Brushed Aluminum Steel Tint

Shape	sections	pcs	w	d	seats	FSM2S...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
Rectangle	1	1	96	32	6-10	...R19 ...	11232	-	11892	11615	-	-	-	-	-
	1	1	96	48	6-12	...R7...	16902	-	14392	14927	-	-	-	-	-
	1	1	120	36	8-12	...R20...	19180	-	18599	14927	-	-	-	-	-
	1	1	120	52	8-14	...R9...	-	-	-	17963	-	-	-	-	-
	1	1	144	36	10-14	...R21...	-	-	-	17618	-	-	-	-	-
	1	1	144	52	10-16	...R11...	-	-	-	21340	-	-	-	-	-

Top Edges & Materials

... A Acid-Etched Glass
GAB Black, GAW White

... B Back-Painted Glass
S.BLK Black
S.BWT White

... C Acrylic Solid Surface
Avonite® Polaris

... H HPL
Formica® 949 White

... W Wood1
All colors

NOTES:

- Tables 32" & 36" deep have 16" deep frame.
- Tables 48" & 52" deep have 22"d frame.
- Electrical Options:
 - All Perimeter Power-Data.
 - All Surface Power-Data EXCLUDING:
 - Single and Double Slide Units
 - Swivel Pebble or Racetrack Lid
 - TAS Units
 - Power-Comm Troughs, Dual
- For Power-Comm Troughs (Single) – cutout width needs to be parallel to the width of the table.

! IMPORTANT:

- Wood grain direction is along the width dimension (w) on 1-section tops.
- All structural core top sizes are in 1-section and cannot be sectioned further for handling or logistics purposes.
- 144w tables in Wood1 and Wood2 are dependent on veneer availability.
- Glass surfaces 144w have two-piece construction on a single section subtop, with seam on-center.
- Parametric sizing is available, up to -6in. width, -6in depth. Bevel Edge not available with parametric sizing.
- See the Terms & Options section at the front of the price list for POWER-DATA solutions.
- Tables require field assembly.

TUOHY


Specify: Product No. & Qty
Edge Shape
Tagging
Wood Finish

Specify base finish from
TUOHY Resin Solid Color (SC) Offerings:
MRB, MRBM, MRBZ, MRSA, MRTG, MRW

Conference: **Faraday**
Structural Core One-Piece Tops
No Center Plinth included


May 1, 2023

Conference Height 29.5h
Square Self Edge 1.5th


Square Self Edge 1.5th						Prefix/Size	Top Material/Code									
							AEGlass	AELGlass	BPGlass	AcrylicSS	FauxLthr	HPL	Marble	Quartz	Wood1	
Shape	sections	pcs	w	d	seats	FSS1S...	...A	...L	...B	...C	...F	...H	...M	...Q	...W	
	1	1	96	32	6-10	...R19 ...	-	-	-	-	-	8581	-	-	5528	
		1	96	48	6-12	...R7...	-	-	-	-	-	10708	-	-	10708	
		1	120	36	8-12	...R20...	-	-	-	-	-	11055	-	-	7614	
		1	120	52	8-14	...R9...	-	-	-	-	-	13233	-	-	14209	
		1	144	36	10-14	...R21...	-	-	-	-	-	12332	-	-	8963	
		1	144	52	10-16	...R11...	-	-	-	-	-	14987	-	-	16167	

Top Edges & Materials

... C Acrylic Solid Surface
Avonite® Polaris



... H HPL...
Formica® 949 White



... W Wood1
Wood1 colors



Conference Height 30h
Square Self Edge 2th

Shape	sections	pcs	w	d	seats	FSS2S...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
Rectangle	1	1	96	32	6-10	...R19 ...	-	-	-	10087	-	-	-	-	-
		1	96	48	6-12	...R7...	-	-	-	12304	-	-	-	-	-
		1	120	36	8-12	...R20...	-	-	-	13397	-	-	-	-	-
		1	120	52	8-14	...R9...	-	-	-	16432	-	-	-	-	-
		1	144	36	10-14	...R21...	-	-	-	15130	-	-	-	-	-
		1	144	52	10-16	...R11...	-	-	-	18851	-	-	-	-	-

NOTES:

- Tables 32" & 36" deep have 16" deep frame.
- Tables 48" & 52" deep have 22"d frame.
- Electrical Options:
 - All Perimeter Power-Data.
 - All Surface Power-Data EXCLUDING:
 - Single and Double Slide Units
 - Swivel Pebble or Racetrack Lid
 - TAS Units
 - Power-Comm Troughs, Dual
- For Power-Comm Troughs (Single) – cutout width needs to be parallel to the width of the table.

! IMPORTANT:

- Wood grain direction is along the width dimension (w) on 1-section tops.
- All structural core top sizes are in 1-section and cannot be sectioned further for handling or logistics purposes.
- 144w tables in Wood1 and Wood2 are dependent on veneer availability.
- Glass surfaces 144w have two-piece construction on a single section subtop, with seam on-center.
- Parametric sizing is available, up to -6in. width, -6in depth. Bevel Edge not available with parametric sizing.
- See the Terms & Options section at the front of the price list for POWER-DATA solutions.
- Tables require field assembly.

Specify: Product No. & Qty
Edge Shape
Tagging
Wood Finish

Specify base finish from
TUOHY Resin Solid Color (SC) Offerings:
MRB, MRBM, MRBZ, MRSA, MRTG, MRW

TUOHY

Conference: **Faraday**

Structural Core One-Piece Tops


No Center Plinth included

May 1, 2023

Collaborative Height 40.0h

16 Degree Bevel Edge 1.5th

16 Degree Bevel Edge 1.5th						Prefix/Size	Top Material/Code								
						AEGlass	AELGlass	BPGlass	AcrylicSS	FauxLthr	HPL	Marble	Quartz	Wood1	
Shape	sections	pcs	w	d	seats	FBS1SC...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
	1	1	96	32	6-10	...R19 ...	-	-	-	-	-	8847	-	-	9158
	1	1	96	48	6-12	...R7...	-	-	-	-	-	10976	-	-	10976
	1	1	120	36	8-12	...R20...	-	-	-	-	-	11322	-	-	11996
	1	1	120	52	8-14	...R9...	-	-	-	-	-	13500	-	-	14476
	1	1	144	36	10-14	...R21...	-	-	-	-	-	12598	-	-	13403
	1	1	144	52	10-16	...R11...	-	-	-	-	-	15254	-	-	16435



Top Edges & Materials

... H

HPL
Formica® 949 White (PVC as self-edge)

... W

Wood
Wood1 colors

NOTES:

Tables 32" & 36" deep have 16" deep frame.

Tables 48" & 52" deep have 22"d frame.

Electrical Options:

- All Perimeter Power-Data.
- All Surface Power-Data EXCLUDING:
 - Single and Double Slide Units
 - Swivel Pebble or Racetrack Lid
 - TAS Units
 - Power-Comm Troughs, Dual

For Power-Comm Troughs (Single) – cutout width needs to be parallel to the width of the table.

! IMPORTANT:

Wood grain direction is along the width dimension (w) on 1-section tops.

All structural core top sizes are in 1-section and cannot be sectioned further for handling or logistics purposes.

144w tables in Wood1 and Wood2 are dependent on veneer availability.

Glass surfaces 144w have two-piece construction on a single section subtop, with seam on-center.

Parametric sizing is available, up to -6in. width, -6in depth. Bevel Edge not available with parametric sizing.

See the Terms & Options section at the front of the price list for POWER-DATA solutions.

Tables require field assembly.

Specify: Product No. & Qty

Edge Shape

Tagging

Wood Finish

Specify base finish from

TUOHY Resin Solid Color (SC) Offerings:

MRB, MRBM, MRBZ, MRSA, MRTG, MRW

TUOHY

Conference: **Faraday**

Structural Core One-Piece Tops

No Center Plinth included

May 1, 2023

Collaborative Height 40.0h

Square Metal Edge 1.5th

MRBAS Resin Brushed Aluminum Steel Tint

Square Metal Edge 1.5th						Prefix/Size	Top Material/Code								
MRBAS Resin Brushed Aluminum Steel Tint							AEGlass	AELGlass	BPGlass	AcrylicSS	FauxLthr	HPL	Marble	Quartz	Wood1
Shape	sections	pcs	w	d	seats	FSM1SC...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
	1	1	96	32	6-10	...R19 ...	-	-	-	-	-	10319	-	-	10631
		1	96	48	6-12	...R7 ...	-	-	-	-	-	12446	-	-	12446
		1	120	36	8-12	...R20...	-	-	-	-	-	12794	-	-	13468
		1	120	52	8-14	...R9...	-	-	-	-	-	14972	-	-	15948
		1	144	36	10-14	...R21...	-	-	-	-	-	15507	-	-	16311
		1	144	52	10-16	...R11...	-	-	-	-	-	18162	-	-	19342

Collaborative Height 40.5h

Square Metal Edge 2th

MRBAS Resin Brushed Aluminum Steel Tint

Shape	sections	pcs	w	d	seats	FSM2SC...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
Rectangle	1	1	96	32	6-10	...R19 ...	13936	-	12158	11882	-	-	-	-	-
		1	96	48	6-12	...R7...	17169	-	14659	14101	-	-	-	-	-
		1	120	36	8-12	...R20...	19446	-	18865	15192	-	-	-	-	-
		1	120	52	8-14	...R9...	-	-	-	18230	-	-	-	-	-
		1	144	36	10-14	...R21...	-	-	-	17884	-	-	-	-	-
		1	144	52	10-16	...R11...	-	-	-	21605	-	-	-	-	-

Top Edges & Materials

... A Acid-Etched Glass
GAB Black, GAW White

... B Back-Painted Glass
S.BLK Black
S.BWT White

... C Acrylic Solid Surface
Avonite® Polaris

... H HPL
Formica® 949 White

... W Wood1
All colors

NOTES:

- Tables 32" & 36" deep have 16" deep frame.
- Tables 48" & 52" deep have 22"d frame.
- Electrical Options:
 - All Perimeter Power-Data.
 - All Surface Power-Data EXCLUDING:
 - Single and Double Slide Units
 - Swivel Pebble or Racetrack Lid
 - TAS Units
 - Power-Comm Troughs, Dual
- For Power-Comm Troughs (Single) – cutout width needs to be parallel to the width of the table.

! IMPORTANT:

- Wood grain direction is along the width dimension (w) on 1-section tops.
- All structural core top sizes are in 1-section and cannot be sectioned further for handling or logistics purposes.
- 144w tables in Wood1 and Wood2 are dependent on veneer availability.
- Glass surfaces 144w have two-piece construction on a single section subtop, with seam on-center.
- Parametric sizing is available, up to -6in. width, -6in depth. Bevel Edge not available with parametric sizing.
- See the Terms & Options section at the front of the price list for POWER-DATA solutions.
- Tables require field assembly.

- Specify: Product No. & Qty

Edge Shape

Tagging

Wood Finish
- Specify base finish from

TUOHY Resin Solid Color (SC) Offerings:

MRB, MRBM, MRBZ, MRSA, MRTG, MRW

TUOHY

Conference: **Faraday**


Structural Core One-Piece Tops

No Center Plinth included

May 1, 2023

Collaborative Height 40.0h

Square Self Edge 1.5th

Square Self Edge 1.5th			Prefix/Size			Top Material/Code									
						AEGlass	AELGlass	BPGlass	AcrylicSS	FauxLthr	HPL	Marble	Quartz	Wood1	
Shape	sections	pcs	w	d	seats	FSS1SC...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
	1	1	96	32	6-10	...R19 ...	-	-	-	-	-	8847	-	-	9158
		1	96	48	6-12	...R7 ...	-	-	-	-	-	10976	-	-	10976
		1	120	36	8-12	...R20...	-	-	-	-	-	11322	-	-	11996
		1	120	52	8-14	...R9...	-	-	-	-	-	13500	-	-	14476
		1	144	36	10-14	...R21...	-	-	-	-	-	12598	-	-	13403
		1	144	52	10-16	...R11...	-	-	-	-	-	15254	-	-	16435

Top Edges & Materials

... C Acrylic Solid Surface
Avonite® Polaris

... H HPL...
Formica® 949 White

... W Wood1
Wood1 colors

Collaborative Height 40.5h

Square Self Edge 2th

Shape	sections	pcs	w	d	seats	FSS2SC...	...A	...L	...B	...C	...F	...H	...M	...Q	...W
Rectangle	1	1	96	32	6-10	...R19 ...	-	-	-	10353	-	-	-	-	-
		1	96	48	6-12	...R7...	-	-	-	12570	-	-	-	-	-
		1	120	36	8-12	...R20...	-	-	-	13663	-	-	-	-	-
		1	120	52	8-14	...R9...	-	-	-	16699	-	-	-	-	-
		1	144	36	10-14	...R21...	-	-	-	15396	-	-	-	-	-
		1	144	52	10-16	...R11...	-	-	-	19118	-	-	-	-	-

NOTES:

Tables 32" & 36" deep have 16" deep frame.
Tables 48" & 52" deep have 22"d frame.
Electrical Options:
All Perimeter Power-Data.
All Surface Power-Data EXCLUDING:
Single and Double Slide Units
Swivel Pebble or Racetrack Lid
TAS Units
Power-Comm Troughs, Dual
For Power-Comm Troughs (Single) – cutout width needs to be parallel to the width of the table.

! IMPORTANT:

Wood grain direction is along the width dimension (w) on 1-section tops.
All structural core top sizes are in 1-section and cannot be sectioned further for handling or logistics purposes.
144w tables in Wood1 and Wood2 are dependent on veneer availability.
Glass surfaces 144w have two-piece construction on a single section subtop, with seam on-center.
Parametric sizing is available, up to -6in. width, -6in depth. Bevel Edge not available with parametric sizing.
See the Terms & Options section at the front of the price list for POWER-DATA solutions.
Tables require field assembly.

TUOHY

Specify: Product No. & Qty
Edge Shape
Tagging
Wood Finish

Specify base finish from
TUOHY Resin Solid Color (SC) Offerings:
MRB, MRBM, MRBZ, MRSA, MRTG, MRW

TUOHY