

PRICING & SPECIFICATION GUIDE
Kredens Collection

Sept 1, 2023

TUOHY



Design:
TUOHY Design Team

Concealed & Exposed Tops	CKR3
Tops	CKR5
Benches	CKR6
Low Credenzas	CKR7
Bench & Low Credenza Cushions	CKR9
Credenzas	CKR11
Credenzas, Wall Hung	CKR13
Buffets	CKR15
Buffets, Wall Hung	CKR17
Drawer Inserts	CKR19
Wall Panels	CKR20
Wood1	CKR20
OcuWrite BPGlass	CKR21
Fabric	CKR22
Wall Panel Shelves	CKR23

CONCEALED & EXPOSED TOPS

Casework in the Kredens Collection is available in two formats:

- Concealed Top versions have drawer and door faces extending over a 0.75-inch top; pulls or knobs are required (see below).
- Exposed Top formats have 1.5-inch thick tops that extend over doors and drawer faces; pulls or knobs are required (see below).

0.75th CONCEALED TOP (pull/knob selection required).

Hardware Placement Notes

Drawer knobs and pulls will be centered on all drawer fronts, except as follows:

- 830 Pulls will be mounted RIGHT on drawers faces 18-inches wide or less.

101 recessed pulls have 1"th faces and require a 10% upcharge.

*Note:
These pulls can be powder coated with any standard Tuohy solid color including:

MRB - Resin Black
MRBM - Resin Matte Black
MRBZ - Resin Bronze
MRSA - Resin Satin Aluminum
MRTG - Resin Thunder Gray
MRW - Resin White



101 Recessed Wood



820* Resin Stainless



830* Resin Stainless



840* Resin Stainless



851 Chrome Polished
856* Stainless Steel



900* Resin Stainless



930* Resin Stainless



Danza*
MRBAS Resin Brushed
Aluminum Steel Tint
MPA Polished Aluminum



Geneva*
Brushed Nickel



Prima*
MSBN Satin Brushed Nickel
MPA Polished Aluminum

1.5th EXPOSED TOP (pull/knob selection required).



101 Recessed Wood



820* Resin Stainless



830* Resin Stainless



840* Resin Stainless



851 Chrome Polished
856* Stainless Steel



900* Resin Stainless



930* Resin Stainless



Danza*
MRBAS Resin Brushed
Aluminum Steel Tint
MPA Polished Aluminum



Geneva*
Brushed Nickel



Prima*
MSBN Satin Brushed Nickel
MPA Polished Aluminum



Axis*
Resin Black
Resin White
MRSA Resin Satin Aluminum


CASEWORK OVERVIEW

Design requirements for space utilization, budget and user activity cause casework and storage to be multi-functional and adaptative to a wide variety of workplace applications.

Kredens offers storage for all levels of conference and collaboration, including low credenza/bench seating. Companion wall panels are compatible with these pieces and also serve various functions.

PEDESTAL CADENCES (tops not included):


Exposed top option will add 1.5-inches to overall ped height. Concealed top option will add 0.75-inches to overall ped height.




Tops

Product No. List \$

0.75th Concealed Top 1.5th Exposed Top



		19.25	20
For 20d Units		C	E
Top 18w	KRT2018-	673	722
Top 24w	KRT2024-	687	750
Top 30w	KRT2030-	700	779
Top 36w	KRT2036-	713	808
Top 42w	KRT2042-	726	837
Top 48w	KRT2048-	740	866
Top 54w	KRT2054-	753	895
• Top 60w	KRT2060-	766	923
Top 66w	KRT2066-	779	952
Top 72w	KRT2072-	792	981
Top 78w	KRT2078-	806	1010
Top 84w	KRT2084-	819	1039
Top 90w	KRT2090-	832	1067
Top 96w	KRT2096-	1034	1139
Top 102w	KRT20102-	1059	1170
Top 108w	KRT20108-	1084	1202
Top 114w	KRT20114-	1109	1233
Top 120w	KRT20120-	1134	1265



		23.25	24
For 24d Units		C	E
Top 18w	KRT2418-	682	739
Top 24w	KRT2424-	698	773
Top 30w	KRT2430-	713	808
Top 36w	KRT2436-	729	842
Top 42w	KRT2442-	745	877
Top 48w	KRT2448-	761	911
Top 54w	KRT2454-	777	946
• Top 60w	KRT2460-	793	980
Top 66w	KRT2466-	809	1014
Top 72w	KRT2472-	825	1049
Top 78w	KRT2478-	841	1083
Top 84w	KRT2484-	856	1118
Top 90w	KRT2490-	872	1152
Top 96w	KRT2496-	1115	1238
Top 102w	KRT24102-	1145	1275
Top 108w	KRT24108-	1175	1313
Top 114w	KRT24114-	1205	1351
Top 120w	KRT24120-	1235	1388

! Notes:
Determine Product Number by appending the Depth Code to the Product Prefix; use corresponding price.
Concealed tops are 0.75-inch thick.
Exposed tops are 1.5-inch thick.
Standard edge profile on all tops is square-cut.

Benches, 16.4h

Unfinished Back; Top/Cushion Required

Product No.

List \$

Product No.

List \$

20d

24d

Bench (Concealed Top/Cushion)

KRA20C

277

KRA24C

303

Bench (Exposed Top/Cushion)

KRA20E


277

KRA24E


303

Peds require pull selection


See page CKR3 for pull options




	w	d	Spec Code		Spec Code		Spec Code	Add \$
Open Shelving 16	16	19.25, 23.25	A16	1512	A16	1498	FB	211
• Open Shelving 18	18	19.25, 23.25	A18	1543	A18	1524	FB	215
Open Shelving 20	20	19.25, 23.25	A20	1499	A20	1551	FB	219
Open Shelving 24	24	19.25, 23.25	A24	1612	A24	1686	FB	226
Open Shelving 30	30	19.25, 23.25	A30	1698	A30	1708	FB	238
Open Shelving 36	36	19.25, 23.25	A36	1920	A36	1890	FB	249



Cabinet 16 LH	16	20, 24	C16L	1882	C16L	1927	FB	211
Cabinet 16 RH	16	20, 24	C16R	1882	C16R	1927	FB	211
• Cabinet 18 LH	18	20, 24	C18L	1915	C18L	1963	FB	215
Cabinet 18 RH	18	20, 24	C18R	1915	C18R	1963	FB	215
Cabinet 20 LH	20	20, 24	C20L	1969	C20L	2021	FB	219
Cabinet 20 RH	20	20, 24	C20R	1969	C20R	2021	FB	219
Cabinet 24 DBL	24	20, 24	C24	2130	C24	2204	FB	226
Cabinet 30 DBL	30	20, 24	C30	2245	C30	2335	FB	238
Cabinet 36 DBL	36	20, 24	C36	2359	C36	2465	FB	249



Full Front: 2Box Drawer 16	16	20, 24	D16	1969	D16	2018	FB	211
• Full Front: 2Box Drawer 18	18	20, 24	D18	2008	D18	2051	FB	215
Full Front: 2Box Drawer 20	20	20, 24	D20	2037	D20	2022	FB	219
Full Front: 2Box Drawer 24	24	20, 24	D24	2046	D24	2150	FB	226
Full Front: 2Box Drawer 30	30	20, 24	D30	2192	D30	2168	FB	238
Full Front: 2Box Drawer 36	36	20, 24	D36	2284	D36	2349	FB	249



StorageBin Drawer 16	16	20, 24	S16	1805	S16	1842	FB	211
• StorageBin Drawer 18	18	20, 24	S18	1831	S18	1869	FB	215
StorageBin Drawer 20	20	20, 24	S20	1856	S20	1897	FB	219
StorageBin Drawer 24	24	20, 24	S24	1908	S24	1953	FB	226
StorageBin Drawer 30	30	20, 24	S30	1985	S30	2036	FB	238
StorageBin Drawer 36	36	20, 24	S36	2063	S36	2120	FB	249

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

All pedestals have unfinished backs and are manufactured as combined units.

Soft close drawers.

Cushions must be ordered separately and may be alternated or replaced with Tops.

Tops must be ordered separately and are available up to a maximum width of 120-in.


+ Options:

For door/drawer locks, specify Option LD; no price change.

For ventilation cutouts, specify Option VS; add \$459.

Low Credenza
w/ Blade Base, 22.4h

Peds require pull selection
See page CKR3 for pull options



Unfinished Back; Top/Cushion Required

Low Credenza w/ Blade (Concealed Top/Cushion)

Low Credenza w/ Blade (Exposed Top/Cushion)

Product No.

List \$

Product No.

List \$

20d

24d

KRB20C

277

KRB24C

303

KRB20E

277

KRB24E

303

	w	d	Spec Code		Spec Code		Spec Code	Add \$
							Finished Back	
• Open Shelving 16	16	19.25, 23.25	A16	2260	A16	2304	FB	330
• Open Shelving 18	18	19.25, 23.25	A18	2384	A18	2432	FB	348
• Open Shelving 20	20	19.25, 23.25	A20	2433	A20	2560	FB	367
• Open Shelving 24	24	19.25, 23.25	A24	2734	A24	2897	FB	404
• Open Shelving 30	30	19.25, 23.25	A30	3100	A30	3221	FB	460
• Open Shelving 36	36	19.25, 23.25	A36	3602	A36	3706	FB	515
Cabinet 16 LH	16	20, 24	C16L	2630	C16L	2734	FB	330
Cabinet 16 RH	16	20, 24	C16R	2630	C16R	2734	FB	330
• Cabinet 18 LH	18	20, 24	C18L	2756	C18L	2871	FB	348
Cabinet 18 RH	18	20, 24	C18R	2756	C18R	2871	FB	348
Cabinet 20 LH	20	20, 24	C20L	2904	C20L	3030	FB	367
Cabinet 20 RH	20	20, 24	C20R	2904	C20R	3030	FB	367
Cabinet 24 DBL	24	20, 24	C24	3252	C24	3415	FB	404
Cabinet 30 DBL	30	20, 24	C30	3647	C30	3847	FB	460
Cabinet 36 DBL	36	20, 24	C36	4041	C36	4280	FB	515
Full Front: 2Box Drawer 16	16	20, 24	D16	2717	D16	2825	FB	330
• Full Front: 2Box Drawer 18	18	20, 24	D18	2850	D18	2959	FB	348
Full Front: 2Box Drawer 20	20	20, 24	D20	2972	D20	3031	FB	367
Full Front: 2Box Drawer 24	24	20, 24	D24	3167	D24	3361	FB	404
Full Front: 2Box Drawer 30	30	20, 24	D30	3594	D30	3681	FB	460
Full Front: 2Box Drawer 36	36	20, 24	D36	3966	D36	4165	FB	515
StorageBin Drawer 16	16	20, 24	S16	2553	S16	2648	FB	330
• StorageBin Drawer 18	18	20, 24	S18	2672	S18	2777	FB	348
StorageBin Drawer 20	20	20, 24	S20	2791	S20	2906	FB	367
StorageBin Drawer 24	24	20, 24	S24	3030	S24	3163	FB	404
StorageBin Drawer 30	30	20, 24	S30	3387	S30	3549	FB	460
StorageBin Drawer 36	36	20, 24	S36	3745	S36	3935	FB	515

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

Minimum width of freestanding blade credenza is 30-inches.

All pedestals have unfinished backs and are manufactured as combined units.

Soft close drawers.

Cushions must be ordered separately and may be alternated or replaced with Tops.

Tops must be ordered separately and are available up to a maximum width of 120-in.

Blades are solid powdercoat finish.

(MRB) Resin Black

(MRBM) Resin Matte Black

(MRBZ) Resin Bronze

For(MRBAS) Resin Brushed Aluminum w/ Steel Tint blades specify MRBAS; add \$175.

(MRSA) Resin Satin Aluminum

(MRTG) Resin Thunder Gray

(MRW) Resin White

+ Options:

For door/drawer locks, specify Option LD; no price change.

For ventilation cutouts, specify Option VS; add \$459.

Low Credenzas, 22.4h

Unfinished Back; Top Required

Product No.

List \$

Product No.

List \$

20d

24d

Low Credenza (Concealed Top/Cushion)

KRC20C

324

KRC24C

360

Low Credenza (Exposed Top/Cushion)

KRC20E





324

KRC24E

360

Peds require pull selection

See page CKR3 for pull options



	w	d	Spec Code		Spec Code		Spec Code	Add \$
							Finished Back	
Open Shelving 16	16	19.25, 23.25	A16	1490	A16	1539	FB	222
• Open Shelving 18	18	19.25, 23.25	A18	1514	A18	1568	FB	227
Open Shelving 20	20	19.25, 23.25	A20	1538	A20	1596	FB	232
Open Shelving 24	24	19.25, 23.25	A24	1654	A24	1734	FB	242
Open Shelving 30	30	19.25, 23.25	A30	1744	A30	1839	FB	258
Open Shelving 36	36	19.25, 23.25	A36	1834	A36	1945	FB	273
Cabinet 16 LH	16	20, 24	C16L	1947	C16L	1996	FB	222
Cabinet 16 RH	16	20, 24	C16R	1947	C16R	1996	FB	222
• Cabinet 18 LH	18	20, 24	C18L	1984	C18L	2037	FB	227
Cabinet 18 RH	18	20, 24	C18R	1984	C18R	2037	FB	227
Cabinet 20 LH	20	20, 24	C20L	2021	C20L	2078	FB	232
Cabinet 20 RH	20	20, 24	C20R	2021	C20R	2078	FB	232
Cabinet 24 LH	24	20, 24	C24L	2162	C24L	2242	FB	242
Cabinet 24 RH	24	20, 24	C24R	2162	C24R	2242	FB	242
Cabinet 30 DBL	30	20, 24	C30	2342	C30	2437	FB	258
Cabinet 36 DBL	36	20, 24	C36	2471	C36	2582	FB	273
Box/StorageBin 16	16	20, 24	S16	2109	S16	2133	FB	222
• Box/StorageBin 18	18	20, 24	S18	2149	S18	2172	FB	227
Box/StorageBin 20	20	20, 24	S20	2184	S20	2180	FB	232
Box/StorageBin 24	24	20, 24	S24	2230	S24	2288	FB	242
Box/StorageBin 30	30	20, 24	S30	2366	S30	2363	FB	258
Box/StorageBin 36	36	20, 24	S36	2468	S36	2548	FB	273
• TrashRecycle 18	18	20, 24	T18	2179	T18	2192	FB	227
TrashRecycle 20	20	20, 24	T20	2143	T20	2205	FB	232
TrashRecycle 24	24	20, 24	T24	2197	T24	2286	FB	242

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

All pedestals have unfinished backs and are manufactured as combined units.

Soft close drawers.

Tops must be ordered separately and are available up to a maximum width of 120-in.

Locks are not included on conference storage modules; see option below to order.


Trash/Recycle units 18w x 20d and 20w x 20d contain (1) Trash/Recycle bin.

Trash/Recycle units 24w x 20d and all units 24d contain (2) Trash/Recycle bins.

+ Options:

For door/drawer locks, specify Option LD; no price change.

For ventilation cutouts, specify Option VS; add \$459.

	Product No.	Dimensions	Fabric List \$					Leather List \$				
	Bench & Low Credenza Cushions-20											
	KR2018	18w 19.25d 2th 0.6 yds 4.3 sf	COM 516 F1 556 F2 561 F3 566 F4 572 F5 579	F6 587 F7 595 F8 605 F9 616 F10 628 F11 641	F12 656 F13 673 F14 691 F15 712 F16 736 F17 763	COL 593 L1 649 L2 658 L3 670 L4 683 L5 701	L6 722 L7 744 L8 769 L9 804 L10 842 L11 885					
	KR2024	24w 19.25d 2th 0.6 yds 5.4 sf	COM 542 F1 582 F2 587 F3 592 F4 598 F5 605	F6 613 F7 621 F8 631 F9 642 F10 654 F11 667	F12 682 F13 699 F14 717 F15 738 F16 762 F17 789	COL 623 L1 693 L2 704 L3 720 L4 736 L5 758	L6 785 L7 812 L8 844 L9 888 L10 936 L11 990					
	KR2030	30w 19.25d 2th 0.6 yds 6.6 sf	COM 568 F1 608 F2 613 F3 618 F4 624 F5 631	F6 639 F7 647 F8 657 F9 668 F10 680 F11 693	F12 708 F13 725 F14 743 F15 764 F16 788 F17 815	COL 653 L1 739 L2 752 L3 772 L4 792 L5 818	L6 851 L7 884 L8 924 L9 976 L10 1036 L11 1102					
	KR2036	36w 19.25d 2th 0.6 yds 7.7 sf	COM 593 F1 633 F2 638 F3 643 F4 649 F5 656	F6 664 F7 672 F8 682 F9 693 F10 705 F11 718	F12 733 F13 750 F14 768 F15 789 F16 813 F17 840	COL 682 L1 782 L2 798 L3 821 L4 844 L5 875	L6 913 L7 952 L8 998 L9 1059 L10 1129 L11 1206					
	KR2042	42w 19.25d 2th 0.6 yds 8.9 sf	COM 619 F1 659 F2 664 F3 669 F4 675 F5 682	F6 690 F7 698 F8 708 F9 719 F10 731 F11 744	F12 759 F13 776 F14 794 F15 815 F16 839 F17 866	COL 712 L1 828 L2 846 L3 872 L4 899 L5 935	L6 979 L7 1024 L8 1077 L9 1148 L10 1228 L11 1317					
	KR2048	48w 19.25d 2th 0.6 yds 10 sf	COM 645 F1 685 F2 690 F3 695 F4 701 F5 708	F6 716 F7 724 F8 734 F9 745 F10 757 F11 770	F12 785 F13 802 F14 820 F15 841 F16 865 F17 892	COL 742 L1 872 L2 892 L3 922 L4 952 L5 992	L6 1042 L7 1092 L8 1152 L9 1232 L10 1322 L11 1422					
	KR2054 (Railroaded)	54w 19.25d 2th 1.8 yds 11.2 sf	COM 671 F1 792 F2 806 F3 822 F4 840 F5 860	F6 883 F7 909 F8 937 F9 970 F10 1006 F11 1045	F12 1090 F13 1141 F14 1197 F15 1260 F16 1332 F17 1411	COL 772 L1 918 L2 940 L3 974 L4 1007 L5 1052	L6 1108 L7 1164 L8 1231 L9 1321 L10 1422 L11 1534					
	KR2060 (Railroaded)	60w 19.25d 2th 1.9 yds 12.3 sf	COM 697 F1 824 F2 840 F3 857 F4 876 F5 897	F6 921 F7 948 F8 978 F9 1012 F10 1050 F11 1092	F12 1140 F13 1193 F14 1252 F15 1318 F16 1394 F17 1478	COL 802 L1 962 L2 987 L3 1023 L4 1060 L5 1110	L6 1171 L7 1233 L8 1306 L9 1405 L10 1515 L11 1638					
	KR2066 (Railroaded)	66w 19.25d 2th 2 yds 13.5 sf	COM 723 F1 857 F2 873 F3 891 F4 911 F5 933	F6 959 F7 987 F8 1019 F9 1055 F10 1095 F11 1139	F12 1189 F13 1245 F14 1307 F15 1377 F16 1457 F17 1545	COL 831 L1 1007 L2 1034 L3 1074 L4 1115 L5 1169	L6 1236 L7 1304 L8 1385 L9 1493 L10 1614 L11 1749					
	KR2072 (Railroaded)	72w 19.25d 2th 2.1 yds 14.6 sf	COM 749 F1 890 F2 907 F3 925 F4 946 F5 970	F6 997 F7 1026 F8 1060 F9 1098 F10 1140 F11 1186	F12 1238 F13 1297 F14 1362 F15 1436 F16 1520 F17 1612	COL 861 L1 1051 L2 1080 L3 1124 L4 1168 L5 1226	L6 1299 L7 1372 L8 1460 L9 1576 L10 1708 L11 1854					

! Notes:

Only for Bench and Low Credenzas.

101 Recessed Pulls are recommended for credenzas with cushions included.

Identify which bench pedestal is to receive the cushion.


Specify by Product No. and the starting location from the left end, expressed in inches.

Cushions 52-in or more in width require fabric to be railroaded; use multiple cushions to avoid railroad.

Leather footage requires a usable area of at least 20% greater than the width and depth shown above.



Bench & Low Credenza Cushions-24



Product No.	Dimensions	Fabric List \$							Leather List \$		
KR2418	18w	COM	531	F6	649	F12	764	COL	611	L6	776
	23.25d	F1	598	F7	663	F13	792	L1	683	L7	804
	2th	F2	606	F8	679	F14	823	L2	694	L8	837
	1 yd	F3	615	F9	697	F15	858	L3	710	L9	881
	5.5 sf	F4	625	F10	717	F16	898	L4	727	L10	930
KR2424	24w	COM	562	F6	680	F12	795	COL	646	L6	853
	23.25d	F1	629	F7	694	F13	823	L1	736	L7	888
	2th	F2	637	F8	710	F14	854	L2	750	L8	929
	1 yd	F3	646	F9	728	F15	889	L3	770	L9	984
	6.9 sf	F4	656	F10	748	F16	929	L4	791	L10	1046
KR2430	30w	COM	593	F6	711	F12	826	COL	682	L6	934
	23.25d	F1	660	F7	725	F13	854	L1	791	L7	976
	2th	F2	668	F8	741	F14	885	L2	808	L8	1026
	1 yd	F3	677	F9	759	F15	920	L3	833	L9	1094
	8.4 sf	F4	687	F10	779	F16	960	L4	858	L10	1169
KR2436	36w	COM	624	F6	742	F12	857	COL	718	L6	1015
	23.25d	F1	691	F7	756	F13	885	L1	847	L7	1065
	2th	F2	699	F8	772	F14	916	L2	867	L8	1124
	1 yd	F3	708	F9	790	F15	951	L3	896	L9	1203
	9.9 sf	F4	718	F10	810	F16	991	L4	926	L10	1292
KR2442	42w	COM	655	F6	773	F12	888	COL	753	L6	1095
	23.25d	F1	722	F7	787	F13	916	L1	901	L7	1152
	2th	F2	730	F8	803	F14	947	L2	924	L8	1220
	1 yd	F3	739	F9	821	F15	982	L3	958	L9	1312
	11.4 sf	F4	749	F10	841	F16	1022	L4	992	L10	1414
KR2448	48w	COM	686	F6	804	F12	919	COL	789	L6	1173
	23.25d	F1	753	F7	818	F13	947	L1	955	L7	1237
	2th	F2	761	F8	834	F14	978	L2	981	L8	1314
	1 yd	F3	770	F9	852	F15	1013	L3	1019	L9	1416
	12.8 sf	F4	780	F10	872	F16	1053	L4	1058	L10	1531
KR2454 (Railroaded)	54w	COM	718	F6	930	F12	1137	COL	826	L6	1255
	23.25d	F1	839	F7	956	F13	1188	L1	1012	L7	1327
	2th	F2	853	F8	984	F14	1244	L2	1041	L8	1412
	1.8 yds	F3	869	F9	1017	F15	1307	L3	1083	L9	1527
	14.3 sf	F4	887	F10	1053	F16	1379	L4	1126	L10	1655
KR2460 (Railroaded)	60w	COM	749	F6	961	F12	1168	COL	861	L6	1335
	23.25d	F1	870	F7	987	F13	1219	L1	1066	L7	1414
	2th	F2	884	F8	1015	F14	1275	L2	1098	L8	1509
	1.8 yds	F3	900	F9	1048	F15	1338	L3	1145	L9	1635
	15.8 sf	F4	918	F10	1084	F16	1410	L4	1193	L10	1777
KR2466 (Railroaded)	66w	COM	780	F6	1016	F12	1246	COL	897	L6	1416
	23.25d	F1	914	F7	1044	F13	1302	L1	1122	L7	1503
	2th	F2	930	F8	1076	F14	1364	L2	1157	L8	1606
	2 yds	F3	948	F9	1112	F15	1434	L3	1208	L9	1745
	17.3 sf	F4	968	F10	1152	F16	1514	L4	1260	L10	1900
KR2472 (Railroaded)	72w	COM	811	F6	1082	F12	1347	COL	933	L6	1494
	23.25d	F1	965	F7	1115	F13	1411	L1	1176	L7	1588
	2th	F2	984	F8	1151	F14	1483	L2	1214	L8	1700
	2.3 yds	F3	1004	F9	1193	F15	1563	L3	1270	L9	1849
	18.7 sf	F4	1027	F10	1239	F16	1655	L4	1326	L10	2018
		F5	1053	F11	1289	F17	1756	L5	1401	L11	2205

! Notes:

Only for Bench and Low Credenzas.

101 Recessed Pulls are recommended for credenzas with cushions included.

Identify which bench pedestal is to receive the cushion.

Specify by Product No. and the starting location from the left end, expressed in inches.


Cushions 52-in or more in width require fabric to be railroaded; use multiple cushions to avoid railroaded.

Leather footage requires a usable area of at least 20% greater than the width and depth shown above.



Credenzas
w/ Blade Base, 28.4h

Peds require pull selection
See page CKR3 for pull options



Unfinished Back; Top Required

Credenza w/ Blade (Concealed Top)

Credenza w/ Blade (Exposed Top)

Product No.

List \$

Product No.

List \$

20d

24d

KRD20C

324

KRD24C

360

KRD20E

324

KRD24E

360

w

d

Spec Code

Spec Code

Spec Code Add \$
Finished Back

Open Shelving 16	16	19.25, 23.25	A16	2237	A16	2346	FB	340
• Open Shelving 18	18	19.25, 23.25	A18	2355	A18	2475	FB	360
Open Shelving 20	20	19.25, 23.25	A20	2473	A20	2604	FB	380
Open Shelving 24	24	19.25, 23.25	A24	2775	A24	2944	FB	420
Open Shelving 30	30	19.25, 23.25	A30	3146	A30	3352	FB	480
Open Shelving 36	36	19.25, 23.25	A36	3517	A36	3761	FB	539
Cabinet 16 LH	16	20, 24	C16L	2694	C16L	2803	FB	340
Cabinet 16 RH	16	20, 24	C16R	2694	C16R	2803	FB	340
• Cabinet 18 LH	18	20, 24	C18L	2825	C18L	2945	FB	360
Cabinet 18 RH	18	20, 24	C18R	2825	C18R	2945	FB	360
Cabinet 20 LH	20	20, 24	C20L	2955	C20L	3087	FB	380
Cabinet 20 RH	20	20, 24	C20R	2955	C20R	3087	FB	380
Cabinet 24 LH	24	20, 24	C24L	3284	C24L	3452	FB	420
Cabinet 24 RH	24	20, 24	C24R	3284	C24R	3452	FB	420
Cabinet 30 DBL	30	20, 24	C30	3744	C30	3950	FB	480
Cabinet 36 DBL	36	20, 24	C36	4153	C36	4397	FB	539
Box/StorageBin 16	16	20, 24	S16	2856	S16	2940	FB	340
• Box/StorageBin 18	18	20, 24	S18	2990	S18	3080	FB	360
Box/StorageBin 20	20	20, 24	S20	3119	S20	3188	FB	380
Box/StorageBin 24	24	20, 24	S24	3352	S24	3498	FB	420
Box/StorageBin 30	30	20, 24	S30	3768	S30	3876	FB	480
Box/StorageBin 36	36	20, 24	S36	4150	S36	4364	FB	539
• Trash/Recycle 18	18	20, 24	T18	3020	T18	3099	FB	360
Trash/Recycle 20	20	20, 24	T20	3078	T20	3214	FB	380
Trash/Recycle 24	24	20, 24	T24	3318	T24	3496	FB	420
Fridge Drawer 24 (fridge included)*	24	24	—		R24	5517	FB	420

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

Minimum width of freestanding blade credenza is 30-inches.

All pedestals have unfinished backs and are manufactured as combined units.

Soft close drawers.

Tops must be ordered separately and are available up to a maximum width of 120-in.

Locks are not included on conference storage modules; see option below to order.

Trash/Recycle units 18w x 20d and 20w x 20d contain (1) Trash/Recycle bin.

Trash/Recycle units 24w x 20d and all units 24d contain (2) Trash/Recycle bins.

*Fridge included in 24w Fridge Drawer: Dometic DM50C F

Fridge pedestals include venting.

Blades are solid powderdercoat finish.

(MRB) Resin Black

(MRSA) Resin Satin Aluminum

(MRBM) Resin Matte Black

(MRTG) Resin Thunder Gray

(MRBZ) Resin Bronze






(MRW) Resin White

For(MRBAS) Resin Brushed Aluminum w/ Steel Tint blades specify MRBAS; add \$175.

+ Options:

For door/drawer locks, specify Option LD; no price change.

For ventilation cutouts, specify Option VS; add \$459.

				Product No.	List \$			Product No.	List \$
Credenzas, 28.4h	Unfinished Back; Top Required			20d				24d	
	Credenza (Concealed Top)			KRE20C	371			KRE24C	416
	Credenza (Exposed Top)			KRE20E	371			KRE24E	416
Peds require pull selection									
See page CKR3 for pull options		w	d	Spec Code		Spec Code		Spec Code	Add \$
								Finished Back	
	Open Shelving 16	16	19.25, 23.25	A16	1526	A16	1581	FB	232
	• Open Shelving 18	18	19.25, 23.25	A18	1552	A18	1611	FB	239
	Open Shelving 20	20	19.25, 23.25	A20	1577	A20	1640	FB	245
	Open Shelving 24	24	19.25, 23.25	A24	1696	A24	1781	FB	258
	Open Shelving 30	30	19.25, 23.25	A30	1790	A30	1891	FB	278
	Open Shelving 36	36	19.25, 23.25	A36	1884	A36	2000	FB	297
	Cabinet 16 LH	16	20, 24	C16L	2011	C16L	2066	FB	232
	Cabinet 16 RH	16	20, 24	C16R	2011	C16R	2066	FB	232
	• Cabinet 18 LH	18	20, 24	C18L	2053	C18L	2112	FB	239
	Cabinet 18 RH	18	20, 24	C18R	2053	C18R	2112	FB	239
	Cabinet 20 LH	20	20, 24	C20L	2094	C20L	2157	FB	245
	Cabinet 20 RH	20	20, 24	C20R	2094	C20R	2157	FB	245
	Cabinet 24 LH	24	20, 24	C24L	2245	C24L	2330	FB	258
	Cabinet 24 RH	24	20, 24	C24R	2245	C24R	2330	FB	258
	Cabinet 30 DBL	30	20, 24	C30	2439	C30	2540	FB	278
	Cabinet 36 DBL	36	20, 24	C36	2582	C36	2699	FB	297
	4-Box 16	16	20, 24	J16	2705	J16	2788	FB	232
	• 4-Box 18	18	20, 24	J18	2774	J18	2843	FB	239
	4-Box 20	20	20, 24	J20	2822	J20	2774	FB	245
	4-Box 24	24	20, 24	J24	2928	J24	3007	FB	258
	4-Box 30	30	20, 24	J30	3081	J30	3171	FB	278
	4-Box 36	36	20, 24	J36	3235	J36	3336	FB	297
	2Box/StorageBin 16	16	20, 24	E16	2512	E16	2583	FB	232
	• 2Box/StorageBin 18	18	20, 24	E18	2568	E18	2632	FB	239
	2Box/StorageBin 20	20	20, 24	E20	2612	E20	2620	FB	245
	2Box/StorageBin 24	24	20, 24	E24	2707	E24	2780	FB	258
	2Box/StorageBin 30	30	20, 24	E30	2846	E30	2929	FB	278
	2Box/StorageBin 36	36	20, 24	E36	2985	E36	3077	FB	297
	Storage Bin/StorageBin 16	16	20, 24	S16	2319	S16	2378	FB	232
	• Storage Bin/StorageBin 18	18	20, 24	S18	2361	S18	2422	FB	239
	Storage Bin/StorageBin 20	20	20, 24	S20	2402	S20	2466	FB	245
	Storage Bin/StorageBin 24	24	20, 24	S24	2486	S24	2554	FB	258
	Storage Bin/StorageBin 30	30	20, 24	S30	2610	S30	2686	FB	278
	Storage Bin/StorageBin 36	36	20, 24	S36	2735	S36	2819	FB	297
	• TrashRecycle 18	18	20, 24	T18	2538	T18	2594	FB	239
	TrashRecycle 20	20	20, 24	T20	2542	T20	2588	FB	245
	TrashRecycle 24	24	20, 24	T24	2590	T24	2721	FB	258
	Fridge Drawer 24 (fridge included)*	24	24	—		R24	4507	FB	258
	Fridge Drawer 36 (fridge not included)**	36	24	—		R36	2800	FB	297

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

All pedestals have unfinished backs and are manufactured as combined units.

Soft close drawers.

Tops must be ordered separately and are available up to a maximum width of 120-in.

Locks are not included on conference storage modules; see option below to order.

Trash/Recycle units 18w x 20d and 20w x 20d contain (1) Trash/Recycle bin.

Trash/Recycle units 24w x 20d and all units 24d contain (2) Trash/Recycle bins.

*Fridge included in 24w Fridge Drawer: Dometic DM50C F

**Recommended Fridge for 36w Fridge Drawer: Fisher&Paykel, Model No. RB36S25MKIW.N1 (Tuohy not providing due to warranty).

Tuohy will not provide the fridge due to warranty.

Fridge pedestals include venting.

+ Options:

For door/drawer locks, specify Option LD; no price change.


For ventilation cutouts, specify Option VS; add \$459.

TUOHY

Specify: Product Number
Quantity
Color/Finish
Tagging• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Woods listed at Wood1 level

				Product No.	List \$
Credenzas	20d 16.4h (case ht) Top Required				
Wall Hung, 28.4h (Installed ht w/out top)	Wall Credenza (Concealed Top)			KRG20C	286
	Wall Credenza (Exposed Top)			KRG20E	286
Peds require pull selection See page CKR3 for pull options					
		w	d	Spec Code	
	Open Shelving 16	16	19.25	A16	1854
	• Open Shelving 18	18	19.25	A18	1885
	Open Shelving 20	20	19.25	A20	1840
	Open Shelving 24	24	19.25	A24	1956
	Open Shelving 30	30	19.25	A30	2045
	Open Shelving 36	36	19.25	A36	2274
	Cabinet 16 LH	16	20	C16L	2228
	Cabinet 16 RH	16	20	C16R	2228
	• Cabinet 18 LH	18	20	C18L	2262
	Cabinet 18 RH	18	20	C18R	2262
	Cabinet 20 LH	20	20	C20L	2317
	Cabinet 20 RH	20	20	C20R	2317
	Cabinet 24 DBL	24	20	C24	2483
	Cabinet 30 DBL	30	20	C30	2601
	Cabinet 36 DBL	36	20	C36	2719
	2Box Drawer 16	16	20	D16	2317
	• 2Box Drawer 18	18	20	D18	2358
	2Box Drawer 20	20	20	D20	2388
	2Box Drawer 24	24	20	D24	2396
	2Box Drawer 30	30	20	D30	2547
	2Box Drawer 36	36	20	D36	2642
	StorageBin Drawer 16	16	20	S16	2148
	• StorageBin Drawer 18	18	20	S18	2175
	StorageBin Drawer 20	20	20	S20	2202
	StorageBin Drawer 24	24	20	S24	2255
	StorageBin Drawer 30	30	20	S30	2334
	StorageBin Drawer 36	36	20	S36	2414



! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

All pedestals have unfinished backs and are manufactured as combined units.



Soft close drawers.

Customer walls must be adequately constructed to accept wall hung units.

Tops must be ordered separately and are available up to a maximum width of 120-in.

Wall-mount cleats are included for field installation.

Credenzas
Wall Hung/Sliding Door
29.1h (Installed Concealed Top)
29.9h (Installed Exposed Top)



			Product No.	List \$	Product No.	List \$
20d 17.1h (case ht + concealed top included)			Wood1 Doors		Glass Doors	
WCred: Sliding/Concealed 36	36	20	KRH36CW	4163	KRH36CG	4503
WCred: Sliding/Concealed 54	54	20	KRH54CW	4673	KRH54CG	5179
• WCred: Sliding/Concealed 60	60	20	KRH60CW	5467	KRH60CG	6035
WCred: Sliding/Concealed 72	72	20	KRH72CW	5803	KRH72CG	6470
WCred: Sliding/Concealed 90 [2]	90	20	KRH90CW	7574	KRH90CG	8650
WCred: Sliding/Concealed 108 [2]	108	20	KRH108CW	8103	KRH108CG	9376
20d 17.9h (case ht + exposed top included)			Wood1 Doors		Glass Doors	
WCred: Sliding/Exposed 36	36	20	KRH36EW	4262	KRH36EG	4602
WCred: Sliding/Exposed 54	54	20	KRH54EW	4821	KRH54EG	5326
• WCred: Sliding/Exposed 60	60	20	KRH60EW	5630	KRH60EG	6199
WCred: Sliding/Exposed 72	72	20	KRH72EW	5999	KRH72EG	6665
WCred: Sliding/Exposed 90 [2]	90	20	KRH90EW	7817	KRH90EG	8894
WCred: Sliding/Exposed 108 [2]	108	20	KRH108EW	8395	KRH108EG	9667

! Notes:

Tops are included. See Option Codes below for use with panels.

Units under 90w have one door; units 90 and over have two doors.

Units are manufactured as 1-section, unless otherwise noted; [2] denotes units are built and shipped in 2-sections.

Wall-mount cleats are included for field installation.

Customer walls must be adequately constructed to accept wall hung units.

OcuWrite Back-Painted Glass color: O.BWT White.

Locks are not available on sliding door units.

Metal trim on BPGlass doors has an (MBN) Brushed Nickel finish.

Metal trim finish can be customized to any solid color powdercoat option to match blade base.

(MRB) Resin Black




(MRBM) Resin Matte Black

(MRBZ) Resin Bronze

(MRSA) Resin Satin Aluminum

(MRTG) Resin Thunder Gray

(MRW) Resin White

				Product No.	List \$	Product No.	List \$		
Buffet	Unfinished Back; Top Required			20d		24d			
w/ Blade Base, 34.4h	Buffet w/ Blade (Concealed Top)			KRF20C	371	KRF24C	416		
	Buffet w/ Blade (Exposed Top)			KRF20E	371	KRF24E	416		
Peds require pull selection									
See page CKR3 for pull options									
		w	d	Spec Code		Spec Code		Spec Code	Add \$
								Finished Back	
	Open Shelving 16	16	19.25, 23.25	A16	2274	A16	2329	FB	350
	• Open Shelving 18	18	19.25, 23.25	A18	2393	A18	2452	FB	372
	Open Shelving 20	20	19.25, 23.25	A20	2512	A20	2575	FB	393
	Open Shelving 24	24	19.25, 23.25	A24	2817	A24	2902	FB	436
	Open Shelving 30	30	19.25, 23.25	A30	3192	A30	3293	FB	500
	Open Shelving 36	36	19.25, 23.25	A36	3567	A36	3683	FB	564
	Cabinet 16 LH	16	20, 24	C16L	2759	C16L	2814	FB	350
	Cabinet 16 RH	16	20, 24	C16R	2759	C16R	2814	FB	350
	• Cabinet 18 LH	18	20, 24	C18L	2894	C18L	2953	FB	372
	Cabinet 18 RH	18	20, 24	C18R	2894	C18R	2953	FB	372
	Cabinet 20 LH	20	20, 24	C20L	3029	C20L	3092	FB	393
	Cabinet 20 RH	20	20, 24	C20R	3029	C20R	3092	FB	393
	Cabinet 24 LH	24	20, 24	C24L	3367	C24L	3452	FB	436
	Cabinet 24 RH	24	20, 24	C24R	3367	C24R	3452	FB	436
	Cabinet 30 DBL	30	20, 24	C30	3841	C30	3942	FB	500
	Cabinet 36 DBL	36	20, 24	C36	4265	C36	4381	FB	564
	4-Box 16	16	20, 24	J16	3453	J16	3536	FB	350
	• 4-Box 18	18	20, 24	J18	3616	J18	3684	FB	372
	4-Box 20	20	20, 24	J20	3756	J20	3709	FB	393
	4-Box 24	24	20, 24	J24	4049	J24	4128	FB	436
	2Box/StorageBin 16	16	20, 24	E16	3260	E16	3331	FB	350
	• 2Box/StorageBin 18	18	20, 24	E18	3409	E18	3473	FB	372
	2Box/StorageBin 20	20	20, 24	E20	3547	E20	3554	FB	393
	2Box/StorageBin 24	24	20, 24	E24	3828	E24	3902	FB	436
	2Box/StorageBin 30	30	20, 24	E30	4248	E30	4331	FB	500
	2Box/StorageBin 36	36	20, 24	E36	4667	E36	4759	FB	564
	Storage Bin/StorageBin 16	16	20, 24	S16	3067	S16	3125	FB	350
	• Storage Bin/StorageBin 18	18	20, 24	S18	3202	S18	3263	FB	372
	Storage Bin/StorageBin 20	20	20, 24	S20	3337	S20	3400	FB	393
	Storage Bin/StorageBin 24	24	20, 24	S24	3607	S24	3676	FB	436
	Storage Bin/StorageBin 30	30	20, 24	S30	4012	S30	4088	FB	500
	Storage Bin/StorageBin 36	36	20, 24	S36	4417	S36	4501	FB	564
	• TrashRecycle 18	18	20, 24	T18	3379	T18	3435	FB	372
	TrashRecycle 20	20	20, 24	T20	3476	T20	3522	FB	393
	TrashRecycle 24	24	20, 24	T24	3711	T24	3842	FB	436
	Fridge Drawer (fridge included)*	24	24	—		R24	5628	FB	436
	Fridge Drawer (fridge not included)**	36	24	—		R36	4483	FB	564

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

Minimum width of freestanding blade credenza is 30-inches.

All pedestals have unfinished backs and are manufactured as combined units.

Soft close drawers.

Tops must be ordered separately and are available up to a maximum width of 120-in.

Locks are not included on conference storage modules; see option below to order.

Trash/Recycle units 18w x 20d and 20w x 20d contain (1) Trash/Recycle bin.

Trash/Recycle units 24w x 20d and all units 24d contain (2) Trash/Recycle bins.

*Fridge included in 24w Fridge Drawer: Dometic DM50C F

**Recommended Fridge for 36w Fridge Drawer: Fisher&Paykel, Model No. RB36S25MKIW.N1 (Tuohy not providing due to warranty).

Fridge pedestals include venting.

Blades are solid powderdercoat finish.

(MRB) Resin Black

(MRSA) Resin Satin Aluminum

(MRBM) Resin Matte Black

(MRTG) Resin Thunder Gray

(MRBZ) Resin Bronze

(MRW) Resin White

For(MRBAS) Resin Brushed Aluminum w/ Steel Tint blades specify MRBAS; add \$175.

+ Options:

For door/drawer locks, specify Option LD; no price change.

For ventilation cutouts, specify Option VS; add \$459.

Specify: Product Number
Quantity
Color/Finish
Tagging







• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Woods listed at Wood1 level

		Product No.	List \$	Product No.	List \$
Buffets, 34.4h	Unfinished Back; Top Required	20d		24d	
	Buffet (Concealed Top)	KRJ20C	434	KRJ24C	489
	Buffet (Exposed Top)	KRJ20E	434	KRJ24E	489

Peds require pull selection

See page CKR3 for pull options

		w	d	Spec Code		Spec Code		Spec Code	Add \$
							Finished Back		
	Open Shelving 16	16	19.25, 23.25	A16	1563	A16	1623	FB	242
	• Open Shelving 18	18	19.25, 23.25	A18	1589	A18	1654	FB	250
	Open Shelving 20	20	19.25, 23.25	A20	1616	A20	1685	FB	258
	Open Shelving 24	24	19.25, 23.25	A24	1737	A24	1828	FB	274
	Open Shelving 30	30	19.25, 23.25	A30	1836	A30	1942	FB	298
	Open Shelving 36	36	19.25, 23.25	A36	1934	A36	2056	FB	321
	Cabinet 16 LH	16	20, 24	C16L	2108	C16L	2169	FB	242
	Cabinet 16 RH	16	20, 24	C16R	2108	C16R	2169	FB	242
	• Cabinet 18 LH	18	20, 24	C18L	2155	C18L	2219	FB	250
	Cabinet 18 RH	18	20, 24	C18R	2155	C18R	2219	FB	250
	Cabinet 20 LH	20	20, 24	C20L	2201	C20L	2270	FB	258
	Cabinet 20 RH	20	20, 24	C20R	2201	C20R	2270	FB	258
	Cabinet 24 LH	24	20, 24	C24L	2362	C24L	2452	FB	274
	Cabinet 24 RH	24	20, 24	C24R	2362	C24R	2452	FB	274
	Cabinet 30 DBL	30	20, 24	C30	2570	C30	2676	FB	274
	Cabinet 36 DBL	36	20, 24	C36	2727	C36	2849	FB	298
	5-Box 16	16	20, 24	L16	3026	L16	3125	FB	242
	• 5-Box 18	18	20, 24	L18	3110	L18	3191	FB	250
	5-Box 20	20	20, 24	L20	3166	L20	3102	FB	258
	5-Box 24	24	20, 24	L24	3207	L24	3387	FB	274
	3Box/StorageBin 16	16	20, 24	H16	2833	H16	2920	FB	242
	• 3Box/StorageBin 18	18	20, 24	H18	2903	H18	2980	FB	250
	3Box/StorageBin 20	20	20, 24	H20	2957	H20	2948	FB	258
	3Box/StorageBin 24	24	20, 24	H24	3073	H24	3161	FB	274
	3Box/StorageBin 30	30	20, 24	H30	3243	H30	3342	FB	274
	3Box/StorageBin 36	36	20, 24	H36	3413	H36	3523	FB	298
	Box/2StorageBin 16	16	20, 24	N16	2640	N16	2715	FB	242
	• Box/2StorageBin 18	18	20, 24	N18	2696	N18	2770	FB	250
	Box/2StorageBin 20	20	20, 24	N20	2747	N20	2794	FB	258
	Box/2StorageBin 24	24	20, 24	N24	2852	N24	2935	FB	274
	Box/2StorageBin 30	30	20, 24	N30	3007	N30	3099	FB	274
	Box/2StorageBin 36	36	20, 24	N36	3163	N36	3264	FB	298
	• TrashRecycle 18	18	20, 24	T18	2616	T18	2698	FB	250
	TrashRecycle 20	20	20, 24	T20	2673	T20	2696	FB	258
	TrashRecycle 24	24	20, 24	T24	2757	T24	2837	FB	274
	Fridge Drawer (fridge included)*	24	24	—		R24	4623	FB	274
	Fridge Drawer (fridge not included)**	36	24	—		R36	3353	FB	298
							218		

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

All pedestals have unfinished backs and are manufactured as combined units.

Soft close drawers.

Tops must be ordered separately and are available up to a maximum width of 120-in.

Locks are not included on conference storage modules; see option below to order.

Trash/Recycle units 18w x 20d and 20w x 20d contain (1) Trash/Recycle bin.

Trash/Recycle units 24w x 20d and all units 24d contain (2) Trash/Recycle bins.

*Fridge included in 24w Fridge Drawer: Dometic DM50C F

**Recommended Fridge for 36w Fridge Drawer: Fisher&Paykel, Model No. RB36S25MKIW.N1 (Tuohy not providing due to warranty).

Tuohy will not provide the fridge due to warranty.

Fridge pedestals include venting.

+ Options:

For door/drawer locks, specify Option LD; no price change.

For ventilation cutouts, specify Option VS; add \$459.

TUOHY

Specify: Product Number
Quantity
Color/Finish
Tagging• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Woods listed at Wood1 level

Product No. List \$


Buffets

20d 22.4h (case ht); Top Required

Wall Hung, 34.4h (Installed ht w/out top)	Wall Buffet (Concealed Top)	KRK20C	334
	Wall Buffet (Exposed Top)	KRK20E	334

Peds require pull selection

See page CKR3 for pull options



			Spec Code	
Open Shelving 16	16	19.25	A16	1830
• Open Shelving 18	18	19.25	A18	1855
Open Shelving 20	20	19.25	A20	1880
Open Shelving 24	24	19.25	A24	1999
Open Shelving 30	30	19.25	A30	2092
Open Shelving 36	36	19.25	A36	2185
Cabinet 16 LH	16	20	C16L	2294
Cabinet 16 RH	16	20	C16R	2294
• Cabinet 18 LH	18	20	C18L	2333
Cabinet 18 RH	18	20	C18R	2333
Cabinet 20 LH	20	20	C20L	2371
Cabinet 20 RH	20	20	C20R	2371
Cabinet 24 LH	24	20	C24L	2516
Cabinet 24 RH	24	20	C24R	2516
Cabinet 30 DBL	30	20	C30	2702
Cabinet 36 DBL	36	20	C36	2834
Box/StorageBin 16	16	20	N16	2461
• Box/StorageBin 18	18	20	N18	2503
Box/StorageBin 20	20	20	N20	2539
Box/StorageBin 24	24	20	N24	2586
Box/StorageBin 30	30	20	N30	2726
Box/StorageBin 36	36	20	N36	2831
• TrashRecycle 18	18	20	T18	2534
TrashRecycle 20	20	20	T20	2497
TrashRecycle 24	24	20	T24	2552

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

All pedestals have unfinished backs and are manufactured as combined units.

Soft close drawers.

Customer walls must be adequately constructed to accept wall hung units.

Tops must be ordered separately and are available up to a maximum width of 120-in.

Wall-mount cleats are included for field installation.



Trash/Recycle units 18w x 20d and 20w x 20d contain (1) Trash/Recycle bin.

Trash/Recycle units 24w x 20d and all units 24d contain (2) Trash/Recycle bins.

+ Options:

For door/drawer locks, specify Option LD; no price change.



Buffets
Wall Hung/Sliding Door
35.1h (Installed Concealed Top)
35.9h (Installed Exposed Top)



	Product No.	List \$	Product No.	List \$
20d 23.1h (case ht + concealed top included)	Wood1 Doors		Glass Doors	
W Buffet: Sliding/Concealed 36	KRL36CW	4300	KRL36CG	4729
W Buffet: Sliding/Concealed 54	KRL54CW	4833	KRL54CG	5475
• W Buffet: Sliding/Concealed 60	KRL60CW	5648	KRL60CG	6362
W Buffet: Sliding/Concealed 72	KRL72CW	6000	KRL72CG	6841
W Buffet: Sliding/Concealed 90	KRL90CW	7843	KRL90CG	9210
20d 23.9h (case ht + exposed top included)	Wood1 Doors		Glass Doors	
W Buffet: Sliding/Exposed 36	KRL36EW	4399	KRL36EG	4828
W Buffet: Sliding/Exposed 54	KRL54EW	4981	KRL54EG	5622
• W Buffet: Sliding/Exposed 60	KRL60EW	5811	KRL60EG	6526
W Buffet: Sliding/Exposed 72	KRL72EW	6195	KRL72EG	7036
W Buffet: Sliding/Exposed 90	KRL90EW	8086	KRL90EG	9454

! Notes:
Tops are included. See Option Codes below for use with panels.
Units under 90w have one door; units 90 and over have two doors.
Units are manufactured as 1-section, unless otherwise noted; [2] denotes units are built and shipped in 2-sections.
Wall-mount cleats are included for field installation.
Customer walls must be adequately constructed to accept wall hung units.
OcuWrite Back-Painted Glass color: O.BWT White.
Locks are not available on sliding door units.
Metal trim on BPGlass doors has an (MBN) Brushed Nickel finish.
Metal trim finish can be customized to any solid color powdercoat option to match blade base.
(MRB) Resin Black (MRSA) Resin Satin Aluminum
(MRBM) Resin Matte Black (MRTG) Resin Thunder Gray
(MRBZ) Resin Bronze (MRW) Resin White

Drawer Inserts



Product No. List \$ Product No. List \$
For 20" Deep Pedestal For 24" Deep Pedestal


Wood Cutlery Tray Insert for box drawers					
	w				
1 For 16 wide ped	14.5	KRX2016	358	KRX2416	358
1 For 18 wide ped	16.5	KRX2018	358	KRX2418	358
2 For 20 wide ped	18.5	KRX2020	409	KRX2420	409
2 For 24 wide ped	22.5	KRX2024	409	KRX2424	409
3 For 30 wide ped	28.5			KRX2430	612
3 For 36 wide ped	34.5			KRX2436	612

K-Cup Insert for box drawers					
	w				
4 For 16 wide ped (25 K-cup)	14.5	KRY2016	424	KRY2416	424
5 For 18 wide ped (30 K-cup)	16.5	KRY2018	424	KRY2418	424
5 For 24 wide ped (30 K-cup)	22.5	KRY2024	472	KRY2424	472

Peg Insert for storage drawers					
	w				
6 For 20 wide ped (9 pegs)	18.5	KRZ2020	450	KRZ2420	450
6 For 24 wide ped (9 pegs)	22.5	KRZ2024	450	KRZ2424	450
7 For 30 wide ped (12 pegs)	28.5	KRZ2030	478	KRZ2430	478
8 For 36 wide ped (16 pegs)	34.5	KRZ2036	575	KRZ2436	575

! Notes:
Inserts are maple with a UV cured clear finish.

Description	#Shlvs	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$
Wall Panels, Wood1															
	h	30w	36w	42w	48w	54w	60w	66w	72w						
Buffet to 60.5h	24.6	2	KRMWA30 2620	KRMWA36 2732	KRMWA42 2844	KRMWA48 2960	KRMWA54 3072	KRMWA60 3186	KRMWA66 3297	KRMWA72 3410	3410				
Credenza to 60.5h	30.6	2	KRMWB30 2703	KRMWB36 2826	KRMWB42 2951	KRMWB48 3075	KRMWB54 3199	KRMWB60 3323	KRMWB66 3448	KRMWB72 3572	3572				
Low Cred. to 60.5h	36.6	2	KRMWC30 2826	KRMWC36 2967	KRMWC42 3109	KRMWC48 3251	KRMWC54 3392	KRMWC60 3533	KRMWC66 3673	KRMWC72 3814	3814				
Bench to 60.5h	42.6	3	KRMWD30 2951	KRMWD36 3109	KRMWD42 3268	KRMWD48 3424	KRMWD54 3583	KRMWD60 3741	KRMWD66 3898	KRMWD72 4057	4057				
Buffet to 72.5h	36.6	2	KRMWE30 2826	KRMWE36 2967	KRMWE42 3109	KRMWE48 3251	KRMWE54 3392	KRMWE60 3533	KRMWE66 3673	KRMWE72 3814	3814				
Credenza to 72.5h	42.6	2	KRMWF30 2951	KRMWF36 3109	KRMWF42 3268	KRMWF48 3424	KRMWF54 3583	KRMWF60 3741	KRMWF66 3898	KRMWF72 4057	4057				
Low Cred. to 72.5h	48.6	2	KRMWG30 3075	KRMWG36 3251	KRMWG42 3424	KRMWG48 3600	KRMWG54 3774	KRMWG60 3949	KRMWG66 4124	KRMWG72 4299	4299				
Bench to 72.5h	54.6	3	KRMWH30 3199	KRMWH36 3392	KRMWH42 3583	KRMWH48 3774	KRMWH54 3967	KRMWH60 4157	KRMWH66 4350	KRMWH72 4541	4541				
Buffet to 84.5h	48.6	3	KRMWJ30 3075	KRMWJ36 3251	KRMWJ42 3424	KRMWJ48 3600	KRMWJ54 3774	KRMWJ60 3949	KRMWJ66 4124	KRMWJ72 4299	4299				
Credenza to 84.5h	54.6	3	KRMWK30 3199	KRMWK36 3392	KRMWK42 3583	KRMWK48 3774	KRMWK54 3967	KRMWK60 4157	KRMWK66 4350	KRMWK72 4541	4541				
Low Cred. to 84.5h	60.6	3	KRMWL30 3323	KRMWL36 3533	KRMWL42 3741	KRMWL48 3949	KRMWL54 4157	KRMWL60 4368	KRMWL66 4576	KRMWL72 4783	4783				
Bench to 84.5h	66.6	4	KRMWM30 3448	KRMWM36 3674	KRMWM42 3899	KRMWM48 4124	KRMWM54 4349	KRMWM60 4576	—		—				
	h	78w	84w	90w	96w	102w	108w	114w	120w						
Buffet to 60.5h	24.6	2	KRMWA78 3524	KRMWA84 3637	KRMWA90 3750	KRMWA96 3862	KRMWA102 3976	KRMWA108 4089	KRMWA114 4203	KRMWA120 4316	4316				
Credenza to 60.5h	30.6	2	KRMWB78 3696	KRMWB84 3821	KRMWB90 3947	KRMWB96 4069	KRMWB102 4195	KRMWB108 4319	KRMWB114 4444	KRMWB120 4568	4568				
Low Cred. to 60.5h	36.6	2	KRMWC78 3955	KRMWC84 4097	KRMWC90 4239	KRMWC96 4380	KRMWC102 4521	KRMWC108 4663	KRMWC114 4802	KRMWC120 4943	4943				
Bench to 60.5h	42.6	3	KRMWD78 4215	KRMWD84 4373	KRMWD90 4532	KRMWD96 4689	KRMWD102 4847	KRMWD108 5006	KRMWD114 5162	KRMWD120 5321	5321				
Buffet to 72.5h	36.6	2	KRMWE78 3955	KRMWE84 4097	KRMWE90 4239	KRMWE96 4380	KRMWE102 4521	KRMWE108 4663	KRMWE114 4802	KRMWE120 4943	4943				
Credenza to 72.5h	42.6	2	KRMWF78 4215	KRMWF84 4373	KRMWF90 4532	KRMWF96 4689	KRMWF102 4847	KRMWF108 5006	KRMWF114 5162	KRMWF120 5321	5321				
Low Cred. to 72.5h	48.6	2	KRMWG78 4473	KRMWG84 4648	KRMWG90 4824	KRMWG96 4997	KRMWG102 5174	KRMWG108 5349	KRMWG114 5523	KRMWG120 5698	5698				
Bench to 72.5h	54.6	3	KRMWH78 4733	KRMWH84 4925	KRMWH90 5118	KRMWH96 5308	KRMWH102 5501	KRMWH108 5691	KRMWH114 5882	KRMWH120 6075	6075				
Buffet to 84.5h	48.6	3	KRMWJ78 4473	KRMWJ84 4648	KRMWJ90 4824	KRMWJ96 4997	KRMWJ102 5174	KRMWJ108 5349	KRMWJ114 5523	KRMWJ120 5698	5698				
Credenza to 84.5h	54.6	3	KRMWK78 4733	KRMWK84 4925	KRMWK90 5118	KRMWK96 5308	KRMWK102 5501	KRMWK108 5691	KRMWK114 5882	KRMWK120 6075	6075				
Low Cred. to 84.5h	60.6	3	KRMWL78 4993	KRMWL84 5201	KRMWL90 5410	KRMWL96 5618	KRMWL102 5826	KRMWL108 6035	KRMWL114 6243	KRMWL120 6453	6453				
Bench to 84.5h	66.6	4	—		—		—		—		—		—		



- ! Notes:
- Wall panel heights are based off 1.5-inch exposed tops. Panels will be 0.75-inches lower overall on concealed tops.
- All panels are magnetic.
- 1.5-in metal edge on 3 sides; finish is (MRBAS) Metal Resin Brushed Aluminum with Steet Tint.
- Metal edge finish can be customized to any solid color powdercoat option to match blade base.
- (MRB) Resin Black

(MRBM) Resin Matte Black

(MRBZ) Resin Bronze
- (MRSA) Resin Satin Aluminum

(MRTG) Resin Thunder Gray

(MRW) Resin White

Description

#Shlvs

ProdNo.

List \$

ProdNo.

List \$

ProdNo.

List \$

ProdNo.

List \$

ProdNo.

List \$

ProdNo.

List \$

ProdNo.

List \$

Wall Panels, OcuWrite BPGlass

	h		30w	36w	42w	48w	54w	60w	66w	72w	
Buffet to 60.5h	24.6	2	KRMGA30 2999	KRMGA36 3206	KRMGA42 3417	KRMGA48 3625	KRMGA54 3833	KRMGA60 4041	KRMGA66 4249	KRMGA72 4459	
Credenza to 60.5h	30.6	2	KRMGB30 3197	KRMGB36 3437	KRMGB42 3678	KRMGB48 3919	KRMGB54 4159	KRMGB60 4400	KRMGB66 4641	KRMGB72 4881	
Low Cred. to 60.5h	36.6	2	KRMGC30 3493	KRMGC36 3782	KRMGC42 4069	KRMGC48 4359	KRMGC54 4647	KRMGC60 4937	KRMGC66 5226	KRMGC72 5514	
Bench to 60.5h	42.6	3	KRMGD30 3788	KRMGD36 4125	KRMGD42 4464	KRMGD48 4801	KRMGD54 5138	KRMGD60 5474	KRMGD66 5812	KRMGD72 6148	
Buffet to 72.5h	36.6	2	KRMGE30 3493	KRMGE36 3782	KRMGE42 4069	KRMGE48 4359	KRMGE54 4647	KRMGE60 4937	KRMGE66 5226	KRMGE72 5514	
Credenza to 72.5h	42.6	2	KRMGF30 3788	KRMGF36 4125	KRMGF42 4464	KRMGF48 4801	KRMGF54 5138	KRMGF60 5474	KRMGF66 5812	KRMGF72 6148	
Low Cred. to 72.5h	48.6	2	KRMGG30 4086	KRMGG36 4470	KRMGG42 4857	KRMGG48 5242	KRMGG54 5626	KRMGG60 6012	KRMGG66 6397	KRMGG72 6781	
Bench to 72.5h	54.6	3	KRMGH30 4382	KRMGH36 4816	KRMGH42 5249	KRMGH48 5683	KRMGH54 6114	KRMGH60 6549	KRMGH66 6980	KRMGH72 7414	
Buffet to 84.5h	48.6	3	KRMGJ30 4086	KRMGJ36 4470	KRMGJ42 4857	KRMGJ48 5242	KRMGJ54 5626	KRMGJ60 6012	KRMGJ66 6397	KRMGJ72 6781	
Credenza to 84.5h	54.6	3	KRMGK30 4382	KRMGK36 4816	KRMGK42 5249	KRMGK48 5683	KRMGK54 6114	KRMGK60 6549	KRMGK66 6980	KRMGK72 7414	
Low Cred. to 84.5h	60.6	3	KRMGL30 4680	KRMGL36 5161	KRMGL42 5643	KRMGL48 6124	KRMGL54 6605	KRMGL60 7086	KRMGL66 7568	KRMGL72 8049	
Bench to 84.5h	66.6	4	KRMGM30 4976	KRMGM36 5506	KRMGM42 6035	KRMGM48 6565	KRMGM54 7094	KRMGM60 7623	—	—	
	h		78w	84w	90w	96w	102w	108w	114w	120w	
Buffet to 60.5h	24.6	2	KRMGA78 4666	KRMGA84 4875	KRMGA90 5084	KRMGA96 5294	—	—	—	—	
Credenza to 60.5h	30.6	2	KRMGB78 5123	KRMGB84 5362	KRMGB90 5603	KRMGB96 5844	—	—	—	—	
Low Cred. to 60.5h	36.6	2	KRMGC78 5803	KRMGC84 6092	KRMGC90 6382	KRMGC96 6669	—	—	—	—	
Bench to 60.5h	42.6	3	KRMGD78 6485	KRMGD84 6822	KRMGD90 7158	KRMGD96 7496	—	—	—	—	
Buffet to 72.5h	36.6	2	KRMGE78 5803	KRMGE84 6092	KRMGE90 6382	KRMGE96 6669	—	—	—	—	
Credenza to 72.5h	42.6	2	KRMGF78 6485	KRMGF84 6822	KRMGF90 7158	KRMGF96 7496	—	—	—	—	
Low Cred. to 72.5h	48.6	2	KRMGG78 7168	KRMGG84 7553	—	—	—	—	—	—	
Bench to 72.5h	54.6	3	KRMGH78 7849	KRMGH84 8280	—	—	—	—	—	—	
Buffet to 84.5h	48.6	3	KRMGJ78 7168	KRMGJ84 7553	—	—	—	—	—	—	
Credenza to 84.5h	54.6	3	KRMGK78 7849	KRMGK84 8280	—	—	—	—	—	—	
Low Cred. to 84.5h	60.6	3	KRMGL78 8530	KRMGL84 9012	—	—	—	—	—	—	
Bench to 84.5h	66.6	4	—	—	—	—	—	—	—	—	

- ! Notes:
- Wall panel heights are based off 1.5-inch exposed tops. Panels will be 0.75-inches lower overall on concealed tops.
- All panels are magnetic.
- Max size of glass panels is 96w x 48h in one piece; max width is 96w.
- OcuWrite Back-Painted Glass color: O.BWT White.
- 1.5-in metal edge on 3 sides; finish is (MRBAS) Metal Resin Brushed Aluminum with Steet Tint.
- Metal edge finish can be customized to any solid color powdercoat option to match blade base.
- (MRB) Resin Black


(MRSA) Resin Satin Aluminum

(MRBM) Resin Matte Black

(MRTG) Resin Thunder Gray

(MRBZ) Resin Bronze

(MRW) Resin White




Description	#Shlvs	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	
Wall Panels, Fabric																		
	h	30w		36w		42w		48w		54w		60w		66w		72w		
Buffet to 60.5h	24.6	2	KRMFA30	2227	KRMFA36	2245	KRMFA42	2262	KRMFA48	2280	KRMFA54	2295	KRMFA60	2312	KRMFA66	2330	KRMFA72	2347
Credenza to 60.5h	30.6	2	KRMFB30	2276	KRMFB36	2298	KRMFB42	2317	KRMFB48	2337	KRMFB54	2358	KRMFB60	2378	KRMFB66	2398	KRMFB72	2417
Low Cred. to 60.5h	36.6	2	KRMFC30	2354	KRMFC36	2378	KRMFC42	2400	KRMFC48	2426	KRMFC54	2451	KRMFC60	2473	KRMFC66	2499	KRMFC72	2523
Bench to 60.5h	42.6	3	KRMFD30	2430	KRMFD36	2457	KRMFD42	2486	KRMFD48	2513	KRMFD54	2541	KRMFD60	2569	KRMFD66	2597	KRMFD72	2625
Buffet to 72.5h	36.6	2	KRMFE30	2354	KRMFE36	2378	KRMFE42	2400	KRMFE48	2426	KRMFE54	2451	KRMFE60	2473	KRMFE66	2499	KRMFE72	2523
Credenza to 72.5h	42.6	2	KRMFF30	2430	KRMFF36	2457	KRMFF42	2486	KRMFF48	2513	KRMFF54	2541	KRMFF60	2569	KRMFF66	2597	KRMFF72	2625
Low Cred. to 72.5h	48.6	2	KRMFG30	2505	KRMFG36	2538	KRMFG42	2569	KRMFG48	2601	KRMFG54	2632	KRMFG60	2665	KRMFG66	2697	KRMFG72	2730
Bench to 72.5h	54.6	3	KRMFH30	2582	KRMFH36	2618	KRMFH42	2653	KRMFH48	2689	KRMFH54	2726	KRMFH60	2762	KRMFH66	2797	KRMFH72	2833
Buffet to 84.5h	48.6	3	KRMFJ30	2505	KRMFJ36	2538	KRMFJ42	2569	KRMFJ48	2601	KRMFJ54	2632	KRMFJ60	2665	KRMFJ66	2697	KRMFJ72	2730
Credenza to 84.5h	54.6	3	KRMFK30	2582	KRMFK36	2618	KRMFK42	2653	KRMFK48	2689	KRMFK54	2726	KRMFK60	2762	KRMFK66	2797	KRMFK72	2833
Low Cred. to 84.5h	60.6	3	KRMFL30	2657	KRMFL36	2696	KRMFL42	2737	KRMFL48	2777	KRMFL54	2818	KRMFL60	2857	KRMFL66	2897	KRMFL72	2938
Bench to 84.5h	66.6	4	KRMFM30	2733	KRMFM36	2776	KRMFM42	2822	KRMFM48	2865		—		—		—		—
	h	78w		84w		90w		96w		102w		108w		114w		120w		
Buffet to 60.5h	24.6	2	KRMFA78	2365	KRMFA84	2382	KRMFA90	2400	KRMFA96	2418	KRMFA102	2436	KRMFA108	2453	KRMFA114	2471	KRMFA120	2487
Credenza to 60.5h	30.6	2	KRMFB78	2437	KRMFB84	2457	KRMFB90	2477	KRMFB96	2499	KRMFB102	2518	KRMFB108	2538	KRMFB114	2559	KRMFB120	2578
Low Cred. to 60.5h	36.6	2	KRMFC78	2544	KRMFC84	2569	KRMFC90	2595	KRMFC96	2618	KRMFC102	2642	KRMFC108	2667	KRMFC114	2689	KRMFC120	2713
Bench to 60.5h	42.6	3	KRMFD78	2653	KRMFD84	2683	KRMFD90	2709	KRMFD96	2738	KRMFD102	2766	KRMFD108	2794	KRMFD114	2821	KRMFD120	2850
Buffet to 72.5h	36.6	2	KRMFE78	2544	KRMFE84	2569	KRMFE90	2595	KRMFE96	2618	KRMFE102	2642	KRMFE108	2667	KRMFE114	2689	KRMFE120	2713
Credenza to 72.5h	42.6	2	KRMFF78	2653	KRMFF84	2683	KRMFF90	2709	KRMFF96	2738	KRMFF102	2766	KRMFF108	2794	KRMFF114	2821	KRMFF120	2850
Low Cred. to 72.5h	48.6	2	KRMFG78	2762	KRMFG84	2794	KRMFG90	2826	KRMFG96	2857	KRMFG102	2890	KRMFG108	2921	KRMFG114	2952	KRMFG120	2986
Bench to 72.5h	54.6	3	KRMFH78	2871	KRMFH84	2906	KRMFH90	2942	KRMFH96	2978	KRMFH102	3015	KRMFH108	3050	KRMFH114	3086	KRMFH120	3122
Buffet to 84.5h	48.6	3	KRMFJ78	2762	KRMFJ84	2794	KRMFJ90	2826	KRMFJ96	2857	KRMFJ102	2890	KRMFJ108	2921	KRMFJ114	2952	KRMFJ120	2986
Credenza to 84.5h	54.6	3	KRMFK78	2871	KRMFK84	2906	KRMFK90	2942	KRMFK96	2978	KRMFK102	3015	KRMFK108	3050	KRMFK114	3086	KRMFK120	3122
Low Cred. to 84.5h	60.6	3	KRMFL78	2978	KRMFL84	3019	KRMFL90	3057	KRMFL96	3096	KRMFL102	3137	KRMFL108	3178	KRMFL114	3219	KRMFL120	3257
Bench to 84.5h	66.6	4		—		—		—		—		—		—		—		—

- ! Notes:
- Wall panel heights are based off 1.5-inch exposed tops. Panels will be 0.75-inches lower overall on concealed tops.
- All panels are tackable.
- Fabric panels width will be determined by fabric direction.
- Fabric panels over 96 inches wide will be two piece.
- Wall panels taller than 48.6h will be done in multiple sections to fit direction and size of Fabric roll.
- Any Fabric wall panel wider than 96w will be split vertically in two pieces.
- 1.5-in metal edge on 3 sides; finish is (MRBAS) Metal Resin Brushed Aluminum with Steet Tint.
- Metal edge finish can be customized to any solid color powdercoat option to match blade base; no price change.
- (MRB) Resin Black (MRS) Resin Satin Aluminum
- (MRBM) Resin Matte Black (MRTG) Resin Thunder Gray
- (MRBZ) Resin Bronze (MRW) Resin White

COM Fabric Requirements (yards of 54w material)

		30w	36w	48w	54w	60w	66w	72w	78w	84w	90w	96w	102w	108w	114w	120w
	24.6	1	1.2	1.5	1.7	1.9	2.2	2.2	2.4	2.5	2.7	2.9	3.2	3.4	3.5	3.7
	30.6	2	2.4	3	3.4	3.8	4.4	4.4	4.8	5	5.4	5.8	6.4	6.8	7	7.4
	36.6	2	2.4	3	3.4	3.8	4.4	4.4	4.8	5	5.4	5.8	6.4	6.8	7	7.4
	42.6	2	2.4	3	3.4	3.8	4.4	4.4	4.8	5	5.4	5.8	6.4	6.8	7	7.4
	48.6	2	2.4	3	3.4	3.8	4.4	4.4	4.8	5	5.4	5.8	6.4	6.8	7	7.4
	54.6	2	2.4	3	3.4	3.8	4.4	4.4	4.8	5	5.4	5.8	6.4	6.8	7	7.4
	60.6	2	2.4	3	3.4	3.8	4.4	4.4	4.8	5	5.4	5.8	6.4	6.8	7	7.4
	66.6	3	3.6	4.5	5.1	5.7	6.6	6.6	7.2	7.5	8.1	8.7	9.6	10.2	10.5	11.1


Wall Panel Shelves




Description	Product No.	List \$	Product No.	List \$
Wood 1.5th			Metal 0.25th	
Shelf 30w 12d	DZMSW30	1115	DZMSM30	1201
Shelf 36w 12d	DZMSW36	1154	DZMSM36	1281
Shelf 48w 12d	DZMSW48	1311	DZMSM48	1388
Shelf 54w 12d	DZMSW54	1351	DZMSM54	1388
Shelf 60w 12d	DZMSW60	1466	DZMSM60	1388
Shelf 66w 12d	DZMSW66	1506	DZMSM66	1468
Shelf 72w 12d	DZMSW72	1545	DZMSM72	1468
Shelf 78w 12d	DZMSW78	1661	DZMSM78	1468
Shelf 84w 12d	DZMSW84	1702	DZMSM84	1549
Shelf 90w 12d	DZMSW90	1742	DZMSM90	1549
Shelf 96w 12d	DZMSW96	1856	DZMSM96	1789
Shelf 102w 12d	DZMSW102	1897	DZMSM102	1789
Shelf 108w 12d	DZMSW108	1937	DZMSM108	1789
Shelf 114w 12d	DZMSW114	2052	DZMSM114	1843
Shelf 120w 12d	DZMSW120	2094	DZMSM120	1843

! Notes — for Wall Panels and Shelves:
Metal shelves have a weight limit of 40 lbs per linear foot with a .25 inch drop.
Wood shelves have a weight limit of 40 lbs per linear foot.
Metal and Wood cannot be intermixed on a single panel.
Shelf depth is 12d on both wood and metal shelves.
Metal shelves are standard MRBAS, Brushed Aluminum w/Steel Tint.
Number of shelves is determined by panel size.
Specify shelf location using chart at bottom of section.

CADENCE HEIGHT (1.5 Exposed Tops)



CADENCE HEIGHT (0.75 Concealed Tops)



(Order wall panels based off 1.5" exposed tops; actual height will be 0.75" lower when used on concealed tops.)

TUOHY

Specify: Product Number
Quantity
Color/Finish
Tagging

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Woods listed at Wood1 level

