


PRICING & SPECIFICATION GUIDE
Kredens Collection

February 13, 2025

TUOHY



Design:
TUOHY Design Team

Concealed & Exposed Tops	CKR3
Tops	CKR5
Benches	CKR10
Low Credenzas	CKR11
Bench & Low Credenza Cushions	CKR13
Credenzas	CKR15
Credenzas, Wall Hung	CKR17
Buffets	CKR19
Buffets, Wall Hung	CKR21
Drawer Inserts	CKR23
Wall Panels	CKR24
Wood1	CKR24
OcuWrite BPGlass	CKR25
Fabric	CKR26
Wall Panel Shelves	CKR27

CONCEALED & EXPOSED TOPS

Casework in the Kredens Collection is available in two formats:

- Concealed Top versions have drawer and door faces extending over a 0.75-inch top; pulls or knobs are required (see below).
- Exposed Top formats have 1.5-inch thick tops that extend over doors and drawer faces; pulls or knobs are required (see below).

0.75th CONCEALED TOP (pull/knob selection required).

Hardware Placement Notes

Drawer knobs and pulls will be centered on all drawer fronts, except as follows:

- 830 Pulls will be mounted RIGHT on drawers faces 18-inches wide or less.

101 recessed pulls have 1"th faces and require a 10% upcharge.

*Note:
These pulls can be powder coated with any standard Tuohy solid color including:

MRB - Resin Black
MRBM - Resin Matte Black
MRBZ - Resin Bronze
MRSA - Resin Satin Aluminum
MRTG - Resin Thunder Gray
MRW - Resin White



101 Recessed Wood



820* Resin Stainless



830* Resin Stainless



840* Resin Stainless



851 Chrome Polished
856* Stainless Steel



900* Resin Stainless



930* Resin Stainless



Danza*
MRBAS Resin Brushed
Aluminum Steel Tint
MPA Polished Aluminum



Geneva*
Brushed Nickel



Prima*
MSBN Satin Brushed Nickel
MPA Polished Aluminum

1.5th EXPOSED TOP (pull/knob selection required).



101 Recessed Wood



820* Resin Stainless



830* Resin Stainless



840* Resin Stainless



851 Chrome Polished
856* Stainless Steel



900* Resin Stainless



930* Resin Stainless



Danza*
MRBAS Resin Brushed
Aluminum Steel Tint
MPA Polished Aluminum



Geneva*
Brushed Nickel



Prima*
MSBN Satin Brushed Nickel
MPA Polished Aluminum



Axis*
Resin Black
Resin White
MRSA Resin Satin Aluminum


CASEWORK OVERVIEW

Design requirements for space utilization, budget and user activity cause casework and storage to be multi-functional and adaptative to a wide variety of workplace applications.

Kredens offers storage for all levels of conference and collaboration, including low credenza/bench seating. Companion wall panels are compatible with these pieces and also serve various functions.

PEDESTAL CADENCES (tops not included):

Exposed top option will add 1.5-inches to overall ped height. Concealed top option will add 0.75-inches to overall ped height.



Wood Tops


Wood 1

Product No.


List \$

0.75th Concealed Top

1.5th Exposed Top



		19.25	20
		C	E
For 20d Units			
Top 18w	KRT2018-	849	897
Top 24w	KRT2024-	862	926
Top 30w	KRT2030-	876	955
Top 36w	KRT2036-	889	984
Top 42w	KRT2042-	902	1013
Top 48w	KRT2048-	915	1041
Top 54w	KRT2054-	928	1070
• Top 60w	KRT2060-	942	1099
Top 66w	KRT2066-	955	1128
Top 72w	KRT2072-	968	1157
Top 78w	KRT2078-	981	1186
Top 84w	KRT2084-	995	1214
Top 90w	KRT2090-	1008	1243
Top 96w	KRT2096-	1210	1315
Top 102w	KRT20102-	1234	1346
Top 108w	KRT20108-	1259	1378
Top 114w	KRT20114-	1284	1409
Top 120w	KRT20120-	1309	1441



		23.25	24
		C	E
For 24d Units			
Top 18w	KRT2418-	857	915
Top 24w	KRT2424-	873	949
Top 30w	KRT2430-	889	984
Top 36w	KRT2436-	905	1018
Top 42w	KRT2442-	921	1052
Top 48w	KRT2448-	937	1087
Top 54w	KRT2454-	953	1121
• Top 60w	KRT2460-	969	1156
Top 66w	KRT2466-	985	1190
Top 72w	KRT2472-	1000	1225
Top 78w	KRT2478-	1016	1259
Top 84w	KRT2484-	1032	1294
Top 90w	KRT2490-	1048	1328
Top 96w	KRT2496-	1291	1414
Top 102w	KRT24102-	1321	1451
Top 108w	KRT24108-	1351	1489
Top 114w	KRT24114-	1381	1526
Top 120w	KRT24120-	1411	1564

! Notes:

Determine Product Number by appending the Depth Code to the Product Prefix; use corresponding price.

Priced in Wood1

Concealed tops are 0.75-inch thick.


Exposed tops are 1.5-inch thick.

Standard edge profile on all tops is square-cut.


Solid Surface Tops
Avonite Polaris

Product No. List \$

0.75th Concealed Top 1.5th Exposed Top



		19.25	20
		C	E
For 20d Units			
Top 18w	KRTS2018-	1696	1702
Top 24w	KRTS2024-	1749	1758
Top 30w	KRTS2030-	1905	1915
Top 36w	KRTS2036-	1958	1970
Top 42w	KRTS2042-	2011	2026
Top 48w	KRTS2048-	2167	2183
Top 54w	KRTS2054-	2220	2239
• Top 60w	KRTS2060-	2273	2294
Top 66w	KRTS2066-	2327	2349
Top 72w	KRTS2072-	2482	2507
Top 78w	KRTS2078-	2535	2562
Top 84w	KRTS2084-	2589	2617
Top 90w	KRTS2090-	2744	2775
Top 96w	KRTS2096-	2798	2830
Top 102w	KRTS20102-	2953	2988
Top 108w	KRTS20108-	3006	3043
Top 114w	KRTS20114-	3060	3098
Top 120w	KRTS20120-	3113	3153




		23.25	24
		C	E
For 24d Units			
Top 18w	KRTS2418-	1729	1770
Top 24w	KRTS2424-	1794	1847
Top 30w	KRTS2430-	1960	2026
Top 36w	KRTS2436-	2024	2103
Top 42w	KRTS2442-	2088	2180
Top 48w	KRTS2448-	2254	2360
Top 54w	KRTS2454-	2318	2437
• Top 60w	KRTS2460-	2382	2514
Top 66w	KRTS2466-	2446	2591
Top 72w	KRTS2472-	2613	2770
Top 78w	KRTS2478-	2677	2847
Top 84w	KRTS2484-	2741	2925
Top 90w	KRTS2490-	2907	3104
Top 96w	KRTS2496-	2971	3181
Top 102w	KRTS24102-	3137	3360
Top 108w	KRTS24108-	3201	3437
Top 114w	KRTS24114-	3266	3514
Top 120w	KRTS24120-	3330	3592

! Notes:
Determine Product Number by appending the Depth Code to the Product Prefix; use corresponding price.
Acrylic Solid Surface: Avonite® Polaris Matte
Concealed tops are 0.75-inch thick.
Exposed tops are 1.5-inch thick.
Standard edge profile on all tops is square-cut.


Marble Tops
Carrara Marble

Product No. List \$

0.75th Concealed Top 1.5th Exposed Top



		19.25	20
		C	E
For 20d Units			
Top 18w	KRTM2018-	3044	3992
Top 24w	KRTM2024-	3407	4663
Top 30w	KRTM2030-	3771	5334
Top 36w	KRTM2036-	4134	6005
Top 42w	KRTM2042-	4498	6677
Top 48w	KRTM2048-	4861	7348
Top 54w	KRTM2054-	5225	8019
• Top 60w	KRTM2060-	5588	8690
Top 66w	KRTM2066-	5952	9361
Top 72w	KRTM2072-	6315	10032
Top 78w	KRTM2078-	6679	10703
Top 84w	KRTM2084-	7043	11374
Top 90w	KRTM2090-	7406	12046
Top 96w	KRTM2096-	7770	12717
Top 102w	KRTM20102-	8133	13388
Top 108w	KRTM20108-	8497	14059
Top 114w	KRTM20114-	8860	14730
Top 120w	KRTM20120-	9224	15401



		23.25	24
		C	E
For 24d Units			
Top 18w	KRTM2418-	3271	4396
Top 24w	KRTM2424-	3708	5198
Top 30w	KRTM2430-	4145	6000
Top 36w	KRTM2436-	4582	6802
Top 42w	KRTM2442-	5019	7604
Top 48w	KRTM2448-	5456	8406
Top 54w	KRTM2454-	5894	9208
• Top 60w	KRTM2460-	6331	10010
Top 66w	KRTM2466-	6768	10812
Top 72w	KRTM2472-	7205	11615
Top 78w	KRTM2478-	7642	12417
Top 84w	KRTM2484-	8079	13219
Top 90w	KRTM2490-	8517	14021
Top 96w	KRTM2496-	8954	14823
Top 102w	KRTM24102-	9391	15625
Top 108w	KRTM24108-	9828	16427
Top 114w	KRTM24114-	10265	17229
Top 120w	KRTM24120-	10702	18031

! Notes:
Determine Product Number by appending the Depth Code to the Product Prefix; use corresponding price.
Marble: Carrara
Concealed tops are 0.75-inch thick.
Exposed tops are 1.5-inch thick.
Standard edge profile on all tops is square-cut.

Quartz Tops


Cambria Quartz*

Product No.


List \$

0.75th Concealed Top

1.5th Exposed Top



		19.25	20
		C	E
For 20d Units			
Top 18w	KRTQ2018-	2891	3890
Top 24w	KRTQ2024-	3212	4497
Top 30w	KRTQ2030-	3537	5130
Top 36w	KRTQ2036-	3859	5720
Top 42w	KRTQ2042-	4180	6345
Top 48w	KRTQ2048-	4505	6970
Top 54w	KRTQ2054-	4827	7533
• Top 60w	KRTQ2060-	5148	8149
Top 66w	KRTQ2066-	5473	8765
Top 72w	KRTQ2072-	5795	9385
Top 78w	KRTQ2078-	6116	10001
Top 84w	KRTQ2084-	6441	10525
Top 90w	KRTQ2090-	6763	11136
Top 96w	KRTQ2096-	7084	11744
Top 102w	KRTQ20102-	7409	12355
Top 108w	KRTQ20108-	7731	12967
Top 114w	KRTQ20114-	8052	13578
Top 120w	KRTQ20120-	8377	14190



		23.25	24
		C	E
For 24d Units			
Top 18w	KRTQ2418-	3084	4246
Top 24w	KRTQ2424-	3472	5003
Top 30w	KRTQ2430-	3859	5716
Top 36w	KRTQ2436-	4246	6459
Top 42w	KRTQ2442-	4633	7150
Top 48w	KRTQ2448-	5020	7889
Top 54w	KRTQ2454-	5408	8624
• Top 60w	KRTQ2460-	5795	9363
Top 66w	KRTQ2466-	6182	10014
Top 72w	KRTQ2472-	6569	10740
Top 78w	KRTQ2478-	6956	11471
Top 84w	KRTQ2484-	7344	12201
Top 90w	KRTQ2490-	7731	12932
Top 96w	KRTQ2496-	8118	13662
Top 102w	KRTQ24102-	8505	14392
Top 108w	KRTQ24108-	8892	14978
Top 114w	KRTQ24114-	9280	15699
Top 120w	KRTQ24120-	9671	16421

! Notes:

Determine Product Number by appending the Depth Code to the Product Prefix; use corresponding price.

*Quartz: Cambria® Classic and Signature (all colors); quote required for all other offerings.

Concealed tops are 0.75-inch thick.

Exposed tops are 1.5-inch thick.

Standard edge profile on all tops is square-cut.

TUOHY

Specify: Product Number
Quantity
Color/Finish
Tagging• Denotes Item is illustrated.
‡ Requires field sub-assembly.


Woods listed at Wood1 level

CKR8


Fenix Tops

Product No. List \$

0.75th Concealed Top 1.5th Exposed Top







		19.25	20
For 20d Units		C	E
Top 18w	KRTL2018-	1878	1911
Top 24w	KRTL2024-	1888	1931
Top 30w	KRTL2030-	1898	1952
Top 36w	KRTL2036-	1908	1972
Top 42w	KRTL2042-	1917	1993
Top 48w	KRTL2048-	1928	2014
Top 54w	KRTL2054-	1938	2035
• Top 60w	KRTL2060-	1947	2054
Top 66w	KRTL2066-	1957	2075
Top 72w	KRTL2072-	1967	2095
Top 78w	KRTL2078-	1977	2116
Top 84w	KRTL2084-	1986	2135
Top 90w	KRTL2090-	1997	2156
Top 96w	KRTL2096-	2006	2176
Top 102w	KRTL2102-	2270	2452
Top 108w	KRTL2108-	2280	2472
Top 114w	KRTL2114-	2290	2493
Top 120w	KRTL2120-	2300	2513



		23.25	24
For 24d Units		C	E
Top 18w	KRTL2418-	1885	1923
Top 24w	KRTL2424-	1896	1948
Top 30w	KRTL2430-	1908	1972
Top 36w	KRTL2436-	1920	1997
Top 42w	KRTL2442-	1954	2021
Top 48w	KRTL2448-	1943	2046
Top 54w	KRTL2454-	1955	2070
• Top 60w	KRTL2460-	1967	2094
Top 66w	KRTL2466-	1979	2119
Top 72w	KRTL2472-	1991	2143
Top 78w	KRTL2478-	2003	2168
Top 84w	KRTL2484-	2014	2192
Top 90w	KRTL2490-	2027	2216
Top 96w	KRTL2496-	1978	2241
Top 102w	KRTL24102-	2305	2520
Top 108w	KRTL24108-	2316	2544
Top 114w	KRTL24114-	2328	2568
Top 120w	KRTL24120-	2340	2593

- ! Notes:
Determine Product Number by appending the Depth Code to the Product Prefix; use corresponding price.
Concealed tops are 0.75-inch thick.
Exposed tops are 1.5-inch thick.
Standard edge profile on all tops is square-cut.
- > Options:
Specify Fenix Color: 30 Bianco Alaska, 718 Grigio Londra, or 720 Nero Ingo

		Product No.		List \$	Product No.		List \$		
Benches, 16.4h		Unfinished Back; Top/Cushion Required		20d	24d				
		Bench (Concealed Top/Cushion)		KRA20C	277	KRA24C	303		
		Bench (Exposed Top/Cushion)		KRA20E	277	KRA24E	303		
Peds require pull selection See page CKR3 for pull options		w	d	Spec Code		Spec Code		Spec Code	Add \$
								Finished Back	
	Open Shelving 16	16	19.25, 23.25	A16	1453	A16	1498	FB	211
	• Open Shelving 18	18	19.25, 23.25	A18	1476	A18	1524	FB	215
	Open Shelving 20	20	19.25, 23.25	A20	1499	A20	1551	FB	219
	Open Shelving 24	24	19.25, 23.25	A24	1612	A24	1686	FB	226
	Open Shelving 30	30	19.25, 23.25	A30	1698	A30	1708	FB	238
	Open Shelving 36	36	19.25, 23.25	A36	1785	A36	1890	FB	249
	Cabinet 16 LH	16	20, 24	C16L	1882	C16L	1927	FB	211
	Cabinet 16 RH	16	20, 24	C16R	1882	C16R	1927	FB	211
	• Cabinet 18 LH	18	20, 24	C18L	1915	C18L	1963	FB	215
	Cabinet 18 RH	18	20, 24	C18R	1915	C18R	1963	FB	215
	Cabinet 20 LH	20	20, 24	C20L	1969	C20L	2021	FB	219
	Cabinet 20 RH	20	20, 24	C20R	1969	C20R	2021	FB	219
	Cabinet 24 DBL	24	20, 24	C24	2130	C24	2204	FB	226
	Cabinet 30 DBL	30	20, 24	C30	2245	C30	2335	FB	238
	Cabinet 36 DBL	36	20, 24	C36	2359	C36	2465	FB	249
	Full Front: 2Box Drawer 16	16	20, 24	D16	1969	D16	2018	FB	211
	• Full Front: 2Box Drawer 18	18	20, 24	D18	2008	D18	2051	FB	215
	Full Front: 2Box Drawer 20	20	20, 24	D20	2037	D20	2022	FB	219
	Full Front: 2Box Drawer 24	24	20, 24	D24	2046	D24	2150	FB	226
	Full Front: 2Box Drawer 30	30	20, 24	D30	2192	D30	2168	FB	238
	Full Front: 2Box Drawer 36	36	20, 24	D36	2284	D36	2349	FB	249
	StorageBin Drawer 16	16	20, 24	S16	1805	S16	1842	FB	211
	• StorageBin Drawer 18	18	20, 24	S18	1831	S18	1869	FB	215
	StorageBin Drawer 20	20	20, 24	S20	1856	S20	1897	FB	219
	StorageBin Drawer 24	24	20, 24	S24	1908	S24	1953	FB	226
	StorageBin Drawer 30	30	20, 24	S30	1985	S30	2036	FB	238
	StorageBin Drawer 36	36	20, 24	S36	2063	S36	2120	FB	249

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

All pedestals have unfinished backs and are manufactured as combined units.

Soft close drawers.

Cushions must be ordered separately and may be alternated or replaced with Tops.

Tops must be ordered separately and are available up to a maximum width of 120-in.


+ Options:

For door/drawer locks, specify Option LD; no price change.

For ventilation cutouts, specify Option VS; add \$459.

Low Credenza
w/ Blade Base, 22.4h

Peds require pull selection
See page CKR3 for pull options



				Product No.	List \$	Product No.	List \$		
	Unfinished Back; Top/Cushion Required			20d		24d			
	Low Credenza w/ Blade (Concealed Top/Cushion)			KRB20C	277	KRB24C	303		
	Low Credenza w/ Blade (Exposed Top/Cushion)			KRB20E	277	KRB24E	303		
	w	d		Spec Code		Spec Code		Spec Code	Add \$
								Finished Back	
• Open Shelving 16	16	19.25, 23.25	A16	1912	A16	1986	FB	330	
• Open Shelving 18	18	19.25, 23.25	A18	1992	A18	2074	FB	348	
• Open Shelving 20	20	19.25, 23.25	A20	2072	A20	2162	FB	367	
• Open Shelving 24	24	19.25, 23.25	A24	2300	A24	2419	FB	404	
• Open Shelving 30	30	19.25, 23.25	A30	2559	A30	2623	FB	460	
• Open Shelving 36	36	19.25, 23.25	A36	2817	A36	2989	FB	515	
Cabinet 16 LH	16	20, 24	C16L	2341	C16L	2415	FB	330	
Cabinet 16 RH	16	20, 24	C16R	2341	C16R	2415	FB	330	
• Cabinet 18 LH	18	20, 24	C18L	2431	C18L	2512	FB	348	
Cabinet 18 RH	18	20, 24	C18R	2431	C18R	2512	FB	348	
Cabinet 20 LH	20	20, 24	C20L	2542	C20L	2632	FB	367	
Cabinet 20 RH	20	20, 24	C20R	2542	C20R	2632	FB	367	
Cabinet 24 DBL	24	20, 24	C24	2818	C24	2937	FB	404	
Cabinet 30 DBL	30	20, 24	C30	3105	C30	3250	FB	460	
Cabinet 36 DBL	36	20, 24	C36	3391	C36	3564	FB	515	
Full Front: 2Box Drawer 16	16	20, 24	D16	2428	D16	2506	FB	330	
• Full Front: 2Box Drawer 18	18	20, 24	D18	2525	D18	2600	FB	348	
Full Front: 2Box Drawer 20	20	20, 24	D20	2611	D20	2633	FB	367	
Full Front: 2Box Drawer 24	24	20, 24	D24	2734	D24	2883	FB	404	
Full Front: 2Box Drawer 30	30	20, 24	D30	3052	D30	3084	FB	460	
Full Front: 2Box Drawer 36	36	20, 24	D36	3316	D36	3448	FB	515	
StorageBin Drawer 16	16	20, 24	S16	2264	S16	2330	FB	330	
• StorageBin Drawer 18	18	20, 24	S18	2347	S18	2419	FB	348	
StorageBin Drawer 20	20	20, 24	S20	2430	S20	2508	FB	367	
StorageBin Drawer 24	24	20, 24	S24	2596	S24	2685	FB	404	
StorageBin Drawer 30	30	20, 24	S30	2846	S30	2952	FB	460	
StorageBin Drawer 36	36	20, 24	S36	3095	S36	3219	FB	515	

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

Minimum width of freestanding blade credenza is 30-inches.

All pedestals have unfinished backs and are manufactured as combined units.

Soft close drawers.

Cushions must be ordered separately and may be alternated or replaced with Tops.

Tops must be ordered separately and are available up to a maximum width of 120-in.

Blades are solid powdercoat finish.

(MRB) Resin Black

(MRBM) Resin Matte Black

(MRBZ) Resin Bronze

For (MRBAS) Resin Brushed Aluminum w/ Steel Tint blades specify MRBAS; add \$175.

(MRSA) Resin Satin Aluminum

(MRTG) Resin Thunder Gray

(MRW) Resin White

+ Options:

For door/drawer locks, specify Option LD; no price change.

For ventilation cutouts, specify Option VS; add \$459.

Low Credenzas, 22.4h

Unfinished Back; Top Required

Product No.

List \$

Product No.

List \$

Low Credenza (Concealed Top/Cushion)

KRC20C

324

KRC24C

360

Low Credenza (Exposed Top/Cushion)

KRC20E





324

KRC24E

360

Peds require pull selection

See page CKR3 for pull options



	w	d	Spec Code		Spec Code		Spec Code	Add \$
							Finished Back	
Open Shelving 16	16	19.25, 23.25	A16	1490	A16	1539	FB	222
• Open Shelving 18	18	19.25, 23.25	A18	1514	A18	1568	FB	227
Open Shelving 20	20	19.25, 23.25	A20	1538	A20	1596	FB	232
Open Shelving 24	24	19.25, 23.25	A24	1654	A24	1734	FB	242
Open Shelving 30	30	19.25, 23.25	A30	1744	A30	1839	FB	258
Open Shelving 36	36	19.25, 23.25	A36	1834	A36	1945	FB	273
Cabinet 16 LH	16	20, 24	C16L	1947	C16L	1996	FB	222
Cabinet 16 RH	16	20, 24	C16R	1947	C16R	1996	FB	222
• Cabinet 18 LH	18	20, 24	C18L	1984	C18L	2037	FB	227
Cabinet 18 RH	18	20, 24	C18R	1984	C18R	2037	FB	227
Cabinet 20 LH	20	20, 24	C20L	2021	C20L	2078	FB	232
Cabinet 20 RH	20	20, 24	C20R	2021	C20R	2078	FB	232
Cabinet 24 LH	24	20, 24	C24L	2162	C24L	2242	FB	242
Cabinet 24 RH	24	20, 24	C24R	2162	C24R	2242	FB	242
Cabinet 30 DBL	30	20, 24	C30	2342	C30	2437	FB	258
Cabinet 36 DBL	36	20, 24	C36	2471	C36	2582	FB	273
Box/StorageBin 16	16	20, 24	S16	2109	S16	2133	FB	222
• Box/StorageBin 18	18	20, 24	S18	2149	S18	2172	FB	227
Box/StorageBin 20	20	20, 24	S20	2184	S20	2180	FB	232
Box/StorageBin 24	24	20, 24	S24	2230	S24	2288	FB	242
Box/StorageBin 30	30	20, 24	S30	2366	S30	2363	FB	258
Box/StorageBin 36	36	20, 24	S36	2468	S36	2548	FB	273
• TrashRecycle 18	18	20, 24	T18	2179	T18	2192	FB	227
TrashRecycle 20	20	20, 24	T20	2143	T20	2205	FB	232
TrashRecycle 24	24	20, 24	T24	2197	T24	2286	FB	242

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

All pedestals have unfinished backs and are manufactured as combined units.

Soft close drawers.

Tops must be ordered separately and are available up to a maximum width of 120-in.

Locks are not included on conference storage modules; see option below to order.


Trash/Recycle units 18w x 20d and 20w x 20d contain (1) Trash/Recycle bin.

Trash/Recycle units 24w x 20d and all units 24d contain (2) Trash/Recycle bins.

+ Options:

For door/drawer locks, specify Option LD; no price change.

For ventilation cutouts, specify Option VS; add \$459.

	Product No.	Dimensions	Fabric List \$							Leather List \$			
	Bench & Low Credenza Cushions-20	KR2018	18w 19.25d 2th 0.6 yds 4.3 sf	COM 516 F1 556 F2 561 F3 566 F4 572 F5 579	F6 587 F7 595 F8 605 F9 616 F10 628 F11 641	F12 656 F13 673 F14 691 F15 712 F16 736 F17 763	COL 593 L1 649 L2 658 L3 670 L4 683 L5 701	L6 722 L7 744 L8 769 L9 804 L10 842 L11 885					
		KR2024	24w 19.25d 2th 0.6 yds 5.4 sf	COM 542 F1 582 F2 587 F3 592 F4 598 F5 605	F6 613 F7 621 F8 631 F9 642 F10 654 F11 667	F12 682 F13 699 F14 717 F15 738 F16 762 F17 789	COL 623 L1 693 L2 704 L3 720 L4 736 L5 758	L6 785 L7 812 L8 844 L9 888 L10 936 L11 990					
		KR2030	30w 19.25d 2th 0.6 yds 6.6 sf	COM 568 F1 608 F2 613 F3 618 F4 624 F5 631	F6 639 F7 647 F8 657 F9 668 F10 680 F11 693	F12 708 F13 725 F14 743 F15 764 F16 788 F17 815	COL 653 L1 739 L2 752 L3 772 L4 792 L5 818	L6 851 L7 884 L8 924 L9 976 L10 1036 L11 1102					
		KR2036	36w 19.25d 2th 0.6 yds 7.7 sf	COM 593 F1 633 F2 638 F3 643 F4 649 F5 656	F6 664 F7 672 F8 682 F9 693 F10 705 F11 718	F12 733 F13 750 F14 768 F15 789 F16 813 F17 840	COL 682 L1 782 L2 798 L3 821 L4 844 L5 875	L6 913 L7 952 L8 998 L9 1059 L10 1129 L11 1206					
		KR2042	42w 19.25d 2th 0.6 yds 8.9 sf	COM 619 F1 659 F2 664 F3 669 F4 675 F5 682	F6 690 F7 698 F8 708 F9 719 F10 731 F11 744	F12 759 F13 776 F14 794 F15 815 F16 839 F17 866	COL 712 L1 828 L2 846 L3 872 L4 899 L5 935	L6 979 L7 1024 L8 1077 L9 1148 L10 1228 L11 1317					
		KR2048	48w 19.25d 2th 0.6 yds 10 sf	COM 645 F1 685 F2 690 F3 695 F4 701 F5 708	F6 716 F7 724 F8 734 F9 745 F10 757 F11 770	F12 785 F13 802 F14 820 F15 841 F16 865 F17 892	COL 742 L1 872 L2 892 L3 922 L4 952 L5 992	L6 1042 L7 1092 L8 1152 L9 1232 L10 1322 L11 1422					
		KR2054 (Railroaded)	54w 19.25d 2th 1.8 yds 11.2 sf	COM 671 F1 792 F2 806 F3 822 F4 840 F5 860	F6 883 F7 909 F8 937 F9 970 F10 1006 F11 1045	F12 1090 F13 1141 F14 1197 F15 1260 F16 1332 F17 1411	COL 772 L1 918 L2 940 L3 974 L4 1007 L5 1052	L6 1108 L7 1164 L8 1231 L9 1321 L10 1422 L11 1534					
		KR2060 (Railroaded)	60w 19.25d 2th 1.9 yds 12.3 sf	COM 697 F1 824 F2 840 F3 857 F4 876 F5 897	F6 921 F7 948 F8 978 F9 1012 F10 1050 F11 1092	F12 1140 F13 1193 F14 1252 F15 1318 F16 1394 F17 1478	COL 802 L1 962 L2 987 L3 1023 L4 1060 L5 1110	L6 1171 L7 1233 L8 1306 L9 1405 L10 1515 L11 1638					
		KR2066 (Railroaded)	66w 19.25d 2th 2 yds 13.5 sf	COM 723 F1 857 F2 873 F3 891 F4 911 F5 933	F6 959 F7 987 F8 1019 F9 1055 F10 1095 F11 1139	F12 1189 F13 1245 F14 1307 F15 1377 F16 1457 F17 1545	COL 831 L1 1007 L2 1034 L3 1074 L4 1115 L5 1169	L6 1236 L7 1304 L8 1385 L9 1493 L10 1614 L11 1749					
		KR2072 (Railroaded)	72w 19.25d 2th 2.1 yds 14.6 sf	COM 749 F1 890 F2 907 F3 925 F4 946 F5 970	F6 997 F7 1026 F8 1060 F9 1098 F10 1140 F11 1186	F12 1238 F13 1297 F14 1362 F15 1436 F16 1520 F17 1612	COL 861 L1 1051 L2 1080 L3 1124 L4 1168 L5 1226	L6 1299 L7 1372 L8 1460 L9 1576 L10 1708 L11 1854					

! Notes:

Only for Bench and Low Credenzas.

101 Recessed Pulls are recommended for credenzas with cushions included.

Identify which bench pedestal is to receive the cushion.


Specify by Product No. and the starting location from the left end, expressed in inches.

Cushions 52-in or more in width require fabric to be railroaded; use multiple cushions to avoid railroaded.

Leather footage requires a usable area of at least 20% greater than the width and depth shown above.



Bench & Low Credenza Cushions-24



Product No.	Dimensions	Fabric List \$							Leather List \$			
KR2418	18w	COM	531	F6	649	F12	764	COL	611	L6	776	
	23.25d	F1	598	F7	663	F13	792	L1	683	L7	804	
	2th	F2	606	F8	679	F14	823	L2	694	L8	837	
	1 yd	F3	615	F9	697	F15	858	L3	710	L9	881	
	5.5 sf	F4	625	F10	717	F16	898	L4	727	L10	930	
KR2424		F5	636	F11	739	F17	942	L5	749	L11	985	
	24w	COM	562	F6	680	F12	795	COL	646	L6	853	
	23.25d	F1	629	F7	694	F13	823	L1	736	L7	888	
	2th	F2	637	F8	710	F14	854	L2	750	L8	929	
	1 yd	F3	646	F9	728	F15	889	L3	770	L9	984	
KR2430	6.9 sf	F4	656	F10	748	F16	929	L4	791	L10	1046	
		F5	667	F11	770	F17	973	L5	819	L11	1115	
	30w	COM	593	F6	711	F12	826	COL	682	L6	934	
	23.25d	F1	660	F7	725	F13	854	L1	791	L7	976	
	2th	F2	668	F8	741	F14	885	L2	808	L8	1026	
KR2436	1 yd	F3	677	F9	759	F15	920	L3	833	L9	1094	
	8.4 sf	F4	687	F10	779	F16	960	L4	858	L10	1169	
		F5	698	F11	801	F17	1004	L5	892	L11	1253	
	36w	COM	624	F6	742	F12	857	COL	718	L6	1015	
	23.25d	F1	691	F7	756	F13	885	L1	847	L7	1065	
KR2442	2th	F2	699	F8	772	F14	916	L2	867	L8	1124	
	1 yd	F3	708	F9	790	F15	951	L3	896	L9	1203	
	9.9 sf	F4	718	F10	810	F16	991	L4	926	L10	1292	
		F5	729	F11	832	F17	1035	L5	966	L11	1391	
	42w	COM	655	F6	773	F12	888	COL	753	L6	1095	
KR2448	23.25d	F1	722	F7	787	F13	916	L1	901	L7	1152	
	2th	F2	730	F8	803	F14	947	L2	924	L8	1220	
	1 yd	F3	739	F9	821	F15	982	L3	958	L9	1312	
	11.4 sf	F4	749	F10	841	F16	1022	L4	992	L10	1414	
		F5	760	F11	863	F17	1066	L5	1038	L11	1528	
KR2454 (Railroaded)	48w	COM	686	F6	804	F12	919	COL	789	L6	1173	
	23.25d	F1	753	F7	818	F13	947	L1	955	L7	1237	
	2th	F2	761	F8	834	F14	978	L2	981	L8	1314	
	1 yd	F3	770	F9	852	F15	1013	L3	1019	L9	1416	
	12.8 sf	F4	780	F10	872	F16	1053	L4	1058	L10	1531	
KR2460 (Railroaded)		F5	791	F11	894	F17	1097	L5	1109	L11	1659	
	54w	COM	718	F6	930	F12	1137	COL	826	L6	1255	
	23.25d	F1	839	F7	956	F13	1188	L1	1012	L7	1327	
	2th	F2	853	F8	984	F14	1244	L2	1041	L8	1412	
	1.8 yds	F3	869	F9	1017	F15	1307	L3	1083	L9	1527	
KR2466 (Railroaded)	14.3 sf	F4	887	F10	1053	F16	1379	L4	1126	L10	1655	
		F5	907	F11	1092	F17	1458	L5	1184	L11	1798	
	60w	COM	749	F6	961	F12	1168	COL	861	L6	1335	
	23.25d	F1	870	F7	987	F13	1219	L1	1066	L7	1414	
	2th	F2	884	F8	1015	F14	1275	L2	1098	L8	1509	
KR2472 (Railroaded)	1.8 yds	F3	900	F9	1048	F15	1338	L3	1145	L9	1635	
	15.8 sf	F4	918	F10	1084	F16	1410	L4	1193	L10	1777	
		F5	938	F11	1123	F17	1489	L5	1256	L11	1935	
	66w	COM	780	F6	1016	F12	1246	COL	897	L6	1416	
	23.25d	F1	914	F7	1044	F13	1302	L1	1122	L7	1503	
KR2472 (Railroaded)	2th	F2	930	F8	1076	F14	1364	L2	1157	L8	1606	
	2 yds	F3	948	F9	1112	F15	1434	L3	1208	L9	1745	
	17.3 sf	F4	968	F10	1152	F16	1514	L4	1260	L10	1900	
		F5	990	F11	1196	F17	1602	L5	1330	L11	2073	
	72w	COM	811	F6	1082	F12	1347	COL	933	L6	1494	
KR2472 (Railroaded)	23.25d	F1	965	F7	1115	F13	1411	L1	1176	L7	1588	
	2th	F2	984	F8	1151	F14	1483	L2	1214	L8	1700	
	2.3 yds	F3	1004	F9	1193	F15	1563	L3	1270	L9	1849	
	18.7 sf	F4	1027	F10	1239	F16	1655	L4	1326	L10	2018	
		F5	1053	F11	1289	F17	1756	L5	1401	L11	2205	

! Notes:

Only for Bench and Low Credenzas.

101 Recessed Pulls are recommended for credenzas with cushions included.

Identify which bench pedestal is to receive the cushion.

Specify by Product No. and the starting location from the left end, expressed in inches.


Cushions 52-in or more in width require fabric to be railroaded; use multiple cushions to avoid railroaded.

Leather footage requires a usable area of at least 20% greater than the width and depth shown above.



Credenzas
w/ Blade Base, 28.4h

Peds require pull selection
See page CKR3 for pull options



Unfinished Back; Top Required

Credenza w/ Blade (Concealed Top)

Credenza w/ Blade (Exposed Top)

Product No. List \$

Product No. List \$

20d

24d

KRD20C 324

KRD24C 360

KRD20E 324

KRD24E 360

	w	d	Spec Code		Spec Code		Spec Code Add \$	
							Finished Back	
Open Shelving 16	16	19.25, 23.25	A16	1948	A16	2028	FB	340
• Open Shelving 18	18	19.25, 23.25	A18	2030	A18	2117	FB	360
Open Shelving 20	20	19.25, 23.25	A20	2111	A20	2206	FB	380
Open Shelving 24	24	19.25, 23.25	A24	2342	A24	2466	FB	420
Open Shelving 30	30	19.25, 23.25	A30	2604	A30	2755	FB	480
Open Shelving 36	36	19.25, 23.25	A36	2867	A36	3044	FB	539
Cabinet 16 LH	16	20, 24	C16L	2405	C16L	2485	FB	340
Cabinet 16 RH	16	20, 24	C16R	2405	C16R	2485	FB	340
• Cabinet 18 LH	18	20, 24	C18L	2500	C18L	2587	FB	360
Cabinet 18 RH	18	20, 24	C18R	2500	C18R	2587	FB	360
Cabinet 20 LH	20	20, 24	C20L	2594	C20L	2689	FB	380
Cabinet 20 RH	20	20, 24	C20R	2594	C20R	2689	FB	380
Cabinet 24 LH	24	20, 24	C24L	2850	C24L	2974	FB	420
Cabinet 24 RH	24	20, 24	C24R	2850	C24R	2974	FB	420
Cabinet 30 DBL	30	20, 24	C30	3202	C30	3353	FB	480
Cabinet 36 DBL	36	20, 24	C36	3503	C36	3681	FB	539
Box/StorageBin 16	16	20, 24	S16	2567	S16	2622	FB	340
• Box/StorageBin 18	18	20, 24	S18	2665	S18	2721	FB	360
Box/StorageBin 20	20	20, 24	S20	2758	S20	2790	FB	380
Box/StorageBin 24	24	20, 24	S24	2918	S24	3020	FB	420
Box/StorageBin 30	30	20, 24	S30	3226	S30	3278	FB	480
Box/StorageBin 36	36	20, 24	S36	3500	S36	3647	FB	539
• TrashRecycle 18	18	20, 24	T18	2477	T18	2523	FB	360
TrashRecycle 20	20	20, 24	T20	2499	T20	2598	FB	380
TrashRecycle 24	24	20, 24	T24	2667	T24	2800	FB	420
Refrigerator Drawer 24 (fridge included)*	24	24	—	—	R24	8701	FB	420

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

Minimum width of freestanding blade credenza is 30-inches.

All pedestals have unfinished backs and are manufactured as combined units.

Soft close drawers.

Tops must be ordered separately and are available up to a maximum width of 120-in.

Locks are not included on conference storage modules; see option below to order.

Trash/Recycle units 18w x 20d and 20w x 20d contain (1) Trash/Recycle bin.

Trash/Recycle units 24w x 20d and all units 24d contain (2) Trash/Recycle bins.

*Refrigerator included in 24w Refrigerator Drawer: Summit FF1DSS

* Units will include 1 year warranty provided end user completes the manufacturer's warranty form to transfer warranty prior to purchase.

Refrigerator pedestals include venting.

Blades are solid powdercoat finish.

(MRB) Resin Black

(MRBM) Resin Matte Black

(MRBZ) Resin Bronze

For (MRBAS) Resin Brushed Aluminum w/ Steel Tint blades specify MRBAS; add \$175.

(MRSA) Resin Satin Aluminum

(MRTG) Resin Thunder Gray

(MRW) Resin White







+ Options:

For door/drawer locks, specify Option LD; no price change.

		Product No.	List \$	Product No.	List \$
Credenzas, 28.4h	Unfinished Back; Top Required	20d		24d	
	Credenza (Concealed Top)	KRE20C	371	KRE24C	416
	Credenza (Exposed Top)	KRE20E	371	KRE24E	416

Peds require pull selection

See page CKR3 for pull options

		w	d	Spec Code		Spec Code		Spec Code	Add \$
								Finished Back	
	Open Shelving 16	16	19.25, 23.25	A16	1526	A16	1581	FB	232
	• Open Shelving 18	18	19.25, 23.25	A18	1552	A18	1611	FB	239
	Open Shelving 20	20	19.25, 23.25	A20	1577	A20	1640	FB	245
	Open Shelving 24	24	19.25, 23.25	A24	1696	A24	1781	FB	258
	Open Shelving 30	30	19.25, 23.25	A30	1790	A30	1891	FB	278
	Open Shelving 36	36	19.25, 23.25	A36	1884	A36	2000	FB	297
	Cabinet 16 LH	16	20, 24	C16L	2011	C16L	2066	FB	232
	Cabinet 16 RH	16	20, 24	C16R	2011	C16R	2066	FB	232
	• Cabinet 18 LH	18	20, 24	C18L	2053	C18L	2112	FB	239
	Cabinet 18 RH	18	20, 24	C18R	2053	C18R	2112	FB	239
	Cabinet 20 LH	20	20, 24	C20L	2094	C20L	2157	FB	245
	Cabinet 20 RH	20	20, 24	C20R	2094	C20R	2157	FB	245
	Cabinet 24 LH	24	20, 24	C24L	2245	C24L	2330	FB	258
	Cabinet 24 RH	24	20, 24	C24R	2245	C24R	2330	FB	258
	Cabinet 30 DBL	30	20, 24	C30	2439	C30	2540	FB	278
	Cabinet 36 DBL	36	20, 24	C36	2582	C36	2699	FB	297
	4-Box 16	16	20, 24	J16	2705	J16	2788	FB	232
	• 4-Box 18	18	20, 24	J18	2774	J18	2843	FB	239
	4-Box 20	20	20, 24	J20	2822	J20	2774	FB	245
	4-Box 24	24	20, 24	J24	2928	J24	3007	FB	258
	4-Box 30	30	20, 24	J30	3081	J30	3171	FB	278
	4-Box 36	36	20, 24	J36	3235	J36	3336	FB	297
	2Box/StorageBin 16	16	20, 24	E16	2512	E16	2583	FB	232
	• 2Box/StorageBin 18	18	20, 24	E18	2568	E18	2632	FB	239
	2Box/StorageBin 20	20	20, 24	E20	2612	E20	2620	FB	245
	2Box/StorageBin 24	24	20, 24	E24	2707	E24	2780	FB	258
	2Box/StorageBin 30	30	20, 24	E30	2846	E30	2929	FB	278
	2Box/StorageBin 36	36	20, 24	E36	2985	E36	3077	FB	297
	Storage Bin/StorageBin 16	16	20, 24	S16	2319	S16	2378	FB	232
	• Storage Bin/StorageBin 18	18	20, 24	S18	2361	S18	2422	FB	239
	Storage Bin/StorageBin 20	20	20, 24	S20	2402	S20	2466	FB	245
	Storage Bin/StorageBin 24	24	20, 24	S24	2486	S24	2554	FB	258
	Storage Bin/StorageBin 30	30	20, 24	S30	2610	S30	2686	FB	278
	Storage Bin/StorageBin 36	36	20, 24	S36	2735	S36	2819	FB	297
	• TrashRecycle 18	18	20, 24	T18	2538	T18	2594	FB	239
	TrashRecycle 20	20	20, 24	T20	2542	T20	2588	FB	245
	TrashRecycle 24	24	20, 24	T24	2590	T24	2721	FB	258
	Refrigerator Drawer 24 (fridge included)*	24	24	—		R24	8387	FB	258
	Refrigerator Drawer 36 (fridge not included)**	36	24	—		R36	2800	FB	297

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

All pedestals have unfinished backs and are manufactured as combined units.

Soft close drawers.

Tops must be ordered separately and are available up to a maximum width of 120-in.

Locks are not included on conference storage modules; see option below to order.

Trash/Recycle units 18w x 20d and 20w x 20d contain (1) Trash/Recycle bin.

Trash/Recycle units 24w x 20d and all units 24d contain (2) Trash/Recycle bins.

*Refrigerator included in 24w Refrigerator Drawer: Summit FF1DSS

* Units will include 1 year warranty provided end user completes the manufacturer's warranty form to transfer warranty prior to purchase.

**Recommended Refrigerator for 36w Drawer: Fisher&Paykel, Model No. RB36S25MKW.N1 (Tuohy not providing due to warranty).

Tuohy will not provide the Refrigerator due to warranty.

Refrigerator pedestals include venting.

+ Options:

For door/drawer locks, specify Option LD; no price change.

TUOHY


Specify: Product Number
Quantity
Color/Finish
Tagging• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Woods listed at Wood1 level

		Product No.	List \$
Credenzas	20d 16.4h (case ht) Top Required		
Wall Hung, 28.4h (Installed ht w/out top)	Wall Credenza (Concealed Top)	KRG20C	286
	Wall Credenza (Exposed Top)	KRG20E	286

Peds require pull selection

See page CKR3 for pull options



	w	d	Spec Code	
Open Shelving 16	16	19.25	A16	1854
• Open Shelving 18	18	19.25	A18	1885
Open Shelving 20	20	19.25	A20	1840
Open Shelving 24	24	19.25	A24	1956
Open Shelving 30	30	19.25	A30	2045
Open Shelving 36	36	19.25	A36	2274
Cabinet 16 LH	16	20	C16L	2228
Cabinet 16 RH	16	20	C16R	2228
• Cabinet 18 LH	18	20	C18L	2262
Cabinet 18 RH	18	20	C18R	2262
Cabinet 20 LH	20	20	C20L	2317
Cabinet 20 RH	20	20	C20R	2317
Cabinet 24 DBL	24	20	C24	2483
Cabinet 30 DBL	30	20	C30	2601
Cabinet 36 DBL	36	20	C36	2719
2Box Drawer 16	16	20	D16	2317
• 2Box Drawer 18	18	20	D18	2358
2Box Drawer 20	20	20	D20	2388
2Box Drawer 24	24	20	D24	2396
2Box Drawer 30	30	20	D30	2547
2Box Drawer 36	36	20	D36	2642
StorageBin Drawer 16	16	20	S16	2148
• StorageBin Drawer 18	18	20	S18	2175
StorageBin Drawer 20	20	20	S20	2202
StorageBin Drawer 24	24	20	S24	2255
StorageBin Drawer 30	30	20	S30	2334
StorageBin Drawer 36	36	20	S36	2414

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

All pedestals have unfinished backs and are manufactured as combined units.

Soft close drawers.

Customer walls must be adequately constructed to accept wall hung units.



Tops must be ordered separately and are available up to a maximum width of 120-in.

Wall-mount cleats are included for field installation.

+ Options:





For door/drawer locks, specify Option LD; no price change.

Credenzas
Wall Hung/Sliding Door
29.1h (Installed Concealed Top)
29.9h (Installed Exposed Top)



			Product No.	List \$	Product No.	List \$
20d 17.1h (case ht + concealed top included)	w	d	Wood1 Doors		Glass Doors	
WCred: Sliding/Concealed 36	36	20	KRH36CW	4163	KRH36CG	4503
WCred: Sliding/Concealed 54	54	20	KRH54CW	4673	KRH54CG	5179
• WCred: Sliding/Concealed 60	60	20	KRH60CW	5467	KRH60CG	6035
WCred: Sliding/Concealed 72	72	20	KRH72CW	5803	KRH72CG	6470
WCred: Sliding/Concealed 90 [2]	90	20	KRH90CW	7574	KRH90CG	8650
WCred: Sliding/Concealed 108 [2]	108	20	KRH108CW	8103	KRH108CG	9376
20d 17.9h (case ht + exposed top included)	w	d	Wood1 Doors		Glass Doors	
WCred: Sliding/Exposed 36	36	20	KRH36EW	4262	KRH36EG	4602
WCred: Sliding/Exposed 54	54	20	KRH54EW	4821	KRH54EG	5326
• WCred: Sliding/Exposed 60	60	20	KRH60EW	5630	KRH60EG	6199
WCred: Sliding/Exposed 72	72	20	KRH72EW	5999	KRH72EG	6665
WCred: Sliding/Exposed 90 [2]	90	20	KRH90EW	7817	KRH90EG	8894
WCred: Sliding/Exposed 108 [2]	108	20	KRH108EW	8395	KRH108EG	9667

! Notes:
Tops are included. See Option Codes below for use with panels.
Units under 90w have one door; units 90 and over have two doors.
Units are manufactured as 1-section, unless otherwise noted; [2] denotes units are built and shipped in 2-sections.
Wall-mount cleats are included for field installation.
Customer walls must be adequately constructed to accept wall hung units.
OcuWrite Back-Painted Glass color: O.BWT White.
Locks are not available on sliding door units.
Metal trim on BPGlass doors has an (MBN) Brushed Nickel finish.
Metal trim finish can be customized to any solid color powdercoat option to match blade base.
(MRB) Resin Black (MRSA) Resin Satin Aluminum
(MRBM) Resin Matte Black (MRTG) Resin Thunder Gray
(MRBZ) Resin Bronze (MRW) Resin White

		Product No.		List \$	Product No.		List \$		
Buffet w/ Blade Base, 34.4h	Unfinished Back; Top Required	20d			24d				
	Buffet w/ Blade (Concealed Top)	KRF20C		371	KRF24C		416		
	Buffet w/ Blade (Exposed Top)	KRF20E		371	KRF24E		416		
Peds require pull selection									
See page CKR3 for pull options									
		w	d	Spec Code		Spec Code		Spec Code	Add \$
		Finished Back							
	Open Shelving 16	16	19.25, 23.25	A16	1985	A16	2040	FB	350
	• Open Shelving 18	18	19.25, 23.25	A18	2068	A18	2127	FB	372
	Open Shelving 20	20	19.25, 23.25	A20	2151	A20	2214	FB	393
	Open Shelving 24	24	19.25, 23.25	A24	2384	A24	2469	FB	436
	Open Shelving 30	30	19.25, 23.25	A30	2650	A30	2751	FB	500
	Open Shelving 36	36	19.25, 23.25	A36	2917	A36	3033	FB	564
	Cabinet 16 LH	16	20, 24	C16L	2470	C16L	2525	FB	350
	Cabinet 16 RH	16	20, 24	C16R	2470	C16R	2525	FB	350
	• Cabinet 18 LH	18	20, 24	C18L	2569	C18L	2628	FB	372
	Cabinet 18 RH	18	20, 24	C18R	2569	C18R	2628	FB	372
	Cabinet 20 LH	20	20, 24	C20L	2668	C20L	2731	FB	393
	Cabinet 20 RH	20	20, 24	C20R	2668	C20R	2731	FB	393
	Cabinet 24 LH	24	20, 24	C24L	2934	C24L	3019	FB	436
	Cabinet 24 RH	24	20, 24	C24R	2934	C24R	3019	FB	436
	Cabinet 30 DBL	30	20, 24	C30	3300	C30	3400	FB	500
	Cabinet 36 DBL	36	20, 24	C36	3615	C36	3731	FB	564
	4-Box 16	16	20, 24	J16	3164	J16	3247	FB	350
	• 4-Box 18	18	20, 24	J18	3291	J18	3359	FB	372
	4-Box 20	20	20, 24	J20	3395	J20	3348	FB	393
	4-Box 24	24	20, 24	J24	3616	J24	3695	FB	436
	2Box/StorageBin 16	16	20, 24	E16	2971	E16	3042	FB	350
	• 2Box/StorageBin 18	18	20, 24	E18	3084	E18	3148	FB	372
	2Box/StorageBin 20	20	20, 24	E20	3186	E20	3193	FB	393
	2Box/StorageBin 24	24	20, 24	E24	3395	E24	3469	FB	436
	2Box/StorageBin 30	30	20, 24	E30	3706	E30	3789	FB	500
	2Box/StorageBin 36	36	20, 24	E36	4017	E36	4109	FB	564
	Storage Bin/StorageBin 16	16	20, 24	S16	2778	S16	2836	FB	350
	• Storage Bin/StorageBin 18	18	20, 24	S18	2877	S18	2938	FB	372
	Storage Bin/StorageBin 20	20	20, 24	S20	2976	S20	3039	FB	393
	Storage Bin/StorageBin 24	24	20, 24	S24	3174	S24	3242	FB	436
Storage Bin/StorageBin 30	30	20, 24	S30	3471	S30	3547	FB	500	
Storage Bin/StorageBin 36	36	20, 24	S36	3767	S36	3851	FB	564	
	• TrashRecycle 18	18	20, 24	T18	2836	T18	2892	FB	372
	TrashRecycle 20	20	20, 24	T20	2897	T20	2943	FB	393
	TrashRecycle 24	24	20, 24	T24	3060	T24	3191	FB	436
	Refrigerator Drawer (fridge included)*	24	24	—		R24	8857	FB	436
	Refrigerator Drawer (fridge not included)**	36	24	—		R36	3615	FB	564

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

Minimum width of freestanding blade credenza is 30-inches.

All pedestals have unfinished backs and are manufactured as combined units.

Soft close drawers.

Tops must be ordered separately and are available up to a maximum width of 120-in.

Locks are not included on conference storage modules; see option below to order.

Trash/Recycle units 18w x 20d and 20w x 20d contain (1) Trash/Recycle bin.

Trash/Recycle units 24w x 20d and all units 24d contain (2) Trash/Recycle bins.

*Refrigerator included in 24w Refrigerator Drawer: Summit FF1DSS

* Units will include 1 year warranty provided end user completes the manufacturer's warranty form to transfer warranty prior to purchase.

**Recommended Refrigerator for 36w Drawer: Fisher&Paykel, Model No. RB36S25MKW.N1 (Tuohy not providing due to warranty).

Refrigerator pedestals include venting.

Blades are solid powderdercoat finish.

(MRB) Resin Black

(MRBM) Resin Matte Black

(MRBZ) Resin Bronze

For (MRBAS) Resin Brushed Aluminum w/ Steel Tint blades specify MRBAS; add \$175.

(MRSA) Resin Satin Aluminum

(MRTG) Resin Thunder Gray

(MRW) Resin White






+ Options:

For door/drawer locks, specify Option LD; no price change.

Specify: Product Number
Quantity
Color/Finish
Tagging

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Woods listed at Wood1 level

		Product No.		List \$	Product No.		List \$		
Buffets, 34.4h		Unfinished Back; Top Required		20d	24d				
		Buffet (Concealed Top)		KRJ20C	434	KRJ24C	489		
		Buffet (Exposed Top)		KRJ20E	434	KRJ24E	489		
Peds require pull selection									
See page CKR3 for pull options									
		w	d	Spec Code		Spec Code		Spec Code Add \$	
		Finished Back							
	Open Shelving 16	16	19.25, 23.25	A16	1563	A16	1623	FB	242
	• Open Shelving 18	18	19.25, 23.25	A18	1589	A18	1654	FB	250
	Open Shelving 20	20	19.25, 23.25	A20	1616	A20	1685	FB	258
	Open Shelving 24	24	19.25, 23.25	A24	1737	A24	1828	FB	274
	Open Shelving 30	30	19.25, 23.25	A30	1836	A30	1942	FB	298
	Open Shelving 36	36	19.25, 23.25	A36	1934	A36	2056	FB	321
	Cabinet 16 LH	16	20, 24	C16L	2108	C16L	2169	FB	242
	Cabinet 16 RH	16	20, 24	C16R	2108	C16R	2169	FB	242
	• Cabinet 18 LH	18	20, 24	C18L	2155	C18L	2219	FB	250
	Cabinet 18 RH	18	20, 24	C18R	2155	C18R	2219	FB	250
	Cabinet 20 LH	20	20, 24	C20L	2201	C20L	2270	FB	258
	Cabinet 20 RH	20	20, 24	C20R	2201	C20R	2270	FB	258
	Cabinet 24 LH	24	20, 24	C24L	2362	C24L	2452	FB	274
	Cabinet 24 RH	24	20, 24	C24R	2362	C24R	2452	FB	274
	Cabinet 30 DBL	30	20, 24	C30	2570	C30	2676	FB	274
Cabinet 36 DBL	36	20, 24	C36	2727	C36	2849	FB	298	
	5-Box 16	16	20, 24	L16	3026	L16	3125	FB	242
	• 5-Box 18	18	20, 24	L18	3110	L18	3191	FB	250
	5-Box 20	20	20, 24	L20	3166	L20	3102	FB	258
	5-Box 24	24	20, 24	L24	3207	L24	3387	FB	274
	3Box/StorageBin 16	16	20, 24	H16	2833	H16	2920	FB	242
	• 3Box/StorageBin 18	18	20, 24	H18	2903	H18	2980	FB	250
	3Box/StorageBin 20	20	20, 24	H20	2957	H20	2948	FB	258
	3Box/StorageBin 24	24	20, 24	H24	3073	H24	3161	FB	274
	3Box/StorageBin 30	30	20, 24	H30	3243	H30	3342	FB	274
	3Box/StorageBin 36	36	20, 24	H36	3413	H36	3523	FB	298
	Box/2StorageBin 16	16	20, 24	N16	2640	N16	2715	FB	242
	• Box/2StorageBin 18	18	20, 24	N18	2696	N18	2770	FB	250
	Box/2StorageBin 20	20	20, 24	N20	2747	N20	2794	FB	258
	Box/2StorageBin 24	24	20, 24	N24	2852	N24	2935	FB	274
	Box/2StorageBin 30	30	20, 24	N30	3007	N30	3099	FB	274
	Box/2StorageBin 36	36	20, 24	N36	3163	N36	3264	FB	298
	• TrashRecycle 18	18	20, 24	T18	2616	T18	2698	FB	250
	TrashRecycle 20	20	20, 24	T20	2673	T20	2696	FB	258
	TrashRecycle 24	24	20, 24	T24	2757	T24	2837	FB	274
	Refrigerator Drawer (fridge included)*	24	24	—		R24	8503	FB	274
	Refrigerator Drawer (fridge not included)**	36	24	—		R36	3353	FB	298
! Notes:									
To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.									
The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.									
All pedestals have unfinished backs and are manufactured as combined units.									
Soft close drawers.									
Tops must be ordered separately and are available up to a maximum width of 120-in.									
Locks are not included on conference storage modules; see option below to order.									
Trash/Recycle units 18w x 20d and 20w x 20d contain (1) Trash/Recycle bin.									
Trash/Recycle units 24w x 20d and all units 24d contain (2) Trash/Recycle bins.									
*Refrigerator included in 24w Refrigerator Drawer: Summit FF1DSS									
* Units will include 1 year warranty provided end user completes the manufacturer's warranty form to transfer warranty prior to purchase.									
**Recommended Refrigerator for 36w Drawer: Fisher&Paykel, Model No. RB36S25MKIW.N1 (Tuohy not providing due to warranty).									
Tuohy will not provide the Refrigerator due to warranty.									
Refrigerator pedestals include venting.									
+ Options:									
For door/drawer locks, specify Option LD; no price change.									

TUOHY

Specify: Product Number
Quantity
Color/Finish
Tagging

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Woods listed at Wood1 level

Product No. List \$


Buffets

20d 22.4h (case ht); Top Required

Wall Hung, 34.4h (Installed ht w/out top)	Wall Buffet (Concealed Top)	KRK20C	334
	Wall Buffet (Exposed Top)	KRK20E	334

Peds require pull selection

See page CKR3 for pull options



			Spec Code	
Open Shelving 16	16	19.25	A16	1830
• Open Shelving 18	18	19.25	A18	1855
Open Shelving 20	20	19.25	A20	1880
Open Shelving 24	24	19.25	A24	1999
Open Shelving 30	30	19.25	A30	2092
Open Shelving 36	36	19.25	A36	2185
Cabinet 16 LH	16	20	C16L	2294
Cabinet 16 RH	16	20	C16R	2294
• Cabinet 18 LH	18	20	C18L	2333
Cabinet 18 RH	18	20	C18R	2333
Cabinet 20 LH	20	20	C20L	2371
Cabinet 20 RH	20	20	C20R	2371
Cabinet 24 LH	24	20	C24L	2516
Cabinet 24 RH	24	20	C24R	2516
Cabinet 30 DBL	30	20	C30	2702
Cabinet 36 DBL	36	20	C36	2834
Box/StorageBin 16	16	20	N16	2461
• Box/StorageBin 18	18	20	N18	2503
Box/StorageBin 20	20	20	N20	2539
Box/StorageBin 24	24	20	N24	2586
Box/StorageBin 30	30	20	N30	2726
Box/StorageBin 36	36	20	N36	2831
• TrashRecycle 18	18	20	T18	2534
TrashRecycle 20	20	20	T20	2497
TrashRecycle 24	24	20	T24	2552

! Notes:

To order, specify the Product Number listed at top, then list the Spec Codes in L to R order in your description.

The total price is the price listed at top plus the sum of the prices for the Spec Codes you itemized.

All pedestals have unfinished backs and are manufactured as combined units.

Soft close drawers.

Customer walls must be adequately constructed to accept wall hung units.

Tops must be ordered separately and are available up to a maximum width of 120-in.

Wall-mount cleats are included for field installation.



Trash/Recycle units 18w x 20d and 20w x 20d contain (1) Trash/Recycle bin.

Trash/Recycle units 24w x 20d and all units 24d contain (2) Trash/Recycle bins.

+ Options:

For door/drawer locks, specify Option LD; no price change.



Buffets
Wall Hung/Sliding Door
35.1h (Installed Concealed Top)
35.9h (Installed Exposed Top)



	Product No.	List \$	Product No.	List \$
20d 23.1h (case ht + concealed top included)	Wood1 Doors		Glass Doors	
W Buffet: Sliding/Concealed 36	KRL36CW	4300	KRL36CG	4729
W Buffet: Sliding/Concealed 54	KRL54CW	4833	KRL54CG	5475
• W Buffet: Sliding/Concealed 60	KRL60CW	5648	KRL60CG	6362
W Buffet: Sliding/Concealed 72	KRL72CW	6000	KRL72CG	6841
W Buffet: Sliding/Concealed 90	KRL90CW	7843	KRL90CG	9210
20d 23.9h (case ht + exposed top included)	Wood1 Doors		Glass Doors	
W Buffet: Sliding/Exposed 36	KRL36EW	4399	KRL36EG	4828
W Buffet: Sliding/Exposed 54	KRL54EW	4981	KRL54EG	5622
• W Buffet: Sliding/Exposed 60	KRL60EW	5811	KRL60EG	6526
W Buffet: Sliding/Exposed 72	KRL72EW	6195	KRL72EG	7036
W Buffet: Sliding/Exposed 90	KRL90EW	8086	KRL90EG	9454

! Notes:
Tops are included. See Option Codes below for use with panels.
Units under 90w have one door; units 90 and over have two doors.
Units are manufactured as 1-section, unless otherwise noted; [2] denotes units are built and shipped in 2-sections.
Wall-mount cleats are included for field installation.
Customer walls must be adequately constructed to accept wall hung units.
OcuWrite Back-Painted Glass color: O.BWT White.
Locks are not available on sliding door units.
Metal trim on BPGlass doors has an (MBN) Brushed Nickel finish.
Metal trim finish can be customized to any solid color powdercoat option to match blade base.
(MRB) Resin Black (MRSA) Resin Satin Aluminum
(MRBM) Resin Matte Black (MRTG) Resin Thunder Gray
(MRBZ) Resin Bronze (MRW) Resin White

Drawer Inserts



Product No. List \$ Product No. List \$
For 20" Deep Pedestal For 24" Deep Pedestal

Wood Cutlery Tray Insert for box drawers					
	w				
1 For 16 wide ped	14.5	KRX2016	358	KRX2416	358
1 For 18 wide ped	16.5	KRX2018	358	KRX2418	358
2 For 20 wide ped	18.5	KRX2020	409	KRX2420	409
2 For 24 wide ped	22.5	KRX2024	409	KRX2424	409
3 For 30 wide ped	28.5			KRX2430	612
3 For 36 wide ped	34.5			KRX2436	612

K-Cup Insert for box drawers					
	w				
4 For 16 wide ped (25 K-cup)	14.5	KRY2016	424	KRY2416	424
5 For 18 wide ped (30 K-cup)	16.5	KRY2018	424	KRY2418	424
5 For 24 wide ped (30 K-cup)	22.5	KRY2024	472	KRY2424	472

Peg Insert for storage drawers					
	w				
6 For 20 wide ped (9 pegs)	18.5	KRZ2020	450	KRZ2420	450
6 For 24 wide ped (9 pegs)	22.5	KRZ2024	450	KRZ2424	450
7 For 30 wide ped (12 pegs)	28.5	KRZ2030	478	KRZ2430	478
8 For 36 wide ped (16 pegs)	34.5	KRZ2036	575	KRZ2436	575


! Notes:
Inserts are maple with a UV cured clear finish.

(MRW) Resin White

CKR24

Description	#Shlvs	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$
Wall Panels, OcuWrite BPGlass																			
	h		30w		36w		42w		48w		54w		60w		66w		72w		
Buffet to 60.5h	24.6	2	KRMGA30	2999	KRMGA36	3206	KRMGA42	3417	KRMGA48	3625	KRMGA54	3833	KRMGA60	4041	KRMGA66	4249	KRMGA72	4459	
Credenza to 60.5h	30.6	2	KRMGB30	3197	KRMGB36	3437	KRMGB42	3678	KRMGB48	3919	KRMGB54	4159	KRMGB60	4400	KRMGB66	4641	KRMGB72	4881	
Low Cred. to 60.5h	36.6	2	KRMGC30	3493	KRMGC36	3782	KRMGC42	4069	KRMGC48	4359	KRMGC54	4647	KRMGC60	4937	KRMGC66	5226	KRMGC72	5514	
Bench to 60.5h	42.6	3	KRMGD30	3788	KRMGD36	4125	KRMGD42	4464	KRMGD48	4801	KRMGD54	5138	KRMGD60	5474	KRMGD66	5812	KRMGD72	6148	
Buffet to 72.5h	36.6	2	KRMGE30	3493	KRMGE36	3782	KRMGE42	4069	KRMGE48	4359	KRMGE54	4647	KRMGE60	4937	KRMGE66	5226	KRMGE72	5514	
Credenza to 72.5h	42.6	2	KRMGF30	3788	KRMGF36	4125	KRMGF42	4464	KRMGF48	4801	KRMGF54	5138	KRMGF60	5474	KRMGF66	5812	KRMGF72	6148	
Low Cred. to 72.5h	48.6	2	KRMGG30	4086	KRMGG36	4470	KRMGG42	4857	KRMGG48	5242	KRMGG54	5626	KRMGG60	6012	KRMGG66	6397	KRMGG72	6781	
Bench to 72.5h	54.6	3	KRMGH30	4382	KRMGH36	4816	KRMGH42	5249	KRMGH48	5683	KRMGH54	6114	KRMGH60	6549	KRMGH66	6980	KRMGH72	7414	
Buffet to 84.5h	48.6	3	KRMGJ30	4086	KRMGJ36	4470	KRMGJ42	4857	KRMGJ48	5242	KRMGJ54	5626	KRMGJ60	6012	KRMGJ66	6397	KRMGJ72	6781	
Credenza to 84.5h	54.6	3	KRMGK30	4382	KRMGK36	4816	KRMGK42	5249	KRMGK48	5683	KRMGK54	6114	KRMGK60	6549	KRMGK66	6980	KRMGK72	7414	
Low Cred. to 84.5h	60.6	3	KRMGL30	4680	KRMGL36	5161	KRMGL42	5643	KRMGL48	6124	KRMGL54	6605	KRMGL60	7086	KRMGL66	7568	KRMGL72	8049	
Bench to 84.5h	66.6	4	KRMGM30	4976	KRMGM36	5506	KRMGM42	6035	KRMGM48	6565	KRMGM54	7094	KRMGM60	7623		—		—	
	h		78w		84w		90w		96w		102w		108w		114w		120w		
Buffet to 60.5h	24.6	2	KRMGA78	4666	KRMGA84	4875	KRMGA90	5084	KRMGA96	5294		—		—		—		—	
Credenza to 60.5h	30.6	2	KRMGB78	5123	KRMGB84	5362	KRMGB90	5603	KRMGB96	5844		—		—		—		—	
Low Cred. to 60.5h	36.6	2	KRMGC78	5803	KRMGC84	6092	KRMGC90	6382	KRMGC96	6669		—		—		—		—	
Bench to 60.5h	42.6	3	KRMGD78	6485	KRMGD84	6822	KRMGD90	7158	KRMGD96	7496		—		—		—		—	
Buffet to 72.5h	36.6	2	KRMGE78	5803	KRMGE84	6092	KRMGE90	6382	KRMGE96	6669		—		—		—		—	
Credenza to 72.5h	42.6	2	KRMGF78	6485	KRMGF84	6822	KRMGF90	7158	KRMGF96	7496		—		—		—		—	
Low Cred. to 72.5h	48.6	2	KRMGG78	7168	KRMGG84	7553		—		—		—		—		—		—	
Bench to 72.5h	54.6	3	KRMGH78	7849	KRMGH84	8280		—		—		—		—		—		—	
Buffet to 84.5h	48.6	3	KRMGJ78	7168	KRMGJ84	7553		—		—		—		—		—		—	
Credenza to 84.5h	54.6	3	KRMGK78	7849	KRMGK84	8280		—		—		—		—		—		—	
Low Cred. to 84.5h	60.6	3	KRMGL78	8530	KRMGL84	9012		—		—		—		—		—		—	
Bench to 84.5h	66.6	4		—		—		—		—		—		—		—		—	

! Notes:
Wall panel heights are based off 1.5-inch exposed tops. Panels will be 0.75-inches lower overall on concealed tops.
All panels are magnetic.
Max size of glass panels is 96w x 48h in one piece; max width is 96w.
OcuWrite Back-Painted Glass color: O.BWT White.
1.5-in metal edge on 3 sides; finish is (MRBAS) Metal Resin Brushed Aluminum with Steet Tint.
Metal edge finish can be customized to any solid color powdercoat option to match blade base.
(MRB) Resin Black (MRSA) Resin Satin Aluminum
(MRBM) Resin Matte Black (MRTG) Resin Thunder Gray
(MRBZ) Resin Bronze (MRW) Resin White




Description	#Shlvs	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$	ProdNo.	List \$
Wall Panels, Fabric																			
	h		30w		36w		42w		48w		54w		60w		66w		72w		
Buffet to 60.5h	24.6	2	KRMFA30	2227	KRMFA36	2245	KRMFA42	2262	KRMFA48	2280	KRMFA54	2295	KRMFA60	2312	KRMFA66	2330	KRMFA72	2347	
Credenza to 60.5h	30.6	2	KRMFB30	2276	KRMFB36	2298	KRMFB42	2317	KRMFB48	2337	KRMFB54	2358	KRMFB60	2378	KRMFB66	2398	KRMFB72	2417	
Low Cred. to 60.5h	36.6	2	KRMFC30	2354	KRMFC36	2378	KRMFC42	2400	KRMFC48	2426	KRMFC54	2451	KRMFC60	2473	KRMFC66	2499	KRMFC72	2523	
Bench to 60.5h	42.6	3	KRMFD30	2430	KRMFD36	2457	KRMFD42	2486	KRMFD48	2513	KRMFD54	2541	KRMFD60	2569	KRMFD66	2597	KRMFD72	2625	
Buffet to 72.5h	36.6	2	KRMFE30	2354	KRMFE36	2378	KRMFE42	2400	KRMFE48	2426	KRMFE54	2451	KRMFE60	2473	KRMFE66	2499	KRMFE72	2523	
Credenza to 72.5h	42.6	2	KRMFF30	2430	KRMFF36	2457	KRMFF42	2486	KRMFF48	2513	KRMFF54	2541	KRMFF60	2569	KRMFF66	2597	KRMFF72	2625	
Low Cred. to 72.5h	48.6	2	KRMFG30	2505	KRMFG36	2538	KRMFG42	2569	KRMFG48	2601	KRMFG54	2632	KRMFG60	2665	KRMFG66	2697	KRMFG72	2730	
Bench to 72.5h	54.6	3	KRMFH30	2582	KRMFH36	2618	KRMFH42	2653	KRMFH48	2689	KRMFH54	2726	KRMFH60	2762	KRMFH66	2797	KRMFH72	2833	
Buffet to 84.5h	48.6	3	KRMFJ30	2505	KRMFJ36	2538	KRMFJ42	2569	KRMFJ48	2601	KRMFJ54	2632	KRMFJ60	2665	KRMFJ66	2697	KRMFJ72	2730	
Credenza to 84.5h	54.6	3	KRMFK30	2582	KRMFK36	2618	KRMFK42	2653	KRMFK48	2689	KRMFK54	2726	KRMFK60	2762	KRMFK66	2797	KRMFK72	2833	
Low Cred. to 84.5h	60.6	3	KRMFL30	2657	KRMFL36	2696	KRMFL42	2737	KRMFL48	2777	KRMFL54	2818	KRMFL60	2857	KRMFL66	2897	KRMFL72	2938	
Bench to 84.5h	66.6	4	KRMFM30	2733	KRMFM36	2776	KRMFM42	2822	KRMFM48	2865									
	h		78w		84w		90w		96w		102w		108w		114w		120w		
Buffet to 60.5h	24.6	2	KRMFA78	2365	KRMFA84	2382	KRMFA90	2400	KRMFA96	2418	KRMFA102	2436	KRMFA108	2453	KRMFA114	2471	KRMFA120	2487	
Credenza to 60.5h	30.6	2	KRMFB78	2437	KRMFB84	2457	KRMFB90	2477	KRMFB96	2499	KRMFB102	2518	KRMFB108	2538	KRMFB114	2559	KRMFB120	2578	
Low Cred. to 60.5h	36.6	2	KRMFC78	2544	KRMFC84	2569	KRMFC90	2595	KRMFC96	2618	KRMFC102	2642	KRMFC108	2667	KRMFC114	2689	KRMFC120	2713	
Bench to 60.5h	42.6	3	KRMFD78	2653	KRMFD84	2683	KRMFD90	2709	KRMFD96	2738	KRMFD102	2766	KRMFD108	2794	KRMFD114	2821	KRMFD120	2850	
Buffet to 72.5h	36.6	2	KRMFE78	2544	KRMFE84	2569	KRMFE90	2595	KRMFE96	2618	KRMFE102	2642	KRMFE108	2667	KRMFE114	2689	KRMFE120	2713	
Credenza to 72.5h	42.6	2	KRMFF78	2653	KRMFF84	2683	KRMFF90	2709	KRMFF96	2738	KRMFF102	2766	KRMFF108	2794	KRMFF114	2821	KRMFF120	2850	
Low Cred. to 72.5h	48.6	2	KRMFG78	2762	KRMFG84	2794	KRMFG90	2826	KRMFG96	2857	KRMFG102	2890	KRMFG108	2921	KRMFG114	2952	KRMFG120	2986	
Bench to 72.5h	54.6	3	KRMFH78	2871	KRMFH84	2906	KRMFH90	2942	KRMFH96	2978	KRMFH102	3015	KRMFH108	3050	KRMFH114	3086	KRMFH120	3122	
Buffet to 84.5h	48.6	3	KRMFJ78	2762	KRMFJ84	2794	KRMFJ90	2826	KRMFJ96	2857	KRMFJ102	2890	KRMFJ108	2921	KRMFJ114	2952	KRMFJ120	2986	
Credenza to 84.5h	54.6	3	KRMFK78	2871	KRMFK84	2906	KRMFK90	2942	KRMFK96	2978	KRMFK102	3015	KRMFK108	3050	KRMFK114	3086	KRMFK120	3122	
Low Cred. to 84.5h	60.6	3	KRMFL78	2978	KRMFL84	3019	KRMFL90	3057	KRMFL96	3096	KRMFL102	3137	KRMFL108	3178	KRMFL114	3219	KRMFL120	3257	
Bench to 84.5h	66.6	4																	

- ! Notes:
Wall panel heights are based off 1.5-inch exposed tops. Panels will be 0.75-inches lower overall on concealed tops.
All panels are tackable.
Fabric panels width will be determined by fabric direction.
Fabric panels over 96 inches wide will be two piece.
Wall panels taller than 48.6h will be done in multiple sections to fit direction and size of Fabric roll.
Any Fabric wall panel wider than 96w will be split vertically in two pieces.
1.5-in metal edge on 3 sides; finish is (MRBAS) Metal Resin Brushed Aluminum with Steet Tint.
Metal edge finish can be customized to any solid color powdercoat option to match blade base; no price change.
(MRB) Resin Black (MRSA) Resin Satin Aluminum
(MRBM) Resin Matte Black (MRTG) Resin Thunder Gray
(MRBZ) Resin Bronze (MRW) Resin White

COM Fabric Requirements (yards of 54w material)

		30w	36w	48w	54w	60w	66w	72w	78w	84w	90w	96w	102w	108w	114w	120w
	24.6	1	1.2	1.5	1.7	1.9	2.2	2.2	2.4	2.5	2.7	2.9	3.2	3.4	3.5	3.7
	30.6	2	2.4	3	3.4	3.8	4.4	4.4	4.8	5	5.4	5.8	6.4	6.8	7	7.4
	36.6	2	2.4	3	3.4	3.8	4.4	4.4	4.8	5	5.4	5.8	6.4	6.8	7	7.4
	42.6	2	2.4	3	3.4	3.8	4.4	4.4	4.8	5	5.4	5.8	6.4	6.8	7	7.4
	48.6	2	2.4	3	3.4	3.8	4.4	4.4	4.8	5	5.4	5.8	6.4	6.8	7	7.4
	54.6	2	2.4	3	3.4	3.8	4.4	4.4	4.8	5	5.4	5.8	6.4	6.8	7	7.4
	60.6	2	2.4	3	3.4	3.8	4.4	4.4	4.8	5	5.4	5.8	6.4	6.8	7	7.4
	54.6	2	2.4	3	3.4	3.8	4.4	4.4	4.8	5	5.4	5.8	6.4	6.8	7	7.4
	66.6	3	3.6	4.5	5.1	5.7	6.6	6.6	7.2	7.5	8.1	8.7	9.6	10.2	10.5	11.1


Wall Panel Shelves




Description	Product No.	List \$	Product No.		List \$
			Wood 1.5th	Metal 0.25th	
Shelf 30w 12d	DZMSW30	1115	DZMSM30	1201	
Shelf 36w 12d	DZMSW36	1154	DZMSM36	1281	
Shelf 48w 12d	DZMSW48	1311	DZMSM48	1388	
Shelf 54w 12d	DZMSW54	1351	DZMSM54	1388	
Shelf 60w 12d	DZMSW60	1466	DZMSM60	1388	
Shelf 66w 12d	DZMSW66	1506	DZMSM66	1468	
Shelf 72w 12d	DZMSW72	1545	DZMSM72	1468	
Shelf 78w 12d	DZMSW78	1661	DZMSM78	1468	
Shelf 84w 12d	DZMSW84	1702	DZMSM84	1549	
Shelf 90w 12d	DZMSW90	1742	DZMSM90	1549	
Shelf 96w 12d	DZMSW96	1856	DZMSM96	1789	
Shelf 102w 12d	DZMSW102	1897	DZMSM102	1789	
Shelf 108w 12d	DZMSW108	1937	DZMSM108	1789	
Shelf 114w 12d	DZMSW114	2052	DZMSM114	1843	
Shelf 120w 12d	DZMSW120	2094	DZMSM120	1843	

! Notes — for Wall Panels and Shelves:
Metal shelves have a weight limit of 40 lbs per linear foot with a .25 inch drop.
Wood shelves have a weight limit of 40 lbs per linear foot.
Metal and Wood cannot be intermixed on a single panel.
Shelf depth is 12d on both wood and metal shelves.
Metal shelves are standard MRBAS, Brushed Aluminum w/Steel Tint.
Number of shelves is determined by panel size.
Specify shelf location using chart at bottom of section.

CADENCE HEIGHT (1.5 Exposed Tops)



CADENCE HEIGHT (0.75 Concealed Tops)



(Order wall panels based off 1.5" exposed tops; actual height will be 0.75" lower when used on concealed tops.)

TUOHY

Specify: Product Number
Quantity
Color/Finish
Tagging

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Woods listed at Wood1 level

