

PRICING & SPECIFICATION GUIDE
Lectern Collection

February 13, 2025


TUOHY



Conference: **Lecterns**

| | |
|---------------------------|-----|
| Presenter's Podium | CL3 |
| Advantage Lectern | CL3 |
| Montrose Lectern | CL4 |
| Montrose Adaptive Lectern | CL5 |
| Battery Power Options | CL6 |

Presenter's Podium




| | 30w | 19.8d | 45h | Product No. | List \$ | Product No. | List \$ |
|--------------------------------------|-----|-------|-----|-------------|---------|----------------|---------|
| | | | | Wood1 | | Wood1 Two-Tone | |
| • Podium | | | | XP30 | 7495 | XP301 | 7495 |
| • Podium with Microphone | | | | XP30M | 9969 | XP301M | 9969 |
| • Podium on Casters | | | | XP30C | 8931 | XP301C | 8931 |
| • Podium on Casters, with Microphone | | | | XP30MC | 11405 | XP301MC | 11405 |

! Notes:

Front panel and speaker's platform are Wood1.
Wood1 Two-Tone finishes have the front panel and speaker's platform in different Wood1 finishes; specify each.
(See image below for Podium with Microphone in Wood1 Two-Tone finish.)
Rear vertical chase is (MSBN) Satin Brushed Nickel (~MRBS); base finish is (MBSS) Brushed Stainless Steel.
Microphone is TUOHY model S2E.Q00.000 with XLR plug and 12-inch gooseneck stem; color is black.
Microphone power wires to be provided by others.



Advantage Lectern




| | | | | | | |
|---------------------------------------|-----|-----|-------|---------|------|--|
| No Top Cap/Detal | 24w | 18d | 44.4h | Wood1 | | |
| • Lectern | | | | 70YPC00 | 2815 | |
| Lectern with Pre-drill for Microphone | | | | 70YPC05 | 3932 | |

! Notes:

For Lectern with Pre-drill for Microphone, specify exact hole size and placement if customer's microphone is used. See page 17 of the Terms & Options section for TUOHY's optional microphone listing.

Montrose Lectern



| | Product No. | List \$ |
|--|-------------|---------|
| Fixed Height | 30w 19.8d | Wood1 |
| Lectern | MTRF30 | 7625 |
| Lectern with Microphone | MTRF30M | 10102 |
| Lectern on Casters | MTRF30C | 9210 |
| Lectern on Casters, with Microphone | MTRF30MC | 11687 |
| Adjustable Height | | |
| Adj Ht Lectern | MTRH30 | 10334 |
| Adj Ht Lectern with Microphone | MTRH30M | 12811 |
| Adj Ht Lectern on Casters | MTRH30C | 11855 |
| • Adj Ht Lectern on Casters, with Microphone | MTRH30MC | 14332 |

! Notes:

Microphone is TUOHY model S2E.Q00.000 with XLR plug and 12-inch gooseneck stem; color is black.

Microphone power wires to be provided by others.

Black casters 2 w/ brakes, 2 without.

Lecterns are electric powered. See page CL6 for battery power for adj ht lecterns, and optional AAP plates.

> Options:

Specify base and pencil catch finish from standard powder coat colors.

(MRW) Resin White

(MRB) Resin Black

(MRSA) Resin Satin Aluminum

(MRBM) Resin Black Matte

(MRTG) Resin Thunder Gray

(MRBZ) Resin Bronze

For Brushed Stainless Steel specify (MBSS) and add \$400 to list price.


To Include Dean Z-Mount and USB Powered Led Light append P to end of Product Code and add \$895 to list price.

Dean Z-Mount is 3-port with 2 Simplex and USB-A+C; soft plug, standard color options.


USB powered led light is dimmable, flexible, gooseneck (black).

Includes power strip w/ 15' cord.


Black flex grommet on either side for wire exit and wire exit in bottom.




Height Adjustable/Non-Mobile




Height Adjustable/Mobile



Fixed Height/Non-Mobile



Fixed Height/Mobile





Specify: Product Number
Quantity
Color/Finish
Tagging

• Denotes Item is illustrated.
‡ Requires field sub-assembly.


Woods listed at Wood1 level

Montrose Adaptive Lectern




| | | | |
|--|-------------|----------|-------|
| Adjustable Height | 46.2w 24.9d | Wood1 | |
| Adj Ht Lectern | | MTRH46 | 12444 |
| • Adj Ht Lectern with Microphone | | MTRH46M | 14921 |
| Adj Ht Lectern on Casters | | MTRH46C | 13680 |
| Adj Ht Lectern on Casters, with Microphone | | MTRH46MC | 16157 |



! Notes:
Microphone is TUOHY model S2E.Q00.000 with XLR plug and 12-inch gooseneck stem; color is black.
Microphone power wires to be provided by others.
Black casters 2 w/ brakes, 2 without.
Lecterns are electric powered. See page CL6 for battery power for adj ht lecterns, and optional AAP plates.
> Options:
Specify base and pencil catch finish from standard powder coat colors.
(MRW) Resin White (MRB) Resin Black
(MRSA) Resin Satin Aluminum (MRBM) Resin Black Matte
(MRTG) Resin Thunder Gray (MRBZ) Resin Bronze
For Brushed Stainless Steel specify (MBSS) and add \$400 to list price.
To Include Dean Z-Mount and USB Powered Led Light append P to end of Product Code and add \$895 to list price.
Dean Z-Mount is 3-port with 2 Simplex and USB-A+C; soft plug, standard color options.
USB powered led light is dimmable, flexible, gooseneck (black).
Includes power strip w/ 15' cord.
Black flex grommet on either side for wire exit and wire exit in bottom.




Height Adjustable/Non-Mobile



Height Adjustable/Mobile




Battery Power Options



| | Product No. | List \$ |
|--------------|-------------|---------|
| Battery Kit | ELBK | 975 |
| Charging Kit | ELCK | 200 |

! Notes:
Battery Kit includes Battery and 8-in cable to plug into desk control box.
Charging Kit includes 8-in cable, charger, and power cable.
Battery power is for height adjustable settings only. Battery kit will not work for microphone or power/USB unit.

Data



| | | |
|--|--------|-----|
| (2) AAP Plates; one with HDMI, 1 Blank | AAP2HB | 310 |
|--|--------|-----|

