


TUOHY

Leit




Leit Chair, Single




Product No.	Dimensions	Fabric \$				Leather \$					
PLEC1	26w	COM	2932	F6	3227	F12	3515	COL	3372	L6	4722
	24d	F1	3100	F7	3262	F13	3585	L1	3957	L7	4947
	29h	F2	3120	F8	3302	F14	3662	L2	4047	L8	5217
	18sh	F3	3142	F9	3347	F15	3750	L3	4182	L9	5577
		F4	3167	F10	3397	F16	3850	L4	4317	L10	5982
	2.5 yds, 45 sf	F5	3195	F11	3452	F17	3960	L5	4497	L11	6432

Leit Chair, Double




PLEC2	52w	COM	4079	F6	4551	F12	5011	COL	4691	L6	6851
	24d	F1	4347	F7	4607	F13	5123	L1	5627	L7	7211
	29h	F2	4379	F8	4671	F14	5247	L2	5771	L8	7643
	18sh	F3	4415	F9	4743	F15	5387	L3	5987	L9	8219
		F4	4455	F10	4823	F16	5547	L4	6203	L10	8867
	4 yds, 72 sf	F5	4499	F11	4911	F17	5723	L5	6491	L11	9587

Leit Chair, Triple




PLEC3	78w	COM	4999	F6	5707	F12	6397	COL	5749	L6	8989
	24d	F1	5401	F7	5791	F13	6565	L1	7153	L7	9529
	29h	F2	5449	F8	5887	F14	6751	L2	7369	L8	10177
	18sh	F3	5503	F9	5995	F15	6961	L3	7693	L9	11041
		F4	5563	F10	6115	F16	7201	L4	8017	L10	12013
	6 yds, 108 sf	F5	5629	F11	6247	F17	7465	L5	8449	L11	13093

Leit Chair, Quad




PLEC4	104w	COM	7005	F6	7949	F12	8869	COL	8056	L6	12376
	24d	F1	7541	F7	8061	F13	9093	L1	9928	L7	13096
	29h	F2	7605	F8	8189	F14	9341	L2	10216	L8	13960
	18sh	F3	7677	F9	8333	F15	9621	L3	10648	L9	15112
		F4	7757	F10	8493	F16	9941	L4	11080	L10	16408
	8 yds, 144 sf	F5	7845	F11	8669	F17	10293	L5	11656	L11	17848

Corner/Back Option




PLECB	2.5w	COM	1257	F6	1375	F12	1490	COL	1446	L6	1986
	21d	F1	1324	F7	1389	F13	1518	L1	1680	L7	2076
	6.5h	F2	1332	F8	1405	F14	1549	L2	1716	L8	2184
		F3	1341	F9	1423	F15	1584	L3	1770	L9	2328
		F4	1351	F10	1443	F16	1624	L4	1824	L10	2490
	1 yd, 18 sf	F5	1362	F11	1465	F17	1668	L5	1896	L11	2670

Arms



PLEA	2.5w	COM	569	F6	687	F12	802	COL	654	L6	1194
	21d	F1	636	F7	701	F13	830	L1	888	L7	1284
	6.5h	F2	644	F8	717	F14	861	L2	924	L8	1392
		F3	653	F9	735	F15	896	L3	978	L9	1536
		F4	663	F10	755	F16	936	L4	1032	L10	1698
	1 yd, 18 sf	F5	674	F11	777	F17	980	L5	1104	L11	1878

Arms must be placed by a leg (specify location by number) and may receive Pivot Tops and Power-Data Ports.



+ Options for Arms:

For a Pivot Top in Wood1 (15w 9.5d 2.9h), specify Option PTW, add \$302.

For a Pivot Top in FenixNTM®, specify Option PTF and color (matte black or matte white); add \$405.

For a hardwired Power-USB Port, specify Option PUP and color (black or white); add \$497.

Inquire with Customer Service about units with 20 amp plug.

All metal frame parts this page are resin-coated steel; specify color choice:

MRB Resin Black, MRSA Resin Satin Aluminum, MRTG Resin Thunder Gray or MRW Resin White.


Shipping address for COM/COL materials and memo samples:
TUOHY Furniture Corporation, Upholstery Receiving Dept, 1323 W 132nd St, Gardena, CA 90247



IMPORTANT! Additional yardage may be required for fabrics less than 54 inches wide and/or having more than a nominal vertical repeat or pattern.
Use the Additional Yardage (+YDG) requirements listed in the TUOHY Upholstery Partnership Guides for each upholstery offering to re-calculate the yardage or square footage needed for a given pattern. See also Table 2 on page D2.

Category	Pattern	Grade
Faux-Leather	Silex	F3
Leather	Lena	L1

Leit Bench, Single




Product No.	Dimensions	Fabric \$				Leather \$					
PLEB11	26w	COM	1325	F6	1502	F12	1675	COL	1524	L6	2334
	18d	F1	1426	F7	1523	F13	1717	L1	1875	L7	2469
	18h	F2	1438	F8	1547	F14	1763	L2	1929	L8	2631
	18sh	F3	1451	F9	1574	F15	1816	L3	2010	L9	2847
		F4	1466	F10	1604	F16	1876	L4	2091	L10	3090
	1.5 yds, 27 sf	F5	1483	F11	1637	F17	1942	L5	2199	L11	3360
PLEB12	26w	COM	1412	F6	1707	F12	1995	COL	1624	L6	2974
	24d	F1	1580	F7	1742	F13	2065	L1	2209	L7	3199
	18h	F2	1600	F8	1782	F14	2142	L2	2299	L8	3469
	18sh	F3	1622	F9	1827	F15	2230	L3	2434	L9	3829
		F4	1647	F10	1877	F16	2330	L4	2569	L10	4234
	2.5 yds, 45 sf	F5	1675	F11	1932	F17	2440	L5	2749	L11	4684

Leit Bench, Extended




PLEBX1	39w	COM	1672	F6	2026	F12	2371	COL	1923	L6	3543
	18d	F1	1873	F7	2068	F13	2455	L1	2625	L7	3813
	18h	F2	1897	F8	2116	F14	2548	L2	2733	L8	4137
	18sh	F3	1924	F9	2170	F15	2653	L3	2895	L9	4569
		F4	1954	F10	2230	F16	2773	L4	3057	L10	5055
	3 yds, 54 sf	F5	1987	F11	2296	F17	2905	L5	3273	L11	5595
PLEBX2	39w	COM	1758	F6	2112	F12	2457	COL	2022	L6	3642
	24d	F1	1959	F7	2154	F13	2541	L1	2724	L7	3912
	18h	F2	1983	F8	2202	F14	2634	L2	2832	L8	4236
	18sh	F3	2010	F9	2256	F15	2739	L3	2994	L9	4668
		F4	2040	F10	2316	F16	2859	L4	3156	L10	5154
	3 yds, 54 sf	F5	2073	F11	2382	F17	2991	L5	3372	L11	5694

Leit Bench, Double



PLEB21	52w	COM	2645	F6	2940	F12	3228	COL	3042	L6	4392
	18d	F1	2813	F7	2975	F13	3298	L1	3627	L7	4617
	18h	F2	2833	F8	3015	F14	3375	L2	3717	L8	4887
	18sh	F3	2855	F9	3060	F15	3463	L3	3852	L9	5247
		F4	2880	F10	3110	F16	3563	L4	3987	L10	5652
	2.5 yds, 45 sf	F5	2908	F11	3165	F17	3673	L5	4167	L11	6102
PLEB22	52w	COM	2732	F6	3027	F12	3315	COL	3142	L6	4492
	24d	F1	2900	F7	3062	F13	3385	L1	3727	L7	4717
	18h	F2	2920	F8	3102	F14	3462	L2	3817	L8	4987
	18sh	F3	2942	F9	3147	F15	3550	L3	3952	L9	5347
		F4	2967	F10	3197	F16	3650	L4	4087	L10	5752
	2.5 yds, 45 sf	F5	2995	F11	3252	F17	3760	L5	4267	L11	6202

Leit Bench, Triple



PLEB31	78w	COM	3363	F6	3776	F12	4179	COL	3867	L6	5757
	18d	F1	3598	F7	3825	F13	4277	L1	4686	L7	6072
	18h	F2	3626	F8	3881	F14	4385	L2	4812	L8	6450
	18sh	F3	3657	F9	3944	F15	4508	L3	5001	L9	6954
		F4	3692	F10	4014	F16	4648	L4	5190	L10	7521
	3.5 yds, 63 sf	F5	3731	F11	4091	F17	4802	L5	5442	L11	8151
PLEB32	78w	COM	3449	F6	3862	F12	4265	COL	3966	L6	5856
	24d	F1	3684	F7	3911	F13	4363	L1	4785	L7	6171
	18h	F2	3712	F8	3967	F14	4471	L2	4911	L8	6549
	18sh	F3	3743	F9	4030	F15	4594	L3	5100	L9	7053
		F4	3778	F10	4100	F16	4734	L4	5289	L10	7620
	3.5 yds, 63 sf	F5	3817	F11	4177	F17	4888	L5	5541	L11	8250

! Notes

All metal frame parts this page are resin-coated steel; specify color choice:

MRB Resin Black, MRSA Resin Satin Aluminum, MRTG Resin Thunder Gray or MRW Resin White.

Shipping address for COM/COL materials and memo samples:

TUOHY Furniture Corporation, Upholstery Receiving Dept, 1323 W 132nd St, Gardena, CA 90247



IMPORTANT! Additional yardage may be required for fabrics less than 54 inches wide and/or having more than a nominal vertical repeat or pattern.

Use the Additional Yardage (+YDG) requirements listed in the TUOHY Upholstery Partnership Guides for each upholstery offering to re-calculate the yardage or square footage needed for a given pattern. See also Table 2 on page D2.

Category	Pattern	Grade
Faux-Leather	Silex	F3
Leather	Lena	L1

Leit Tables



Description	Prod. Prefix	Top Material Suffix / List \$				
		Wood1	Wood2	AcrylicSS	Quartz	Fenix NTM®
Connecting Tables	...	...W1	...W2	...C	...Q	...F
Inline	PLETC...	344	368	931	1500	807
End Table (2 legs)	PLETE...	1009	1080	1596	2164	1473
Corner Table (1 leg)	PLETL...	676	723	1262	1835	1141

Dimensions (tables above): 26w 24d 13.8h

Freestanding	Prod. Prefix	...W1	...W2	...C	...Q	...F
Table 26w 18d 13.8h	PLET111...	911	975	1350	1778	1258
Table 26w 18d 29h	PLET112...	1401	1499	1843	2269	1749
Table 26w 24d 13.8h	PLET121...	977	1045	1563	2133	1441
Table 26w 24d 29h	PLET122...	1531	1638	2118	2687	1994
Table 52w 18d 13.8h	PLET211...	1067	1142	1949	2804	1763
Table 52w 18d 29h	PLET212...	1589	1700	2469	3324	2286
Table 52w 24d 13.8h	PLET221...	1168	1250	2343	3481	2094
Table 52w 24d 29h	PLET222...	1750	1873	2927	2905	2678
Table 78w 18d 13.8h	PLET311...	1682	1800	3001	4284	2726
Table 78w 18d 29h	PLET312...	2514	2690	4277	5982	3904
Table 78w 24d 13.8h	PLET321...	1656	1772	3417	5125	3048
Table 78w 24d 29h	PLET322...	2660	2846	4422	6128	4050
Table 104w 24d 29h	PLET422...	2879	3081	5229	7506	4733

Notes:

Specify the product number by appending the desired Top Material Code to the Prod.No. Prefix.

Example: Inline Connecting Table with Wood1 top is PLETCW1; price is \$344.

Metal frame parts are resin-coated steel; choose from standard colors.

Solid Surface is Avonite® 8016 White, Matte.

Quartz is Cambria® all standard colors; quote required for Luxury Series Designs.

FenixNTM® available in matte black or matte white.

Other top materials are available on a COM/project basis.

Leit Tops



Surround Panels Required	Prod. Prefix	...W1	...W2	...C	...Q	...F
Top 30.5w 24d 0.75th	PLETT305...	702	751	1403	2080	1255
Top 56.5w 24d 0.75th	PLETT565...	973	1041	2261	3508	1990

Notes:

Specify the product number by appending the desired Top Material Code to the Prod.No. Prefix.

Example: Top 30.5w 24d 0.75th with Wood1 top is PLETT305W1; price is \$702.

Solid Surface is Avonite® 8016 White, Matte.


Quartz is Cambria® all standard colors; quote required for Luxury Series Designs.

FenixNTM® available in matte black or matte white.

Other top materials are available on a COM/project basis.

Leit Surround Panels

May be applied to seating units or used with tops (listed above) as desking stations.
See the individual listings on the following pages, grouped and presented by height.



Shipping address for COM/COL materials and memo samples:
TUOHY Furniture Corporation, Upholstery Receiving Dept, 1323 W 132nd St, Gardena, CA 90247

Please provide tagging information as needed for your project.



TUOHY

IMPORTANT! Additional yardage may be required for fabrics less than 54 inches wide and/or having more than a nominal vertical repeat or pattern.
Use the Additional Yardage (+YDG) requirements listed in the TUOHY Upholstery Partnership Guides for each upholstery offering to re-calculate the yardage or square footage needed for a given pattern. See also Table 2 on page D2.


Category	Pattern	Grade
Faux-Leather	Silex	F3
Leather	Lena	L1

Leit Surround Panels





May be applied to seating units or used with tops as desking stations.
See the individual listings on the following pages, grouped and presented by height.
Metal legs and stand-offs are resin-coated steel; specify color choice:
MRB Resin Black, MRSA Resin Satin Aluminum, MRTG Resin Thunder Gray or MRW Resin White.

Panels for seating and connecting tables



Panels for work surface tops



Ordering Information

Product numbers are formed by joining the string of data in the grayed area.
Example:
PLEP25A24 requires 1.5 yards and has a COM price of \$1315.

25.5h	w	d	yds	COM	F1	F2	F3	F4	F5	F6	F7	F8	F9	F10	F11	F12	F13	F14	F15	F16	F17
PLEP25 A 24	24	1	1.5	1315	1416	1428	1441	1456	1473	1492	1513	1537	1564	1594	1627	1665	1707	1753	1806	1866	1932
PLEP25 A 26	26	1	1.5	1345	1446	1458	1471	1486	1503	1522	1543	1567	1594	1624	1657	1695	1737	1783	1836	1896	1962
PLEP25 A 28.25	28.25	1	1.5	1410	1511	1523	1536	1551	1568	1587	1608	1632	1659	1689	1722	1760	1802	1848	1901	1961	2027
PLEP25 A 28.75	28.75	1	1.5	1410	1511	1523	1536	1551	1568	1587	1608	1632	1659	1689	1722	1760	1802	1848	1901	1961	2027
PLEP25 A 30.5	30.5	1	1.5	1447	1548	1560	1573	1588	1605	1624	1645	1669	1696	1726	1759	1797	1839	1885	1938	1998	2064
PLEP25 A 31.5	31.5	1	1.5	1479	1580	1592	1605	1620	1637	1656	1677	1701	1728	1758	1791	1829	1871	1917	1970	2030	2096
PLEP25 A 49	49	1	2	1382	1516	1532	1550	1570	1592	1618	1646	1678	1714	1754	1798	1848	1904	1966	2036	2116	2204
PLEP25 A 52	52	1	2	1412	1546	1562	1580	1600	1622	1648	1676	1708	1744	1784	1828	1878	1934	1996	2066	2146	2234
PLEP25 A 53	53	1	2	1412	1546	1562	1580	1600	1622	1648	1676	1708	1744	1784	1828	1878	1934	1996	2066	2146	2234
PLEP25 A 57.5	57.5	1	2	1448	1582	1598	1616	1636	1658	1684	1712	1744	1780	1820	1864	1914	1970	2032	2102	2182	2270
PLEP25 M 29.25 L	29.25 L	18	2.5	1902	2070	2090	2112	2137	2165	2197	2232	2272	2317	2367	2422	2485	2555	2632	2720	2820	2930
PLEP25 M 29.25 R	29.25 R	18	2.5	1902	2070	2090	2112	2137	2165	2197	2232	2272	2317	2367	2422	2485	2555	2632	2720	2820	2930
PLEP25 N 29.25 L	29.25 L	18	2.5	1902	2070	2090	2112	2137	2165	2197	2232	2272	2317	2367	2422	2485	2555	2632	2720	2820	2930
PLEP25 N 29.25 R	29.25 R	18	2.5	1902	2070	2090	2112	2137	2165	2197	2232	2272	2317	2367	2422	2485	2555	2632	2720	2820	2930
PLEP25 P 27 L	27 L	25	3	1807	2008	2032	2059	2089	2122	2161	2203	2251	2305	2365	2431	2506	2590	2683	2788	2908	3040
PLEP25 P 27 R	27 R	25	3	1807	2008	2032	2059	2089	2122	2161	2203	2251	2305	2365	2431	2506	2590	2683	2788	2908	3040
PLEP25 Q 32.5	32.5	18	3.5	2067	2302	2330	2361	2396	2435	2480	2529	2585	2648	2718	2795	2883	2981	3089	3212	3352	3506
PLEP25 S 29.25 L	29.25 L	18	2.5	2224	2392	2412	2434	2459	2487	2519	2554	2594	2639	2689	2744	2807	2877	2954	3042	3142	3252
PLEP25 S 29.25 R	29.25 R	18	2.5	2224	2392	2412	2434	2459	2487	2519	2554	2594	2639	2689	2744	2807	2877	2954	3042	3142	3252
PLEP25 U 32.5	32.5	18	3.5	2386	2621	2649	2680	2715	2754	2799	2848	2904	2967	3037	3114	3202	3300	3408	3531	3671	3825

≡ Denotes that patterns require railroading.

Shipping address for COM/COL materials and memo samples:
TUOHY Furniture Corporation, Upholstery Receiving Dept, 1323 W 132nd St, Gardena, CA 90247



IMPORTANT! Additional yardage may be required for fabrics less than 54 inches wide and/or having more than a nominal vertical repeat or pattern.
Use the Additional Yardage (+YDG) requirements listed in the TUOHY Upholstery Partnership Guides for each upholstery offering to re-calculate the yardage or square footage needed for a given pattern. See also Table 2 on page D2.

Category	Pattern	Grade
Faux-Leather	Silex	F3
Leather	Lena	L1

Shipping address for COM/COL materials and memo samples:
TUOHY Furniture Corporation, Upholstery Receiving Dept, 1323 W 132nd St, Gardena, CA 90247

Please provide tagging information as needed for your project.



Leit Surround Panels (cont.)

45.5h	w	d	yds	COM	F1	F2	F3	F4	F5	F6	F7	F8	F9	F10	F11	F12	F13	F14	F15	F16	F17
PLEP45 A 24		1	2.5	1641	1809	1829	1851	1876	1904	1936	1971	2011	2056	2106	2161	2224	2294	2371	2459	2559	2669
PLEP45 A 26		1	2.5	1674	1842	1862	1884	1909	1937	1969	2004	2044	2089	2139	2194	2257	2327	2404	2492	2592	2702
PLEP45 A 28.25		1	2.5	1739	1907	1927	1949	1974	2002	2034	2069	2109	2154	2204	2259	2322	2392	2469	2557	2657	2767
PLEP45 A 28.75		1	2.5	1739	1907	1927	1949	1974	2002	2034	2069	2109	2154	2204	2259	2322	2392	2469	2557	2657	2767
PLEP45 A 30.5		1	2.5	1773	1941	1961	1983	2008	2036	2068	2103	2143	2188	2238	2293	2356	2426	2503	2591	2691	2801
PLEP45 A 31.5		1	2.5	1807	1975	1995	2017	2042	2070	2102	2137	2177	2222	2272	2327	2390	2460	2537	2625	2725	2835
PLEP45 A 49		1	3.5	1871	2106	2134	2165	2200	2239	2284	2333	2389	2452	2522	2599	2687	2785	2893	3016	3156	3310
PLEP45 A 52		1	3.5	1902	2137	2165	2196	2231	2270	2315	2364	2420	2483	2553	2630	2718	2816	2924	3047	3187	3341
PLEP45 A 53		1	3.5	1902	2137	2165	2196	2231	2270	2315	2364	2420	2483	2553	2630	2718	2816	2924	3047	3187	3341
PLEP45 A 57.5	≡	1	3.5	1937	2172	2200	2231	2266	2305	2350	2399	2455	2518	2588	2665	2753	2851	2959	3082	3222	3376
PLEP45 B 49		3.25	3.5	1871	2106	2134	2165	2200	2239	2284	2333	2389	2452	2522	2599	2687	2785	2893	3016	3156	3310
PLEP45 C 49		5.5	3.5	1871	2106	2134	2165	2200	2239	2284	2333	2389	2452	2522	2599	2687	2785	2893	3016	3156	3310
PLEP45 D 24		5.5	2.5	1641	1809	1829	1851	1876	1904	1936	1971	2011	2056	2106	2161	2224	2294	2371	2459	2559	2669
PLEP45 E 26		1	2.5	1674	1842	1862	1884	1909	1937	1969	2004	2044	2089	2139	2194	2257	2327	2404	2492	2592	2702
PLEP45 F 17		5.5	2.5	1574	1742	1762	1784	1809	1837	1869	1904	1944	1989	2039	2094	2157	2227	2304	2392	2492	2602
PLEP45 G 35		3.25	2.5	1838	2006	2026	2048	2073	2101	2133	2168	2208	2253	2303	2358	2421	2491	2568	2656	2756	2866
PLEP45 H 35		5.5	2.5	1838	2006	2026	2048	2073	2101	2133	2168	2208	2253	2303	2358	2421	2491	2568	2656	2756	2866
PLEP45 J 35		1	2.5	1838	2006	2026	2048	2073	2101	2133	2168	2208	2253	2303	2358	2421	2491	2568	2656	2756	2866
PLEP45 K 18		1	2.5	1544	1712	1732	1754	1779	1807	1839	1874	1914	1959	2009	2064	2127	2197	2274	2362	2462	2572
PLEP45 M 29.25 L		18	4	2231	2499	2531	2567	2607	2651	2703	2759	2823	2895	2975	3063	3163	3275	3399	3539	3699	3875
PLEP45 M 29.25 R		18	4	2231	2499	2531	2567	2607	2651	2703	2759	2823	2895	2975	3063	3163	3275	3399	3539	3699	3875
PLEP45 N 29.25 L		18	4	2231	2499	2531	2567	2607	2651	2703	2759	2823	2895	2975	3063	3163	3275	3399	3539	3699	3875
PLEP45 N 29.25 R		18	4	2231	2499	2531	2567	2607	2651	2703	2759	2823	2895	2975	3063	3163	3275	3399	3539	3699	3875
PLEP45 O 29.25 L		25	4.5	2296	2598	2634	2674	2719	2769	2827	2890	2962	3043	3133	3232	3345	3471	3610	3768	3948	4146
PLEP45 O 29.25 R		25	4.5	2296	2598	2634	2674	2719	2769	2827	2890	2962	3043	3133	3232	3345	3471	3610	3768	3948	4146
PLEP45 P 27 L		25	4.5	2133	2435	2471	2511	2556	2606	2664	2727	2799	2880	2970	3069	3182	3308	3447	3605	3785	3983
PLEP45 P 27 R		25	4.5	2133	2435	2471	2511	2556	2606	2664	2727	2799	2880	2970	3069	3182	3308	3447	3605	3785	3983
PLEP45 Q 32.5		18	5.5	2398	2767	2811	2860	2915	2976	3047	3124	3212	3311	3421	3542	3680	3834	4004	4197	4417	4659
PLEP45 S 29.25 L		18	4	2550	2818	2850	2886	2926	2970	3022	3078	3142	3214	3294	3382	3482	3594	3718	3858	4018	4194
PLEP45 S 29.25 R		18	4	2550	2818	2850	2886	2926	2970	3022	3078	3142	3214	3294	3382	3482	3594	3718	3858	4018	4194
PLEP45 T 29.25 L		25	4	2487	2755	2787	2823	2863	2907	2959	3015	3079	3151	3231	3319	3419	3531	3655	3795	3955	4131
PLEP45 T 29.25 R		25	4	2487	2755	2787	2823	2863	2907	2959	3015	3079	3151	3231	3319	3419	3531	3655	3795	3955	4131
PLEP45 U 32.5		18	5.5	2713	3082	3126	3175	3230	3291	3362	3439	3527	3626	3736	3857	3995	4149	4319	4512	4732	4974

≡ Denotes that patterns require railroading.

55.5h	w	d	yds	COM	F1	F2	F3	F4	F5	F6	F7	F8	F9	F10	F11	F12	F13	F14	F15	F16	F17
PLEP55 A 24		1	3.5	1875	2110	2138	2169	2204	2243	2288	2337	2393	2456	2526	2603	2691	2789	2897	3020	3160	3314
PLEP55 A 26		1	3.5	1909	2144	2172	2203	2238	2277	2322	2371	2427	2490	2560	2637	2725	2823	2931	3054	3194	3348
PLEP55 A 28.25		1	3.5	1969	2204	2232	2263	2298	2337	2382	2431	2487	2550	2620	2697	2785	2883	2991	3114	3254	3408
PLEP55 A 28.75		1	3.5	1969	2204	2232	2263	2298	2337	2382	2431	2487	2550	2620	2697	2785	2883	2991	3114	3254	3408
PLEP55 A 30.5		1	3.5	2000	2235	2263	2294	2329	2368	2413	2462	2518	2581	2651	2728	2816	2914	3022	3145	3285	3439
PLEP55 A 31.5		1	3.5	2032	2267	2295	2326	2361	2400	2445	2494	2550	2613	2683	2760	2848	2946	3054	3177	3317	3471
PLEP55 A 49		1	3.5	2095	2330	2358	2389	2424	2463	2508	2557	2613	2676	2746	2823	2911	3009	3117	3240	3380	3534
PLEP55 A 52		1	3.5	2124	2359	2387	2418	2453	2492	2537	2586	2642	2705	2775	2852	2940	3038	3146	3269	3409	3563
PLEP55 A 53		1	3.5	2124	2359	2387	2418	2453	2492	2537	2586	2642	2705	2775	2852	2940	3038	3146	3269	3409	3563
PLEP55 A 57.5	≡	1	3.5	2157	2392	2420	2451	2486	2525	2570	2619	2675	2738	2808	2885	2973	3071	3179	3302	3442	3596
PLEP55 B 49		3.25	3.5	2095	2330	2358	2389	2424	2463	2508	2557	2613	2676	2746	2823	2911	3009	3117	3240	3380	3534
PLEP55 C 49		5.5	3.5	2095	2330	2358	2389	2424	2463	2508	2557	2613	2676	2746	2823	2911	3009	3117	3240	3380	3534
PLEP55 D 24		5.5	3.5	1875	2110	2138	2169	2204	2243	2288	2337	2393	2456	2526	2603	2691	2789	2897	3020	3160	3314
PLEP55 E 26		1	3.5	1909	2144	2172	2203	2238	2277	2322	2371	2427	2490	2560	2637	2725	2823	2931	3054	3194	3348
PLEP55 F 17		5.5	3.5	1812	2047	2075	2106	2141	2180	2225	2274	2330	2393	2463	2540	2628	2726	2834	2957	3097	3251
PLEP55 G 35		3.25	3.5	2062	2297	2325	2356	2391	2430	2475	2524	2580	2643	2713	2790	2878	2976	3084	3207	3347	3501
PLEP55 H 35		5.5	3.5	2062	2297	2325	2356	2391	2430	2475	2524	2580	2643	2713	2790	2878	2976	3084	3207	3347	3501
PLEP55 J 35		1	3.5	2062	2297	2325	2356	2391	2430	2475	2524	2580	2643	2713	2790	2878	2976	3084	3207	3347	3501
PLEP55 K 18		1	3.5	1783	2018	2046	2077	2112	2151	2196	2245	2301	2364	2434	2511	2599	2697	2805	2928	3068	3222
PLEP55 M 29.25 L		18	5	2439	2774	2814	2859	2909	2964	3029	3099	3179	3269	3369	3479	3604	3744	3899	4074	4274	4494
PLEP55 M 29.25 R		18	5	2439	2774	2814	2859	2909	2964	3029	3099	3179	3269	3369	3479	3604	3744	3899	4074	4274	4494
PLEP55 N 29.25 L		18	5	2439	2774	2814	2859	2909	2964	3029	3099	3179	3269	3369	3479	3604	3744	3899	4074	4274	4494
PLEP55 N 29.25 R		18	5	2439	2774	2814	2859	2909	2964	3029	3099	3179	3269	3369	3479	3604	3744	3899	4074	4274	4494
PLEP55 O 29.25 L		25	5.5	2500	2869	2913	2962	3017	3078	3149	3226	3314	3413	3523	3644	3782	3936	4106	4299	4519	4761
PLEP55 O 29.25 R		25	5.5	2500	2869	2913	2962	3017	3078	3149	3226	3314	3413	3523	3644	3782	3936	4106	4299	4519	4761
PLEP55 P 27 L		25	5.5	2344	2713	2757	2806	2861	2922	2993	3070	3158	3257	3367	3488	3626	3780	3950	4143	4363	4605
PLEP55 P 27 R		25	5.5	2344	2713	2757	2806	2861	2922	2993	3070	3158	3257	3367	3488	3626	3780	3950	4143	4363	4605
PLEP55 Q 32.5		18	6.5	2595	3031	3083	3141	3206	3278	3362	3453	3557	3674	3804	3947	4110	4292	4493	4721	4981	5267
PLEP55 S 29.25 L		18	5	2742	3077	3117	3162	3212	3267	3332	3402	3482	3572	3672	3782	3907	4047	4202	4377	4577	4797
PLEP55 S 29.25 R		18	5	2742	3077	3117	3162	3212	3267	3332	3402	3482	3572	3672	3782	3907	4047	4202	4377	4577	4797
PLEP55 T 29.25 L		25	5	2681	3016	3056	3101	3151	3206	3271	3341	3421	3511	3611	3721	3846	3986	4141	4316	4516	4736
PLEP55 T 29.25 R		25	5	2681	3016	3056	3101	3151	3206	3271	3341	3421	3511	3611	3721	3846	3986	4141	4316	4516	4736
PLEP55 U 32.5		18	6.5	2898	3334	3386	3444	3509	3581	3665	3756	3860	3977	4107	4250	4413	4595	4796	5024	5284	5570